


LB/DOM/92/01 100' of A2-UGM  
PERSONAL  
COPY

# SRILANKAN VERNACULAR ARCHITECTURE AS AN APPROPRIATE RESPONSE TO THE BASIC FORCES IN BUILT ENVIRONMENT.

A CASE STUDY ON VERNACULAR ARCHITECTURE IN  
RATHNAPURA DISTRICT

A dissertation submitted to the University of Moratuwa  
As a partial fulfillment of the requirement for the  
Degree of Master of Science in Architecture

 LIBRARY  
UNIVERSITY OF MORATUWA, SRI LANKA  
MORATUWA

72<sup>01</sup>  
728.6(548.7)

TH

76198

**A.P.SARATH WIMALAWEERA**  
Faculty of Architecture  
University of Moratuwa  
Sri Lanka  
July 2001.



University of Moratuwa



76198

76198

## **Acknowledgement**

Let me record here my heartfelt gratitude to each and every one mentioned below for their help to make this dissertation success.

Above all my greatest thanks are specially extended to **Dr. Samitha Manawadu**, year master of final year , faculti of architecture, in terms of having faith in the perticular dissertation topic proposal, advice extended on structure of the study, critisism on the text and ofering editorial suggestions, which emmensely to buit up confidence and above all constant remarks on time limit.

I am very grateful to **Dr. L.S.R.Perera** for his guidance on research studies related to the dissertation and valid advice on using standered methodologies in preparing this perticular text.

**Mr. Vidura Sri Nammuni** and **Mr. V. Basnayake**, senior lecturers Dept, of Architecture for lengthy discutions and inspiration given to me when I needed it most.

**Mr. Wijepala,**. **Mrs. Sunethra Rathnayake,** **Mr. A.J.Ranasinghe** and all the villages of I studied area for providing me with necessary data , discutions and granting permission to photograph their houses.

It is wondrful to feel the concern of all the frends with Lakshman Nishantha in encouragement.

Therefore in association with the fel of huminity I dedicated this dissertation, to you

## **CONTENTS**

**Acknowledgement**  
**Contents**  
**List of illustration**  
**Introduction**  
**Justification of the topic**  
**Objectives**  
**Methodology**  
**Limitation**

### **CHAPTER ONE.**

**The vernacular architecture and house forms varied according to the basic forces in surrounding nature.**

- 1.1. The vernacular tradition**
  - 1.1.1. Characteristic of vernacular tradition
- 1.2. Architecture as an evolutionary process**  
(from primitive to vernacular)
  - 1.2.1. Formation of rural vernacular architecture.
- 1.3. The house forms and its importance.**
  - 1.3.1. Basic forces in built environment, which influence the forms.**
    - 1.3.1.1. Socio-cultural factors**
      - a. Society
      - b. Man and family.
      - c. House and family.
      - d. Caste and family.
      - e. Culture.
    - 1.3.1.2. Climate.**
      - a. Sun
      - b. Wind
      - c. Rain
    - 1.3.1.3. Materials, Construction and Technology.**
    - 1.3.1.4. Economy.**

### **CHAPTER TWO.**

**Architectural tradition in Sri Lankan vernacular buildings**

and there responation with nature.

**2.1. Sri Lankan vernacular buildings**

**2.2. Architectural elements of early traditional vernacular buildings and the methods of there response to the basic forces in built environment**

**2.2.1. Elements in vernacular houses**

2.2.1.1. Plinth.

2.2.1.2. Roof.

2.2.1.3. Center courtyard.

2.2.1.4. Verandah.

2.2.1.5. Openings.

**2.3. Use of natural elements as wall, roofs and furniture.**

**2.4. Scale.**

**2.5. Methods of responation to the basic forces in Built environment about building elements in Sri Lankan vernacular buildings**

2.5.1. Plinth

2.5.2. Central courtyard

2.5.3. Roof

2.5.4. Verandah

2.5.5. Openings

**2.6 Light and ventilation.**

**2.7. Orientation Vegetation and vernacular buildings**

**2.8. Use of materials.**

**2.9. Orientation of Sri Lankan vernacular building**

**2.10. Climatic responsiveness**

**2.11. Resources utilization**

**2.12. Site consideration.**

**2.13 The change in vernacular architecture as a negative response to the basic forces in built environment**



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

Handwritten signature or stamp in the bottom right corner of the page.

## **CHAPTER THREE.**

### **ORIGIN OF THE NAME OF SABARAGAMUWA AND ITS HISTORICAL BACKGROUND OF EARLY TRADITIONAL VERNACULAR HOUSES IN RATHNAPURA DISTRICT.**

#### **CASE STUDIES.**

##### **3.1 Selected houses under the case studies.**

- 3.1.1. Example one  
**“JAYASUNDARA WALAWWA”**  
At MADAMPE
- 3.1.2. Example two.  
**“MAHAGAMUGE PAHALAGEDARA”**  
At KAWDUWAWA
- 3.1.3. Example three.  
**“Mr. SAMARASEKARA HOUSE”**  
At KAWDUDUWAW
- 3.1.4. Example four.  
**“KADEWATHTHE GEDARA”**  
At ATHTHALAWATHTHA

##### **3.2. The changing patterns of that responses with the development.**

- 3.2.1. Social development.
- 3.2.2. Materials and Technology development
- 3.2.2. Example.  
**“Ruwanpura national college of education”**  
At KAHAWATHTHA

#### **CONCLUSION**

#### **BIBLIOGRAPHY**

## LIST OF FIGURES

Fig. No.		Page No.
1.1	Dwellings Of Marsh Arabs	4
1.2	Igloo And Teepee House	9
1.3	Different house forms, in different culture.	10
1.4.	House forms differ with climate - (foreign)	12
1.5.	Different house forms varying with Climatic conditions in Sri Lanka.	13
1.6.	Different house forms using same materials	14
1.7.	Economic influence in housing	15
2.1	Maximum Degree Of responstation To the Natural Environment	16
2.2.	High Plinth For protect From Dampness and Inserts Attach	17
2.3.	Roof is a very dominating element in traditional house	18
2.4.	Center Courtyard A successful Design in Vernacular Architecture	19
2.5.	Verandah As transitional space	20
2.5.	Human scale built form makes The quality of reachable and tangible	21
2.7.	Vernacular building deeply related with nature	21
2.8	Living With Nature	
2.9	Plinth as a energy conserve element in traditional built form.	22
2.10	Takes natural light and ventilation trough courtyard.	23
2.11	High pitch of the roof.	25
2.12	Verandah	25
2.13	Traditional buildings fully covered by the vegetation.	26
2.14	Stone, clay, mud, timber.	27
2.15	Openings were placed so as to cut down the solar radiation	28
2.16	Highly responded built form to the climatic conditions	29
2.17	The roof is the significant climatic element	30
2.18	Material consumption was minimized using natural elements	31
2.19	The gap between roof and the wall	32
2.20	Touching the earth lightly using humen labour unlike today	32
2.21	The vernacular buildings, friendly with nature.	33
3.0.	Batadombalena cave at Kuruvita	37
3.1.	Study area.	39
3.2.	Sabaragamuwa province	39
3.3.	Jayasundara Walawwa views from some distance.	43
3.4.	EntrancePath,From verandah.	43



3.5.	Small opening on East side wall.	44
3.6.	Front verandah "Living with nature"	44
3.7	Successful Center Courtyard.	45
3.7.	Harvest paddy Stored at higher Level	45
3.8.	from ground To protect from Dampness.	46
3.9.	Openings of the Kitchen, Preparation,	46
	And stores are kept Towards the courtyar	47
3.10.	All foundations are height About 3 Ft. from ground level	48
	To protect from dampness And Termites attach.	49
3.11.	Mahagamuge Pahalagedara "galge"	49
	Front elevation	
3.12.	No any openings on the East and West	49
	Sidewalls for extremely protect from	
	Direct sunlight and horizontal rain.	
3.13.	Used environmental	50
	Friendly materials In order to	
	Highlight living Wit	
3.14.	Used very large timber Sections.	50
3.15.	Walls (2Ft thick) Made by using	51
	Rubble with mud as bonding material	
3.16.	Round Columns in the middle	51
	Of the front verandah	
3.17.	Up stair "Soldaraya" entrance	51
	From front Verandah.	
3.18.	Entrence Is located South Side Direction	52
3.19.	See Through The building Three doors	52
	Located in one Line.	
3.20.	Foundation 3 Ft. in Height	53
	From ground Level To protect From	
	Dampness and Inserts attach.	
3.21.	Front Verandah Create a	54
	Calm and Quite Environ	
3.22.	Small Opening From east	54

To prevent From glair While getting The natural Lighting.

3.23.	Get the Maximum Natural lighting From East side Wall.	55
3.24.	Used clay tiles as Floor finishing Material For get the maximum Comfortable From natural Environment	56
3.25.	View Of The Old House.	57
3.26.	View of the new house	57
3.27.	Old house use as a store	58
3.28.	no any openings on east-west sides walls58	
3.29.	Plinth Of the old house and new house from Rear.	59
3.30.	Materials used for old roof, rafters- round shaped timber Reapers-"veraniya Kotu"	59
3.31.	Wattle and doubt Wall construction in Old house, High plinth against dampness	60
3.32.	Small opening on considerable height above Ground level only for ventilation. (Old house)	60
3.33.	Extra elements required preventing From direct sunlight falling from East Side. (New house)	61
3.34	New construction near Mr. <b>samarasekara</b> house	63
3.35.	Using uncomfortable Materials	63
3.36.	Built against with environment	64
3.37.	Ruwanpura National College of Education .At Kahawaththa	64
3.38.	Micro concrete tiles not suitable for climatic variations.	65
3.39	Corridors open to the outside. Subjected to the horizontal rain.	65
3.40.	Entrance lobby from main road Opened to Natural environment, No comfortable to the Eye according to the glazed floor finish.	66
3.41	Corridor of the Main lecture room. Glare reflected from Tiled floor finish.	66
3.42.	All window sashes are covered with Sheets of newspapers. The girls hostel. "Wrong orientation"	66