

References

*"Genius is 1 % inspiration
and 99 % perspiration."*

THOMAS A. EDISON

References:

- [1] Hugh F. Durrant Whyte Integration, Coordination and Control Multi-Sensor Robot Systems. Kluwer Academic Publishers, 1988.
- [2] Conner, D. C., Kedrowski, P. R., Reinholtz, C. F., Bay, J.S.. *Improved dead reckoning using caster wheel sensing on a differentially steered 3-wheeled autonomous vehicle.* SPIE Mobile Robots XV, Boston, MA, 2000c.
- [3] Asimov, I. (1950), *I, Robot*, Spectra.
- [4] Engelberger, J. F. (1989), *Robotics in Service*, MIT Press.
- [5] Maurer, M., Behringer, R., Dickmanns, D., Hildebrandt, T., Thomanek, F., Schiehlen, J. & Dickmanns, E. D. (1995), VaMoRs-P: an advanced platform for visual autonomous road vehicle guidance, in 'Proc. SPIE Vol. 2352, p. 239-248, Mobile Robots IX, William J. Wolfe; Wendell H. Chun; Eds.', pp. 239.248.
- [6] Brooks, R. (1986), A robust layered control system for a mobile robot. in 'Proceedings of the IEEE International Conference on Robotics and Automation', Vol. RA-2, pp. 14.23.
- [7] Arkin, R. (1998). *Behavior-based robotics*. Cambridge, MA: The MIT Press.
- [8] Murphy, R. (1994). Sensor fusion. In M. Arbib (ed.), *The handbook of brain theory and neural networks*. (pp. 857-860). Cambridge. MA: MIT Press.



- [9] Conner, D. C., *Sensor Fusion, Navigation, and Control of Autonomous Vehicles*, Masters Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA, July 2000a.
- [10] D.L. Alspach and H.W. Sorenson, Nonlinear Bayesian Estimation using Gaussian Sum Approximation, *IEEE Transactions on Automatic Control*, Vol. 17, 1972, pages 439-447.
- [11] M.W.M.G. Dissanayake, P. Newman, S. Clark, and H.F. Durrant-Whyte. A solution to the simultaneous localization and map building (SLAM) problem. *IEEE Transactions on Robotics and Automation*, Vol. 17, No. 3, 2001, pages 229-241.
- [12] A. Sabater. Set membership approach to the propagation of Uncertain Geometric information, *Proc. of 1991 IEEE Int. Conf. On Rob. And Aut.* Sacramento, California, April 1991, pp 2718-2723
- [13] Ben J.A. Krose, Kai M. Compagner, F.C.A. Groen, Accurate Estimation of Environment Parameters from Ultrasonic Data, *Robotics and Autonomous Systems*, 11 (1993), pp 221-230
- [14] J. Vandorpe, *Navigation Techniques for the Mobile Robot Lias*, Thesis Catholic University Leuven, January 1997.
- [15] H.R. Nicholls and M.H. Lee, A Survey of Robot Tactile Sensing Technology. *International Journal of Robotics Research*, Vol. 8, No. 3, June 1989, pages 3-30.
- [16] Alberto Elfes, Sonar-based real world Mapping and Navigation, *IEEE Journal of Robotics and Automation*, Vol RA-3, no 3, June 1987
- [17] C. J. C. H. Watkins. *Learning from delayed rewards*". PhD thesis, King's College, University of Cambridge, May 1989
- [18] S.B. Thrun, Exploration and Model Building in Mobile Robot Domains, *IEEE* 1993
- [19] K. Konolidge A. Refined Method for Occupancy Grid Interpretation. *Lecture Notes in Artificial Intelligence 1093*, Springer Verlag, pp. 338-352
- [20] A.N. Steinberg, C.L. Bowman, F.E. White, Revisions to the JDL Data Fusion Model. *Proc. Joint Int. Systems Conference, Quebec, October 1998*
- [21] Ieland, G., and King, B.J., 1993, A perspective of the conceptual design process for a large, complex made-to-order engineering artefact, *Journal of Engineering Design*, 4,1, pp 55-67.
- [22] G.R. Scholz and C.D. Rahn, Profile Sensing with an Actuated Whisker, *IEEE Transactions on Robotics and Automation*, Vol. 20, No. 1, 2004, pages 124-127.

- [23] Alan C. Schultz and William Adams, "Continuous Localization Using Evidence Grids", Proceedings of the 1998 IEEE International Conference on Robotics and Automation, pp.1401-1406, 1998.
- [24] Brian Yamauchi, "Mobile Robot Localization in Dynamic Environments Using Dead Reckoning and Evidence Grids", Proceedings of the 1996 IEEE International Conference on Robotics and Automation, pp.1401-1406, 1996.
- [25] Brian Yamauchi, Alan Schultz, and William Adams, "Mobile Robot Exploration and Map Building with Continuous Localization", Proceedings of the 1998 IEEE International Conference on Robotics and Automation, pp.3715-3720, 1998.
- [26] M. D. Adams, H. Hu, and P. J. Probert, "Toward a real-time architecture for obstacle avoidance and path planning in mobile robot," in *Proc. IEEE Int. Conf. on Robot. Automat.*, Mar. 1990.
- [27] R. C. Arkin, "Motor schema based navigation for a mobile robot." *Proc. IEEE Int. Conf. on Robot. Automat.*, 1987, pp. 264-271.
- [28] R. C. Arkin and R. R. Murphy, "Autonomous navigation in a manufacturing environment," *IEEE Trans. Robot. Automat.*, vol. 6, 1990.
- [29] N. Ayache and O. D. Faugeras, "Building, registering and fusing noisy visual maps," *Int. J. Robot. Res.*, vol. 7, no. 6, 1988.
- [30] Y. Bar-Shalom and J. E. Fortmann, *Tracking and Data Association*. San Diego: Academic, 1987.
- [31] Y. Bar-Shalom and X. R. Li, *Estimation Tracking*. Boston: Artech House, 1993.
- [32] D. Fox, S. Thrun, W. Burgard, and F. Dellaert, Particle Filters for Mobile Robot Localization, in A. Doucet, N. De Freitas & N. Gordon (eds), *Sequential Monte Carlo Methods in Practice*, Springer-Verlag, 2000.
- [33] K. Astrom, A Correspondence Problem in Laser Guided Navigation. Proceedings of Symposium on Image Analysis, Editors D. Eriksson and E. Benojsson. Sweden, 1992, pages 141-144
- [34] J. Borenstein and Y. Koren, Error Eliminating Rapid Ultrasonic Firing for Mobile Robot Obstacle Avoidance, *IEEE Transactions on Robotics and Automation*, Vol. 11, No. 1, 1995, pages 132-138.
- [35] R. Deveza, R.A. Russell, D. Thiel, and A. Mackay-Sim, Odor Sensing for Robot Guidance, *International Journal of Robotics Research*, Vol. 13, No. 3, 1994, pages 232-239.
- [36] M.W.M.G. Dissanayake, P. Newman, S. Clark, and H.F. Durrant-Whyte, A solution to the simultaneous localization and map building (SLAM) problem. *IEEE Transactions on Robotics and Automation*, Vol. 17, No. 3, 2001, pages 229-241.
- [37] H.R. Everett, *Sensors for Mobile Robots – Theory and Application*. A K Peters Ltd., ISBN 1- 56881-048-2, 1995

- [38] McKerrow, P. J., *Introduction to Robotics*. Addison-Wesley Publishing Co., Sydney, 1991. Methods in Practice. Springer-Verlag, 2000.
- [39] Q. Gan and C.J. Harris. Comparison of Two Measurement Fusion Methods for Kalman-filterbased Multi-sensor Data Fusion. *IEEE Transactions on Aerospace and Electronic Systems*, Vol. 37, No. 1, 2001. pages 273-280.
- [40] S. Godsill, A. Doucet and M. West, Maximum a Posteriori Sequence Estimation using Monte Carlo Particle Filters, *Annals of the Institute of Statistical Mathematics*, Vol. 53, No.1, 2001, pages 82-96.
- [41] N.J. Gordon, D.J. Salmond and A.F.M. Smith, Novel Approach to Non-linear/Non-Gaussian Bayesian State Estimation, *IEE Proceedings-F*, Vol. 140, No. 2, 1993. pages 107-113.
- [42] J. Guivant and E. Nebot, Optimisation of the Simultaneous Localization and Map Building Algorithm for Real-time Implementation, *IEEE Transactions on Robotics and Automation*, Vol. 17, No. 3, 2001. pages 242-257.
- [43] C.J. Harris, X. Hong, and Q. Gan, *Adaptive Modelling. Estimation and Fusion from Data: A Neuro-fuzzy Approach*. Springer, 2002.
- [44] T. Henderson, E. Weitz, C. Hansen and A. Mitiche, Multisensor Knowledge Systems: Interpreting 3D Structure, *International Journal of Robotics Research*, Vol. 7, No. 6, 1988, pages 114-133.
- [45] H. Hu and D. Gu, Landmark-based Localization of Industrial Mobile Robots, *International Journal of Industrial Robot*, Vol. 27, No. 6, pages 458 - 467, November 2000.
- [46] P. Jensfelt and H.I. Christensen, Pose Tracking using Laser Scanning and Minimalistic Environmental Models, *IEEE Transactions on Robotics and Automation*, Vol. 17, No. 2, 2001, pages 138-147.
- [47] J.L. Jones and A.M. Flynn, *Mobile Robots – Inspiration to Implementation*, A K Peters Ltd., Wellesley, Massachusetts, 1993
- [48] R. Karlsson and N. Bergman, Auxiliary Particle Filters for Tracking a Manoeuvring Target, *Proceedings of the 39th IEEE Conference on Decision and Control*, Sydney, Australia, 2000.
- [49] J.J. Leonard and H.F. Durrant-Whyte, *Direct Sonar Sensing for Mobile Robot Navigation*, Kluwer Academic Publishers, Boston, MA, 1992
- [50] C.D. McGillem and T.S. Rappapor, Infrared Location System for Navigation of Autonomous Vehicles, *Proceedings of International Conference on Robotics and Automation*, 1988, pages 1236-1238


- [51] B.W. Minten, R.R. Murphy, J. Hyams and M. Micire. Low-Order-Complexity Vision-based Docking, *IEEE Transactions on Robotics and Automation*, Vol. 17, No. 6, 2001, pages 922–930.
- [52] B. V. Dasarathy. Sensor Fusion Potential Exploitation-Innovative Architectures and Illustrative Applications. *Proceedings of the IEEE*, 85:24–38, Jan. 1997.
- [53] B. V. Dasarathy. More the Merrier ... or is it? - Sensor Suite Augmentation Benefits Assessment. In *Proceedings of the 3rd International Conference on Information Fusion*, volume 2, pages 20–25, Paris, France, July 2000.
- [54] R.A. Russell, Laying and Sensing Odor Marking as a Strategy for Assisting Mobile Robot Navigation Tasks, *IEEE Robotics and Automation Magazine*, September 1995, pages 3–9.
- [55] C. S. Andersen, C. B. Madsen, J. J. Sørensen, N. O. S. Kirkeby, J. P. Jones, and H. I. Christensen. Navigation Using Range Images on a Mobile Robot. *Robotics and Autonomous Systems*, 10:147–160, 1992.
- [56] T. Kohonen. “Self organizing formation of topologically correct feature maps”. *Biological Cybernetics*, 43:59–69, 1982.
- [57] Barshan, B. & Kuc, R. (1990). *Differentiating sonar reflections from corners and planes by employing an intelligent sensor*. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 12(6):560–569
- [58] T. Bass. *Intrusion Detection Systems and Multisensor Data Fusion: Creating Cyberspace Situational Awareness*. *Communications of the ACM*, 43(4):99–105, May 2000.
- [59] G. Bauer. *Transparent Fault Tolerance in a Time-Triggered Architecture*. PhD Thesis, Technische Universität Wien, Institut für Technische Informatik, Vienna, Austria, 2001.
- [60] E. Bosse, J. Roy, and D. Grenier. Data Fusion Concepts Applied to a Suite of Dissimilar Sensors. *Canadian Conference on Electrical and Computer Engineering*, 1996, 2:692–695, May 1996.
- [61] R. R. Brooks and S. S. Iyengar. *Multi-Sensor Fusion: Fundamentals and Applications*. Prentice Hall, New Jersey, 1998.
- [62] G. T. Chavez and R. R. Murphy. Exception Handling for Sensor Fusion. In *SPIE Sensor Fusion VI*, pages 142–153, Boston, MA, USA, Sep. 1993.
- [63] P. Chew and K. Marzullo. Masking Failures of Multidimensional Sensors. In *Proceedings of the 10th Symposium on Reliable Distributed Systems*, pages 32–41, Pisa, Italy, Oct. 1991.
- [64] H. Chung, L. Ojeda, and J. Borenstein. Sensor Fusion for Mobile Robotics and Automation, volume 4, pages 3588–3593, Seoul, Korea, May 2001.

- [65] B. Cipra. Engineers Look to Kalman Filtering for Guidance. *SIAM News*, 26(5), Aug. 1993.
- [66] F. Daum. Book Review on: Handbook of Multisensor Data Fusion. *IEEE Aerospace and Electronic Systems Magazine*, 16(10):15–16, Oct. 2001.
- [67] H. F. Durrant-Whyte. Sensor Models and Multisensor Integration. *International Journal of Robotics Research*, 7(6):97–113, Dec. 1988.
- [68] S. A. Edwards. *Languages for Digital Embedded Systems*. Kluwer Academic Publishers, Boston, Dordrecht, London, 2000.
- [69] A. Elfes. A Sonar-Based Mapping and Navigation System. In *Proceedings of the IEEE International Conference on Robotics and Automation*, San Francisco, CA, USA, 1986.
- [70] A. Elfes. Using Occupancy Grids for Mobile Robot Perception and Navigation. *IEEE Computer*, 22(6):46–57, 1989.
- [71] E. Fabrizi, G. Oriolo, S. Panzieri, and G. Ulivi. Mobile Robot Localization via Fusion of Ultrasonic and Inertial Sensor Data. In *Proceedings of the 8th International Symposium on Robotics with Applications*, Maui, USA, 2000.
- [72] Q. Gan and C. J. Harris. Comparison of Two Measurement Fusion Methods for Kalman-Filter-Based Multisensor Data Fusion. *IEEE Transactions on Aerospace and Electronics*, 37(1):273–279 Jan. 2001.
- [73] D. L. Hall. *Mathematical Techniques in Multi-Sensor Data Fusion*. Artech House, Norwood, Massachusetts, 1992.
- [74] D. N. Jayasinha. Fault Tolerance in a Multisensor Environment. *Proceedings of the 13th Symposium on Reliable Distributed Systems*, pages 2–11, 1994.
- [75] R. E. Kalman and R. S. Bucy. New Results in Linear Filtering and Prediction Theory. *Transaction of the ASME, Series D, Journal of Basic Engineering*, 83:95–108, Mar. 1961.
- [76] M. Kam, X. Zhu, and P. Kalata. Sensor Fusion for Mobile Robot Navigation. *Proceedings of the IEEE*, 85(1):108–119, Jan. 1997.
- [77] L. Wald. A European Proposal for Terms of Reference in Data Fusion. *International Archives of Photogrammetry and Remote Sensing*, XXXII, Part 7:651–654, 1998.
- [78] P. A. Lee and T. Anderson, Editors. *Fault Tolerance. Principles and Practice*. Springer Verlag, Wien, New York, second edition, 1990.

- [79] R. C. Luo and M. Kay. Multisensor Integration and Fusion in Intelligent Systems. *IEEE Transactions on Systems, Man, and Cybernetics*, 19(5):901-930, Sep.-Oct. 1989.
- [80] L. Matthies and A. Elfes. Integration of Sonar and Stereo Range Data using a Grid-Based Representation. In *Proceedings of the IEEE International Conference on Robotics and Automation*, volume 2, pages 727-733. Philadelphia, PA, USA, 1988.
- [81] B. Moshiri, M. R. Asharif, and R. Hosein Nezhad. Pseudo Information Measure: A New Concept for extension of Bayesian Fusion in Robotic Map Building. *Information Fusion*, 3(1):51-68, 2002.
- [82] N. S. V. Rao. A Fusion Method That Performs Better Than Best Sensor. *Proceedings of the First International Conference on Multisource-Multisensor Information Fusion*, pages 19-26, July 1998.
- [83] A. Singhal. Issues in Autonomous Mobile Robot Navigation. Survey paper towards partial fulfillment of MS degree requirements, Computer Science Department, University of Rochester, Rochester, NY 14627-0226, May 1997.
- [84] C. Tarin, H. Brugger, R. Moscardó, B. Tibken, and E. P. Hofer. Low Level Sensor Fusion for Autonomous Mobile Robot Navigation. In *Proceedings of the 16th IEEE Instrumentation and Measurement Technology Conference (IMTC'99)*, volume 3, pages 1377-1382, 1999.
- [85] E. Waltz and J. Llinas. *Multisensor Data Fusion*. Artech House, Norwood, Massachusetts, 1990.
- [86] E. Waltz. The Principles And Practice Of Image And Spatial Data Fusion. In *Proceedings of the 8th National Data Fusion Conference*, Dallas, 1995.
- [87] W. Wen and H. F. Durrant-Whyte. Model-Based Multi-Sensor Data Fusion. In *Proceedings of the IEEE International Conference on Robotics and Automation*, volume 2, pages 1720-1726, Nice, France, 1992.
- [88] L. Yenilmez and H. Temeltas. Real Time Multi-Sensor Fusion and Navigation for Mobile Robots. *9th Mediterranean Electrotechnical Conference*, 1:221-225, May 1998.
- [89] Anderson, J. (1995). *An introduction to neural networks*. Cambridge, MA: The MIT Press.
- [90] Brooks, R. (1987). *Planning is just a way of avoiding figuring out what to do next*. Working paper 303, MIT Artificial Intelligence Laboratory.

- [91] Davis, L., & Stentz, A. Sensor fusion for autonomous outdoor navigation using neural network. *Proceedings of the IEEE/RSJ International Conference On Intelligence Robotic Systems*. 3, 338-343. (1995)
- [92] Haykin, S. *Neural networks: A comprehensive foundation*. Upper Saddle River, NJ: Prentice Hall. (1999)
- [93] Murphy, R., & Arkin R.. SFX: an architecture for action-oriented sensor fusion.n *Proceedings of the International Conference on Intelligent Robotics and Systems. (IROS 1992)*, 1079-1086. (1992)
- [94] Murphy, R. (1994). Sensor fusion. In M. Arbib (ed.), *The handbook of brain theory and neural networks*. (pp. 857-860). Cambridge, MA: MIT Press.
- [95] Murphy, R. (1996). Biological and cognitive foundations of intelligent sensor fusion. *IEEE Transactions on Systems, Man, and Cybernetics*, 20(1), 42-45.
- [96] Murphy, R. (1999). Dempster-shafter theory for sensor fusion in autonomous mobile robots. *IEEE Transcation on Robotics and Automation*, 14(2), 197-206.
- [97] Murphy, R. (2000). *Introduction to ai robotics*. Cambridge, MA: MIT Press.
- [98] Rao, V., & Rao, H. (1995). *C++ neural networks & fuzzy logic*. New York: MIS:Press.
- [99] Rekleitis, I., Dudek, G., & Freedman, P. (1996). Just-in-time sensing: Efficiently combining sonar and laser range data for exploring unknown worlds. *Proceedings of the IEEE International Conference on Robotics and Automation*, 1, 667-672.
- [100] G.W. Awcock, R. Thomas, "Applied Image Processing", McGraw-Hill Inc, United States, 1996.
- [101] R.C. Gonzalez, R.E. Woods, "Digital Image Processing", Pearson Education (Singapore) Pte. Ltd, Delhi, 2003, ch6.
- [102] R.C. Gonzalez, R.E. Woods, S.L Eddins, "Digital Image Processing Using MatLab", Pearson Education (Singapore) Pte. Ltd, Delhi, 2004, ch6.
- [103] N. Otsu, "A Threshold Selection Method from Gray-Level Histograms". *IEEE Trans. on Systems, Man, and Cybernetics*, vol. 9, no. 1, pp. 62-66, 1979.
- [104] A. Torres-Mendez, C. Ruiz-Suarez, E. Sucar, and G. Gomez, "Translation, Rotation, and Scale-Invariant Object Recognition", *IEEE Trans. on Man and Cybernetics; part C Applications and Rewiews*, Vol 30, February 2000.

- [104] L. Lam, S. Lee, and Y. Suen, "Thinning Methodologies-A comprehensive Survey", *IEEE Trans. on Pattern Analysis and Machine Intelligence*, Vol. 14, No. 9, pp. 869-885, September 1992.
- [105] M. Mitchell, "An Introduction to Genetic Algorithms", Prentice Hall India, October 2002, Ch 1.
- [106] I. Mazumder, and M. Rudnick, "Genetic Algorithms for VLSI Design, Layout & Test Automation", Pearson Education (Singapore) Pte. Ltd, India, 2003, ch1.
J. Yen and R. Langari, "Fuzzy Logic Intelligence. Control and Information". Pearson Education (Singapore) Pte. Ltd, India, 2005.
- [107] C. Wang, T. Hong, S. Tseng, "Integrating fuzzy knowledge by genetic algorithms", *IEEE Trans. on Evolutionary Computation*, Vol. 2, Iss. 4, pp.138 – 149, November 1998.
- [108] J. Yen and R. Langari, "Fuzzy Logic Intelligence. Control and Information". Pearson Education (Singapore) Pte. Ltd, India, 2005.
- [109] D.E. Golberg, "Genetic Algorithms in search optimization & Machine Learning", Pearson Education (Singapore) Pte. Ltd, India, 2003, ch. 1, ch. 3-8.
- [110] A. Laurentini, "Inferring the Shape of the Real Object from the Object Reconstructed by Volume Intersection," *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, Proceedings CVPR 1993, pp. 280-285.
- [111] J.S.R. Jang, C.T. Sun, and E. Mizutani, "*Neuro Fuzzy and Soft Computing*", Pearson Education (Singapore) Pte.Ltd, Delhi, 2004
- [112] L. A. Zadeh, "Fuzzy Sets," *Journal of Information and Control*, vol. 8, pp. 338–353, 1965.
- [113] A. M. Ibrahim, "Fuzzy Logic for Embedded Systems Applications", Solar Print Process, 2005.
- [114] O. Cohen and Y. Edan, "Adaptive Fuzzy Logic Algorithm for Grid Map Based Sensor Fusion", *IEEE Intelligent Vehicles Symposium*, pp 625-630, June 2004.
- [115] CMUcam User Manual v2.00 for the CMUcam v1.12 firmware.
- [116] Divantech SRF04 Ultra Sonic Ranger Technical Specification Data Sheet.
- [117] Microchip PIC 16F877A Technical Specification Data Sheet.
- [118] Texas Instruments MAX232 Technical Specification Data Sheet
- [119] R. Siegwart and I. R. Nourbakhsh, "Introduction to Autonomous Mobile Robots", MIT press, Cambridge Massachusetts, April 2004.
- [120] N. Yoshida, "Robot motion control Using Subsumption Architecture". *Journal of the Robotics Society of Japan*, 1993, vol. 11, No. 8, pp 1118-1123.



- [121] L. Walker, "Combining Geometric Invariants with Fuzzy Clustering for Object Recognition", *Fuzzy Information Processing Society: NAFIPS. 18th International Conference of the North American*, pp 571 - 574. June 1999.
- [122] L. Walker and K. Okuma, "Automatic Extraction of Invariant Features for Object Recognition", *Fuzzy Information Processing Society: NAFIPS. 19th International Conference of the North American*, pp 163 - 167, July 2000
- [123] A. Pallegedara, L. Udawatta and D. Jayathilake "Fault Tolerance Sensor fusion approach to Mobile Robot Navigation" Proceedings of the International Conference on Information and Automation (ICIA), December 15-18, 2005, Colombo, Sri Lanka IEEE Sponsored.
- [124] A. Pallegedara, D.D.A.S. Jayasiri, L. Udawatta and P. Dassanayaka "Intelligent Behaviors and Sensor fusion for Mobile Robot based on Fuzzy Realization". Proceedings of the ERU symposium September 2005. Sri Lanka.
- [125] Brooks, R. (1987). *Planning is just a way of avoiding figuring out what to do next*. Working paper 303, MIT Artificial Intelligence Laboratory.
- [126] Brooks, R. (1989). A robot that walks: Emergent behaviors from a carefully evolved network. *Neural Computation*, 1, 253-262.
- [127] Brooks, R. (1991). New approaches to robotics. *Science*, 253, 1227-1232.
- [128] Brooks, R. (1999). *Cambrian intelligence: The early history of the new ai*. Cambridge, MA: The MIT Press.
- [129] J. Borenstein, B. Everett, and L. Feng: *Navigating Mobile Robots: System and Techniques*. A.K. Peters, Ltd. Wellesley, MA, 1996..
- [130] Durrant-Whyte, H. , "A Critical Review of the State-of-the-Art in Autonomous Land Vehicle Systems and Technology," Sandia National Laboratories Albuquerque, New Mexico 87185 and Livermore, California 94550, 2001
- [131] O'Connor, M., Bell, T., Elkaim, G. and Parkinson, B., "Automatic Steering of Farm Vehicles Using GPS," Proceedings of the 3rd International Conference on Precision Agriculture, June 1996.