

REFERENCES

- Accela-Inc.(2009, March). Retrieved from Accela Land Management: http://www.accela.com/products/land_management.asp
- ACS-Inc. (2009). Retrieved March 3, 2009, from ACS Parcel Editor: www.acs-inc.com/gis
- American Society of Civil Engineers. (1969). *Design and Construction of Sanitary and Storm Sewers*. New York: American Society of Civil Engineers and the Water Pollution Control Federation.
- Army Corps of Engineers. (1997). *Engineering And Design Handbook For The Preparation Of Stormwater Pollution Prevention Plans For Construction Activities*. Army Corps of Engineers, Department of the Army . Washington: US Army.
- Baxley, B. (2003). Universal Model of a User Interface. *Designing for user experiences* (pp. 1-14). San Francisco: ACM New York, NY, USA.
- Berman, M. L. (2003, Oct). *Data Model for Historical GIS: CHGIS Time Series*. Retrieved Mar 25, 2009, from China Historical GIS: <http://www.fas.harvard.edu/~chgis/>
- BEST-GIS. *Guidelines for Best Practice in User Interface for GIS*. The European Commission.
- Brooks, K., Ffolliott, P., Gregersen, H., & Thames, J. (1993). *Hydrology and the management of watersheds*. Ames, Iowa: IOWA State Unvercity press.
- Cahan, B. (2000). *Financing the NSDI: National Spatial Data Infrastructure*. New York: Urban Logic.
- Carter, J. (2003, August). Retrieved from Tools for Assessing Land Use Impacts on Water quality: www.csc.noaa.gov
- Cayman, A. (2001). *Drainage Runoff and Flow Design 6.1. Archon Drainage Program* . Missouri, Columbia: Archon Engineering, PC.
- CEGISBD-Inc. (2011). (Center for Environmental and Geographic Information Services) Retrieved May 11, 2011, from Updating of Soil and Land Resource Information System (SOLARIS): http://www.cegisbd.com/dataIT_div.htm#client6
- Chow, V. T., Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*. USA: McGraw-Hill, Inc.
- Cochrane, T., Egli, M., Phillips, C., & Acharya, G. (2007). Development of A Forest Road Erosion Calculation GIS Tool for Forest Road Planning and Design. *International Congress on Modelling and Simulation: Land, Water, & Environmental Management: Integrating Systems for Sustainability* (pp. 1273-1279). Christchurch, New Zealand: University of Canterbury. Civil and Natural Resources Engineering.
- Daratech. (2009, Aug 19). *GIS/Geospatial Industry Worldwide Growth*. Retrieved Feb 20, 2010, from Daratech.com: <http://www.daratech.com/press/releases/2009/091908.html>
- De Smedt, F., Yongbo, L., & Gebremeskel, S. (2000). Hydrologic modelling on a catchment scale using GIS and remote sensed land use information. In C. A. Brebbia (Ed.), *Risk Analysis II* (pp. 295-304). Southampton, Boston: WIT press.
- De, S., Eastman, C. M., & Farkas, C. (2003). Secure Access Control in a Multi-user Geodatabase. *International Cartographic Conferences (21st ICC)* . Durban: International Cartographic Association.

- Dharmasena, G., & Premasiri, S. (1990). Rainfall Intensity Studies for Sri Lanka. *Engineer-Journal of Institution of Engineers, Sri Lanka*, 38-40.
- Easterbrook, R. (2006). Predicting Post-Wildfire Watershed Runoff Using ArcGIS ModelBuilder. *Esri Federal User Conference Proceedings 2006*. Washington: ESRI-Inc.
- EPA. (2003). *Guidance for Geospatial Data Quality Assurance Project Plans (EPA QA/G-5G)*. Washington, DC: The U.S. Environmental Protection Agency.
- ESRI. (2006). VB Help. Redlands, CA.
- ESRI-Inc. (2003). *ArcGIS extension on Land Parcel Management Booklet Article No. GS-35F-5086H*. California: ESRI.
- Faulkner, L. (2003). Beyond the five-user assumption: Benefits of increased sample sizes in usability testing. *Behavior Research Methods, Instruments, & Computers*, 35 (3), pp. 379-383.
- Gemitzi, A., & Tolikas, D. (2006). HYDRA model: Simulation of Salt intrusion in coastal aquifers using Visual Basic and GIS. *Journal of Environmental Modelling & Software* 22 (2007), 924-936.
- Generalcode-Inc. (2008, December). *Municipity™ Integrated Parcel Management Solution*. Retrieved December 30, 2008, from Generalcode Software: <http://www.generalcode.com>
- GNOME. (2004). *GNOME Human Interface Guidelines 2.0*. Boston, MA: Free Software Foundation Inc.
- Haklay, M., & Jones, C. (2008). Usability and GIS - why your boss should buy you a larger monitor. *AGI GeoCommunity '08*. Stratford-upon-Avon, UK.
- Haklay, M., & Zafiri, A. (2008). Usability engineering for GIS: learning from a screenshot. *The Cartographic Journal - Use and Users Special Issue*, 45 (2), 87-97.
- Heo, J., Jeong, H. K., & Seoungpil, K. (2006). Temporal Land Information System (TLIS) for Dynamically Changing Cadastral Data. *International Conference on Computational Science and Its Applications* (pp. 1066-1073). Glasgow, UK: Springer, Berlin.
- Hossain, M. M., Shoaiib, J. U., Akhter, S., & Hasan, M. N. (2008, December). *Soil and Land Resource Information System (SOLARIS): A tool to address land resources to adopt climatic vulnerability*. (Soil Resource Development Institute) Retrieved January 20, 2009, from <http://www.cegisbd.com/>
- IOWA. (2008, December 5). *Iowa Stormwater Management Manual*. Retrieved Jan 21, 2009, from Iowa State University: <http://www.intrans.iastate.edu/pubs/stormwater>
- Jain, S. K., Singh, S., & Gore, M. M. (2003). Design and Implementation of LRS – A case study. *Map India Conference*. India.
- Kadam, R., Bhosale, R., Kale, Y., & Vivekanandam, U. (2009). GIS-Based Watershed Delineation And Runoff Calculation in Areas of Urban Development. *Geomatrix '09: National Conference on Geospatial Technology*. Mumbai, India: CSRE, Indian Institute of Technology, Bombay (IIT B).
- Karunatilake, G., & Wijesekera, N.T.S (2001). Key Issues and recommendations related to field data collection in soil erosion assessment using GIS. *Tropical Agricultural Research*, Vol 13, pp. 126-165.
- Larry, W. M. (2001). *Stormwater Collection Systems Design Handbook*. Columbus: McGraw-Hill Companies.
- Larry, W. M. (2010). *Water Resources Engineering*. Hoboken: John Wiley & Sons Ltd.

- Lin, J., Fang, Y., Chen, B., & Wu, P. (2008). Analysis of Access Control Mechanisms for Spatial Database. *ISPRS Congress Beijing 2008, Proceedings of Commission VIII* (pp. 1443-1448). Beijing : International Society for Photogrammetry and Remote Sensing.
- Maidment, D. R. (1992). *Handbook of Hydrology*. USA: McGraw-Hill Inc.
- Markiewicz, D. (2008, May 14). *Guidelines for Password Management*. Retrieved Jan 20, 2009, from Carnegie Mellon University: http://www.cmu.edu/iso/governance/guidelines/docs/PasswordMgmtGuidelines_FINALv1.1.pdf
- Marshall, E., & Shortle, J. (2005). Urban development impacts on ecosystems. In S. Goetz, J. Shortle, & J. Bergstrom, *Land Use Problems and Conflicts: Causes, Consequences and Solutions* (pp. 61 - 72). New York: Routledge Publishing (Taylor and Francis Group).
- McCuen, R. H. (1998). *Hydrologic analysis and design* (Second ed.). New Jersey: Prentice Hall.
- MWHSoft-Inc. (2010). *Water resource Workgroup management software for the worldwide water industry Product Catalog*. Broomfield, USA: Corporate Headquarters of MWH Soft.
- National Atlas. (1988). Colombo, Sri Lanka: Sri Lanka Survey Department.
- Nielsen, J. (1993, November). Iterative User-Interface Design. *Computer* , pp. 32-41.
- ODOT. (2005). *ODOT Hydraulics Manual - Appendix F Rational Methods*. Retrieved Jan 12, 2009, from Oregon State Web site - ODOT Technical Leadership Center, Geo-Environmental Section, Oregon: ftp://ftp.odot.state.or.us/techserv/Geo-gnvironmental/Hydraulics/Hydraulics%20Manual/Chapter_07/Chapter_07_appendix_F/CHAPTER_07_appendix_F.pdf
- Odunuga, S. S. (2008). *Urban land use change and the flooding patterns in Ashimowu watershed, Lagos, Nigeria*. Lagos, Nideria: University of Lagos.
- Perera, K. J., & Wijesekera, N.T.S. (2010). Identification of the Spatial Variability of Runoff Coefficient of Three Wet Zone Watersheds of Sri Lanka for Efficient River Basin Planning. *3rd International Perspective on Current & Future State of Water Resources & The Environment*. India: Environmental & Water Resources Institute (EWRI) of American Society of Civil Engineers.
- Pew, R. W., & Mavor, A. S. (2007). Human-System Integration in the System Development Process: A New Look. In *Methods for Evaluation* (pp. 267-274). Washington D.C.: National Academies Press.
- Ping, Y., Xinming, T., & Huibing, W. (2008). Analysis on Geographical Changes and Research on Spatio-temporal Patterns. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences. Vol. XXXVII. Part B2*. (pp. 1031-1036). Beijing: International Society for Photogrammetry and Remote Sensing.
- Ponrajah, A.J.P. (1988). *Technical Guidelines for Irrigation Works*. Colombo: Irrigation Department.
- Ponrajah, A.J.P. (1984). *Design of Irrigation Headworks for Small Catchments*. Colombo: Department of Irrigation.
- Prachansri, S. (2007). *Analysis of Soil and Landcover parameters for Flood Hazard Assessment*. MSc Thesis, International Institute for Geo-Information Science and Earth Observation, Enschede, Netherlands.

- Pradeep, R.M.M., & Wijesekera, N.T.S. (2008, October). Development of Customized Tools for GIS Modelling to Incorporate Flexible Decision Making. *Engineer Journal of the Institution of Engineers, Special Issue on Geoinformatics Applications* .
- Reeves, M. (2006). A Brief Guide to Rainfall Runoff in InfoWorks CS. In T. D. Evans (Ed.), *Urban Run-Off Modelling –Why Not Do It Properly?*, *The Foundation For Water Research Wastewater Research & Industry Support Forum Workshop* (pp. 11-22). Birmingham, UK: Foundation for Water Research,.
- Resnick, P., Hansen, D. L., & Richardson, C. (2004, Sep 9). Calculating error rates for filtering software. *Communications of the ACM - End-user development* , Vol 47 (9), pp. 67-71.
- Riedemann, C., & Kuhn, W. (1999, Feb 13). *GIS-User Interfaces in Practice - From Specialist to Public Usage*. Retrieved Dec 19, 2010, from Center for Cognitive Science: <http://cognition.iig.uni-freiburg.de/events/work&conf/raeumlicheInferenz/web-riede/text.html>
- Rinner, C., Raubal, M., & Spige, B. (2005). User Interface Design for Location-Based Decision Services. *Proceedings of Geoinformatics Conference* (pp. 17-19). Toronto, Canada: Ryerson International Conference Center.
- Ritzema, H. P. (1994). *Drainage Principles and Applications*. Wageningen: International Institute for Land Reclamation and Improvement/ILRI.
- Sasaoka, L. K., & Medeiros, C. B. (2006). Access Control in Geographic Databases. In J. Roddick, V. Benjamins, S. Si-said Cherfi, R. Chiang, C. Claramunt, R. Elmasri, et al. (Eds.), *Lecture Notes in Computer Science: Advances in Conceptual Modeling - Theory and Practice* (Vol. 4231, pp. 110-119). Berlin : Doi: 10.1007/11908883_14 (Springer).
- Scissoftware-Inc. (2009, June). Retrieved from XPSWMM: http://www.scissoftware.Com/environmental_software/index.php
- Show, E. (1992). Surface Hydrology. In P. Smart, & J. Herbertson, *Drainage Design* (p. 13). Glasgow: Blackie and Sons Ltd.
- Shrestha, M. N. (2003). Spatially Distributed Hydrological Modelling considering Land-use changes using Remote Sensing and GIS. *Second Annual Asian Conference & Exhibition on GIS, GPS, Aerial Photography and Remote Sensing*. Kuala Lumpur, Malaysia.
- Silva, P. (2001). *Land Use Changes in Sri Lanka*. National Physical Planning Policy, Centre for National Physical Planning, Colombo, Sri Lanka.
- Sperry, L., Claramunt, C., & Libourel, T. (1999). A Lineage MetaData Model for the Temporal Management of a Cadastre Application. In R. R. Wagner (Ed.), *DEXA - 10th International Workshop on Database & Expert Systems Applications* (p. 466). Florence, Italy: Research Institute for Applied Knowledge Processing (FAW), University of Linz, Austria.
- Stormwater Design Criteria Manual*. (2007, April 30). Retrieved Dec 25, 2010, from City of Springfield - Missouri: <http://www.springfieldmo.gov/stormwater/pdfs/Criteria/Chapter5.pdf>
- Sullivan, K. (1997). The Windows 95 User Interface: Iterative Design and Problem Tracking in Action. *International Conference on Software Engineering – Proceedings of the 19th international conference on Software engineering* (pp. 562 – 563). Boston, Massachusetts: ACM-Inc.
- Turoglu, H. (2007). Flood and flash flood analysis for Bartın river basin. *International Congress River Basin Management* (pp. 505 - 514). Antalya, Turkey: General Directorate of State Hydraulic Works, Ministry of energy and natural resources, Republic of Turkey.

- Tuttle, L. E. (2000, April). *The Effects of Urbanization on the Water Quality of the Upper White River Watershed*. Retrieved March 20, 2009, from <http://abe.www.ecn.purdue.edu/~engelb/abe526/projects00/lthia/urbanization.htm>
- Urdang, E. (1992). How to Design a GIS User Interface... Don't Bother: User Interface Design Principles for Geographic Information Systems. In D. Mark, & A. Frank, *User Interfaces for Geographic Information Systems: Report on the Specialist Meeting* (pp. 143 -145). Orono, ME: US National Center for Geographic Information and Analysis.
- USGS. (2011, May). *USGS Main Page*. Retrieved May 1, 2010, from USGS - Science for Changing World: <http://www.usgs.gov/science/science.php?term=1318>
- Vahabi, J., & Ghafouri, M. (2009). Determination of runoff threshold using rainfall simulator in the Southern Alborz Range Foothill –Iran. *Resreach Journal of Enviorenmental Science* , 3 (2), 193-201.
- Veer, G. v., & Vliet, H. v. (2001). A Plea for a Poor Man's HCI Component in Software Engineering and Computer Science Curricula; After all: The Human-Computer Interface is the System. In D. Ramsey, P. Bourque, & R. Dupuis (Ed.), *Proceedings 14th Conference on Software Engineering Education and Training* (pp. 276-286). Charlotte, NC, USA: IEEE.
- Van De Van, F., Nelen, A., & Geldof, G. (1992). Urban Drainage. In P. Smart, & J. Herbertson, *Drainage Design* (pp. 144-145). Glasgow: Blackie and Sons Ltd.
- Wijesekera, N.T.S., & Bandara, K. P. (2010). Preparation of the Stormwater Drainage Management Plan for Matara Municipal Council. *Engineer Journal of the Institution of Engineers* (Under Review: Submitted March 2010).
- Wijesekera, N.T.S., & Peiris, T. (2008). The Status of RS/GIS/GPS Application in Sri Lanka – A Survey of Public Private and Non Governmental Organizations. *Engineer Journal of the Institution of Engineers* (Special Issue on Geoinformatics Applications), 1-10.
- Wijesinghe, W.M.D., Wijesekera, N.T.S., (2010) Conceptual Detention Storage for Stormwater Management - Report(Unpublished), University of Moratuwa
- Wikipedia. (2009, Feb 12). *Likert scale*. Retrieved Mar 25, 2009, from Wikipedia, the free encyclopedia: http://en.wikipedia.org/wiki/Likert_scale
- WRc. (2006). *Building Research Technical Report 4/2006 - Review of assessment tools for determining soil infiltration rates – Final Report*. Norwich: Queen's Printer and Controller of Her Majesty's Stationery Office.
- Zeng, H., Peltola, H., & Kellomaki, S. (2006). A GIS-based decision support system for risk assessment of wind damage in forest management. *Journal of Environmental Modelling & Software* 22 (2007) , 1240-1249.
- Zhan, X., & Hunge, M. (2004, March). ArcCN-Runoff: an ArcGIS tool for generating curve number and runoff maps. *Elsevier - Environmental Modelling & Software* , 875-879.