

## References

- [1] H. Nordin and B. Täljsten, “Testing of hybrid FRP composite beams in bending,” *Composites Part B: Engineering*, vol. 35, no. 1, pp. 27–33, Jan. 2004.
- [2] O. Hag-Elsafi, S. Alampalli, and J. Kunin, “In-service evaluation of a reinforced concrete T-beam bridge FRP strengthening system,” *Composite Structures*, vol. 64, no. 2, pp. 179–188, May 2004.
- [3] N. F. Grace, W. F. Ragheb, and G. Abdel-Sayed, “Development and application of innovative triaxially braided ductile FRP fabric for strengthening concrete beams,” *Composite Structures*, vol. 64, no. 3–4, pp. 521–530, Jun. 2004.
- [4] A. Ashour, S. El-Refaie, and S. Garrity, “Flexural strengthening of RC continuous beams using CFRP laminates,” *Cement and Concrete Composites*, vol. 26, no. 7, pp. 765–775, Oct. 2004.
- [5] J. G. Dai, T. Ueda, Y. Sato, and T. Ito, “Flexural strengthening of RC beams using externally bonded FRP sheets through flexible adhesive bonding,” in *Proceedings of International Symposium on Bond Behavior of FRP in Structures (BBFS2005)*, 2005, pp. 7–9.
- [6] L. Anania, A. Badalà, and G. Failla, “Increasing the flexural performance of RC beams strengthened with CFRP materials,” *Construction and Building Materials*, vol. 19, no. 1, pp. 55–61, Feb. 2005.
- [7] C. A. Coronado and M. M. Lopez, “Sensitivity analysis of reinforced concrete beams strengthened with FRP laminates,” *Cement and Concrete Composites*, vol. 28, no. 1, pp. 102–114, Jan. 2006.
- [8] Z. Zhang and C. Hsu, “Shear strengthening of reinforced concrete beams using carbon-fiber-reinforced polymer laminates,” *Journal of Composites for Construction*, pp. 158–169, 2005.
- [9] M. R. Esfahani, M. R. Kianoush, and A. R. Tajari, “Flexural behaviour of reinforced concrete beams strengthened by CFRP sheets,” *Engineering Structures*, vol. 29, no. 10, pp. 2428–2444, Oct. 2007.
- [10] H. S. Kim and Y. S. Shin, “Flexural behavior of reinforced concrete (RC) beams retrofitted with hybrid fiber reinforced polymers (FRPs) under sustaining loads,” *Composite Structures*, vol. 93, no. 2, pp. 802–811, Jan. 2011.
- [11] F. Buyle-Bodin, E. David, and E. Ragneau, “Finite element modelling of flexural behaviour of externally bonded CFRP reinforced concrete structures,” *Engineering structures*, vol. 24, no. 11, pp. 1423–1429, 2002.
- [12] Q. S. Yang, X. R. Peng, and A. K. H. Kwan, “Finite element analysis of interfacial stresses in FRP–RC hybrid beams,” *Mechanics Research Communications*, vol. 31, no. 3, pp. 331–340, 2004.

- [13] H.-T. Hu, F.-M. Lin, and Y.-Y. Jan, "Nonlinear finite element analysis of reinforced concrete beams strengthened by fiber-reinforced plastics," *Composite Structures*, vol. 63, no. 3–4, pp. 271–281, Feb. 2004.
- [14] G. Alfano, L. Rosati, and G. Simonelli, "Modelling of failure mechanisms in RC beams retrofitted with FRP in flexure," in *VIII International Conference on Computational Plasticity*, E. Oñate and DRJ Owen (Eds), Barcelona, 2005.
- [15] Z. Zhang, L. Ye, and X. Lu, "Finite element analysis of shear behaviour of RC beams strengthened with U-shaped FRP sheets," *Eng Mech*, pp. 156–162, 2005.
- [16] X. Z. Lu, J. J. Jiang, J. G. Teng, and L. P. Ye, "Finite element simulation of debonding in FRP-to-concrete bonded joints," *Construction and Building Materials*, vol. 20, no. 6, pp. 412–424, Jul. 2006.
- [17] G. Camata, E. Spacone, and R. Zarnic, "Experimental and nonlinear finite element studies of RC beams strengthened with FRP plates," *Composites Part B: Engineering*, vol. 38, no. 2, pp. 277–288, Mar. 2007.
- [18] M. Barbato, "Efficient finite element modelling of reinforced concrete beams retrofitted with fibre reinforced polymers," *Computers & Structures*, vol. 87, no. 3–4, pp. 167–176, Feb. 2009.
- [19] G. M. Chen, J. F. Chen, and J. G. Teng, "On the finite element modelling of RC beams shear-strengthened with FRP," *Construction and Building Materials*, vol. 32, pp. 13–26, Jul. 2012.
- [20] ACI Committee 440 and American Concrete Institute, *Guide for the design and construction of externally bonded FRP systems for strengthening concrete structures*. Farmington Hills, Mich.: American Concrete Institute, 2008.
- [21] Japan Society of Civil Engineers, "Recommendations for Upgrading of Concrete Structures with Use of Continuous Fiber Sheet." 2001.
- [22] *Egyptian code of practice for the use of Fiber Reinforced Polymer (FRP) in the construction fields*. Arab republic of Egypt, Ministry of housing, utilities and urban utilities, Housing and building national research center, 2005.
- [23] R. Perera, A. Recuero, A. D. Diego, and C. López, "Adherence analysis of fiber-reinforced polymer strengthened RC beams," *Computers & Structures*, vol. 82, no. 23–26, pp. 1865–1873, Sep. 2004.
- [24] M. Maalej and K. S. Leong, "Engineered cementitious composites for effective FRP-strengthening of RC beams," *Composites Science and Technology*, vol. 65, no. 7–8, pp. 1120–1128, Jun. 2005.
- [25] M. A. Aiello and M. Leone, "Interface analysis between FRP EBR system and concrete," *Composites Part B: Engineering*, vol. 39, no. 4, pp. 618–626, Jun. 2008.
- [26] M. A. G. Silva and H. Biscaia, "Degradation of bond between FRP and RC beams," *Composite Structures*, vol. 85, no. 2, pp. 164–174, Sep. 2008.

- [27] E. Ferrier, G. Lagarde, and P. Hamelin, "Concrete beams reinforced by fibre-reinforced plastics: the effect of temperature on the adhesive layer," *Composites science and technology*, vol. 61, no. 3, pp. 425–431, 2001.
- [28] P. Meshgin, K.-K. Choi, and M. M. Reda Taha, "Experimental and analytical investigations of creep of epoxy adhesive at the concrete–FRP interfaces," *International Journal of Adhesion and Adhesives*, vol. 29, no. 1, pp. 56–66, Jan. 2009.
- [29] E. Ferrier, L. Michel, B. Jurkiewicz, and P. Hamelin, "Creep behavior of adhesives used for external FRP strengthening of RC structures," *Construction and Building Materials*, vol. 25, no. 2, pp. 461–467, Feb. 2011.
- [30] B. Gao, J.-K. Kim, and C. K. Y. Leung, "Experimental study on RC beams with FRP strips bonded with rubber modified resins," *Composites Science and Technology*, vol. 64, no. 16, pp. 2557–2564, Dec. 2004.
- [31] H. Toutanji, L. Zhao, and Y. Zhang, "Flexural behavior of reinforced concrete beams externally strengthened with CFRP sheets bonded with an inorganic matrix," *Engineering Structures*, vol. 28, no. 4, pp. 557–566, Mar. 2006.
- [32] W. Wenwei and L. Guo, "Experimental study and analysis of RC beams strengthened with CFRP laminates under sustaining load," *International Journal of Solids and Structures*, vol. 43, no. 6, pp. 1372–1387, Mar. 2006.
- [33] Z. Wu, W. Li, and N. Sakuma, "Innovative externally bonded FRP/concrete hybrid flexural members," *Composite Structures*, vol. 72, no. 3, pp. 289–300, Mar. 2006.
- [34] J. A. O. Barros, D. R. S. M. Ferreira, A. S. Fortes, and S. J. E. Dias, "Assessing the effectiveness of embedding CFRP laminates in the near surface for structural strengthening," *Construction and Building Materials*, vol. 20, no. 7, pp. 478–491, Sep. 2006.
- [35] B. Gao, J.-K. Kim, and C. K. Y. Leung, "Strengthening efficiency of taper ended FRP strips bonded to RC beams," *Composites Science and Technology*, vol. 66, no. 13, pp. 2257–2264, Oct. 2006.
- [36] A. Hosny, H. Shaheen, A. Abdelrahman, and T. Elafandy, "Performance of reinforced concrete beams strengthened by hybrid FRP laminates," *Cement and Concrete Composites*, vol. 28, no. 10, pp. 906–913, Nov. 2006.
- [37] J. A. O. Barros, S. J. E. Dias, and J. L. T. Lima, "Efficacy of CFRP-based techniques for the flexural and shear strengthening of concrete beams," *Cement and Concrete Composites*, vol. 29, no. 3, pp. 203–217, Mar. 2007.
- [38] O. Benjeddou, M. B. Ouezdou, and A. Bedday, "Damaged RC beams repaired by bonding of CFRP laminates," *Construction and Building Materials*, vol. 21, no. 6, pp. 1301–1310, Jun. 2007.
- [39] M. R. Esfahani, M. R. Kianoush, and A. R. Tajari, "Flexural behaviour of reinforced concrete beams strengthened by CFRP sheets," *Engineering Structures*, vol. 29, no. 10, pp. 2428–2444, Oct. 2007.

- [40] L. Li, Y. Guo, and F. Liu, "Test analysis for FRC beams strengthened with externally bonded FRP sheets," *Construction and Building Materials*, vol. 22, no. 3, pp. 315–323, Mar. 2008.
- [41] K. H. Tan, M. K. Saha, and Y. S. Liew, "FRP-strengthened RC beams under sustained loads and weathering," *Cement and Concrete Composites*, vol. 31, no. 5, pp. 290–300, May 2009.
- [42] S. J. E. Dias and J. A. O. Barros, "Performance of reinforced concrete T beams strengthened in shear with NSM CFRP laminates," *Engineering Structures*, vol. 32, no. 2, pp. 373–384, Feb. 2010.
- [43] H. Akbarzadeh and A. A. Maghsoudi, "Experimental and analytical investigation of reinforced high strength concrete continuous beams strengthened with fiber reinforced polymer," *Materials & Design*, vol. 31, no. 3, pp. 1130–1147, Mar. 2010.
- [44] N. D. Hai, H. Mutsuyoshi, S. Asamoto, and T. Matsui, "Structural behavior of hybrid FRP composite I-beam," *Construction and Building Materials*, vol. 24, no. 6, pp. 956–969, Jun. 2010.
- [45] G. Martinola, A. Meda, G. A. Plizzari, and Z. Rinaldi, "Strengthening and repair of RC beams with fiber reinforced concrete," *Cement and Concrete Composites*, vol. 32, no. 9, pp. 731–739, Oct. 2010.
- [46] H. S. Kim and Y. S. Shin, "Flexural behavior of reinforced concrete (RC) beams retrofitted with hybrid fiber reinforced polymers (FRPs) under sustaining loads," *Composite Structures*, vol. 93, no. 2, pp. 802–811, Jan. 2011.
- [47] H. K. Lee, S. H. Cheong, S. K. Ha, and C. G. Lee, "Behavior and performance of RC T-section deep beam externally strengthened in shear with CFRP sheets," *Composite Structures*, vol. 93, no. 2, pp. 911–922, Jan. 2011.
- [48] Y. T. Obaidat, S. Heyden, O. Dahlblom, G. Abu-Farsakh, and Y. Abdel-Jawad, "Retrofitting of reinforced concrete beams using composite laminates," *Construction and Building Materials*, vol. 25, no. 2, pp. 591–597, Feb. 2011.
- [49] A. A. El-Ghandour, "Experimental and analytical investigation of CFRP flexural and shear strengthening efficiencies of RC beams," *Construction and Building Materials*, vol. 25, no. 3, pp. 1419–1429, Mar. 2011.
- [50] D. D., Dolan CW Nilson H, *Design of concrete structures*, 13th ed. McGraw Hill Higher Education, 2004.
- [51] A. society for testing and material American society for testing and material, *ASTM A615. Standard specification for deformed and plain billet steel bars for concrete reinforcing*. 1995.
- [52] Supaviriyakit, T., Pornpongsaroj, P. and Pimanamas, "Finite Element Analysis of FRP Strengthened RC Beam," *Songklanakarin J.Sci.Technol*, vol. 26, no. 4, pp. 497–507, 2004.
- [53] Neale, K., Ebead, U., Abdel Baky, H., Elsayed, W. and Godat, "A. Modelling of debonding phenomena in FRP-strengthened concrete beams and slabs," in

- Proceedings of the international symposium on bond behaviour of FRP in structures (BBFS)*, 2005.
- [54] Piggott, M, *Load bearing fibre composites*, 2nd ed. Boston/ Dordrecht/ London: Kluwer Academic Publishers, 2002.
- [55] Hu, H.T., Lin, F.-M. and Jan, Y.Y, “Nonlinear finite element analysis of reinforced concrete beams strengthened by fiber–reinforced plastics,” *Cement and concrete composite*, vol. 28, pp. 102–114, 2006.
- [56] “fib Bulletin 14. Externally bonded FRP reinforcement for RC structures.” 2001.
- [57] GangaRao, H. V. S., Taly, N., & Vijay, P. V, *reinforced concrete design with FRP composites*. CRC press.
- [58] E. E. Etmaan and A. W. Beeby, “Experimental programme and analytical study of bond stress distributions on a composite plate bonded to a reinforced concrete beam,” *Cement and Concrete Composites*, vol. 22, pp. 281–291, 2000.
- [59] S. T. Smith and J. G. Teng, “FRP-strengthened RC beams. I: Review of debonding strength models,” *Engineering Structures*, vol. 24, no. 4, pp. 385–395, 2002.
- [60] J. Pan and C. K. Y. Leung, “Debonding along the FRP–concrete interface under combined pulling/peeling effects,” *Engineering Fracture Mechanics*, vol. 74, no. 1–2, pp. 132–150, Jan. 2007.
- [61] J. Pan, C. K. Y. Leung, and M. Luo, “Effect of multiple secondary cracks on FRP debonding from the substrate of reinforced concrete beams,” *Construction and Building Materials*, vol. 24, no. 12, pp. 2507–2516, Dec. 2010.
- [62] R. Kotynia, “Bond between FRP and concrete in reinforced concrete beams strengthened with near surface mounted and externally bonded reinforcement,” *Construction and Building Materials*, vol. 32, pp. 41–54, Jul. 2012.
- [63] C. Au and O. Büyüköztürk, “Debonding of FRP plated concrete: A tri-layer fracture treatment,” *Engineering Fracture Mechanics*, vol. 73, no. 3, pp. 348–365, Feb. 2006.
- [64] C. K. Y. Leung, “FRP debonding from a concrete substrate: Some recent findings against conventional belief,” *Cement and Concrete Composites*, vol. 28, no. 8, pp. 742–748, Sep. 2006.
- [65] C. K. Y. Leung, “FRP debonding from a concrete substrate: Some recent findings against conventional belief,” *Cement and Concrete Composites*, vol. 28, no. 8, pp. 742–748, Sep. 2006.
- [66] J. F. Chen, H. Yuan, and J. G. Teng, “Debonding failure along a softening FRP-to-concrete interface between two adjacent cracks in concrete members,” *Engineering Structures*, vol. 29, no. 2, pp. 259–270, Feb. 2007.
- [67] M. R. Aram, C. Czaderski, and M. Motavalli, “Debonding failure modes of flexural FRP-strengthened RC beams,” *Composites Part B: Engineering*, vol. 39, no. 5, pp. 826–841, Jul. 2008.

- [68] O. Rabinovitch, "Impact of thermal loads on interfacial debonding in FRP strengthened beams," *International Journal of Solids and Structures*, vol. 47, no. 24, pp. 3234–3244, 2010.
- [69] O. Rabinovitch, "Impact of thermal loads on interfacial debonding in FRP strengthened beams," *International Journal of Solids and Structures*, vol. 47, no. 24, pp. 3234–3244, Dec. 2010.
- [70] K. Benzarti, F. Freddi, and M. Frémond, "A damage model to predict the durability of bonded assemblies. Part I: Debonding behavior of FRP strengthened concrete structures," *Construction and Building Materials*, vol. 25, no. 2, pp. 547–555, Feb. 2011.
- [71] S. Ye, Y. Sun, and G. J. Xiong, "A simple and rational beam segment model for analyzing intermediate crack-induced debonding in FRP-strengthened beams," *Construction and Building Materials*, vol. 25, no. 3, pp. 1332–1337, Mar. 2011.
- [72] G. J. Xiong, X. Jiang, J. W. Liu, and L. Chen, "A way for preventing tension delamination of concrete cover in midspan of FRP strengthened beams," *Construction and Building Materials*, vol. 21, no. 2, pp. 402–408, Feb. 2007.
- [73] R. Al-Mahaidi and R. Kalfat, "Investigation into CFRP laminate anchorage systems utilising bi-directional fabric wrap," *Composite Structures*, vol. 93, no. 4, pp. 1265–1274, Mar. 2011.
- [74] S. T. Smith, S. Hu, S. J. Kim, and R. Seracino, "FRP-strengthened RC slabs anchored with FRP anchors," *Engineering Structures*, vol. 33, no. 4, pp. 1075–1087, Apr. 2011.
- [75] "Seismic Design and Retrofit of Bridges - M. J. N. Priestley, F. Seible, G. M. Calvi - Google Books.htm."
- [76] D. Lau and H. J. Pam, "Experimental study of hybrid FRP reinforced concrete beams," *Engineering Structures*, vol. 32, no. 12, pp. 3857–3865, Dec. 2010.
- [77] I. Erdem, U. Akyuz, U. Ersoy, and G. Ozcebe, "An experimental study on two different strengthening techniques for RC frames," *Engineering Structures*, vol. 28, no. 13, pp. 1843–1851, Nov. 2006.
- [78] T. H. Almusallam and Y. A. Al-Salloum, "Ultimate strength prediction for RC beams externally strengthened by composite materials," *Composites Part B: Engineering*, vol. 32, no. 7, pp. 609–619, 2001.
- [79] H. S. Kim and Y. S. Shin, "Flexural behavior of reinforced concrete (RC) beams retrofitted with hybrid fiber reinforced polymers (FRPs) under sustaining loads," *Composite Structures*, vol. 93, no. 2, pp. 802–811, Jan. 2011.
- [80] M. R. Esfahani, M. R. Kianoush, and A. R. Tajari, "Flexural behaviour of reinforced concrete beams strengthened by CFRP sheets," *Engineering Structures*, vol. 29, no. 10, pp. 2428–2444, Oct. 2007.
- [81] J. R. Cromwell, K. A. Harries, and B. M. Shahrooz, "Environmental durability of externally bonded FRP materials intended for repair of concrete structures," *Construction and Building Materials*, vol. 25, no. 5, pp. 2528–2539, May 2011.

- [82] M. Ekenel and J. J. Myers, “Durability performance of RC beams strengthened with epoxy injection and CFRP fabrics,” *Construction and Building Materials*, vol. 21, no. 6, pp. 1182–1190, Jun. 2007.
- [83] C. Tuakta and O. Büyüköztürk, “Deterioration of FRP/concrete bond system under variable moisture conditions quantified by fracture mechanics,” *Composites Part B: Engineering*, vol. 42, no. 2, pp. 145–154, Mar. 2011.
- [84] K. V. Subramaniam, C. Carloni, and L. Nobile, “Width effect in the interface fracture during shear debonding of FRP sheets from concrete,” *Engineering Fracture Mechanics*, vol. 74, no. 4, pp. 578–594, Mar. 2007.
- [85] M. S. Mohamed Ali, D. J. Oehlers, and R. Seracino, “Vertical shear interaction model between external FRP transverse plates and internal steel stirrups,” *Engineering Structures*, vol. 28, no. 3, pp. 381–389, Feb. 2006.
- [86] A. Parvin and S. Wu, “Ply angle effect on fiber composite wrapped reinforced concrete beam–column connections under combined axial and cyclic loads,” *Composite Structures*, vol. 82, no. 4, pp. 532–538, Feb. 2008.
- [87] “Willam-Warnke yield criterion,” *Wikipedia, the free encyclopedia*. 28-Nov-2012.
- [88] H.-T. Hu, F.-M. Lin, and Y.-Y. Jan, “Nonlinear finite element analysis of reinforced concrete beams strengthened by fiber-reinforced plastics,” *Composite Structures*, vol. 63, no. 3–4, pp. 271–281, Feb. 2004.
- [89] K. Maruyama, “JSCE recommendations for application of FRP laminates and related work in other codes provisions,” Nagaoka University of Technology, Nagaoka, JAPAN.
- [90] *Methods for tensile testing of metals. Steel (general)*. London: British Standards Institution, 1987.
- [91] R. Al-Amery and R. Al-Mahaidi, “Numerical analysis of multilayered CFRP retrofitted RC beams with partial interaction,” *Composite Structures*, vol. 75, no. 1–4, pp. 479–488, Sep. 2006.
- [92] J. A. Bogas and A. Gomes, “Analysis of the CFRP flexural strengthening reinforcement approaches proposed in Fib bulletin 14,” *Construction and Building Materials*, vol. 22, no. 10, pp. 2130–2140, Oct. 2008.
- [93] S. . Shah, S. . Swartz, and C. Ouyang, *Fracture Mechanics of Concrete*. New York: John Wiley & Sons, Inc, 1995.
- [94] American Concrete Institute, *Building Code Requirements for Reinforced Concrete*. Farmington Hills, Mich.: American Concrete Institute, 1999.
- [95] P. Desayi and S. Krishnan, “Equation for the Stress-Strain Curve of Concrete,” *Journal of the American Concrete Institute*, pp. 345–350, Mar. 1964.
- [96] J. . Gere and S. . Timoshenko, *Mechanics of Materials*. Boston, Massachusetts: PWS Publishing Company, 1997.
- [97] M. Y. . Bangash, “Concrete and Concrete Structures: Numerical Modelling and Applications,” *Elsevier Science Publishers Ltd*.

- [98] L. Huyse, Y. Hemmaty, and L. Vandewalle, "Finite Element Modeling of Fiber Reinforced Concrete Beams," in *Proceedings of the ANSYS Conference*, Pittsburgh, Pennsylvania, 1994, vol. Vol. 2.
- [99] V. Adams and A. Askenazi, *Building Better Products with Finite Element Analysis*. New Mexico: Word Press, Santa Fe, 1998.



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)