

REFERENCES

- Arachchige, S.J., 2012 . Overview of causal factors for chronic kidney disease (CKD) in Sri Lanka. *Sri Lanka plant protection Industry* 23: 75-77.
- Athuraliya, N.T.C.,Tilak, D.J., Abeysekera, P.H.A., Kumarasiri, R., Bandara P., Karunaratne, U., Milton , A.H. and Jones , A.L., 2011. Uncertain etiology of proteinuric-chronic kidney diseasein rural Sri Lanka. *Kidney International* 80: 1212-1221.
- Bandara, J.M,R,S., Seneviratthna D. M.. A. N., Dasanayake, D.M.R.S.B. Herath, V., Bandara, J.M.R.P., Abeysekara, T. and Rajapaksha, K.H. 2008. Chronic renal failure among farm families in cascade irrigation systems in Sri Lanka associated with elevated dietary cadmium levels in rice and freshwater fish (Tilapiya). *Environmental Geochemistry and Health* 30: 465-478.
- Bandara, J.M,R,S., Wijewardena, H.V.P., Liyanage, J., Upul, M.A and Bandara, J.M.U.A 2010. Chronic renal failure in Sri Lankacausedby evaluated dietary cadmium: Trojan house of the green revolution. *Toxicology Letters* 198: 33-39.
- Bandara, J.M,R,S., Wijewardena, H.V.P.,Bandara, Y.M.A.Y., Jayasooriya, R.G.P.T and Rajapaksha, H. 2011. Pollution of River Mahaweli and farmlands under irrigation by cadmium from agricultural inputs leading to a chronic renal failure epidemic among farmers in NCP, Sri Lanka. *Environmental Geochemistry and Health* 33(5): 439-453.
- Cederborg,M-A 2011. Kidney Disease- Silent Killers. World Kidney Day Technical Brochure, 10 March, 2011.
- Chandrajith R., Mahatantila, K., Jayasena, H.A.H. and Tobschall, H.J. 2008. Geochemical characteristics of sediments from a reservoir (tank) ecosystem in Sri Lanka. *Paddy water Environment* 6: 363-371.
- Chandrajith, R., Seneviratna, S., Wickramaarachchi, K., Attanayake, T., Aturaliya, T.N.C and Dissanayake, C.B. 2010. Natural radio nuclides and trace elements in rice field soils in relation to fertilizer application Study of a Chronic Kidney Disease (CKD) area in Sri Lanka. *Environmental Earth Sciences* 60 (1) : 193-201.
- Chandrajith, R., Nanayakkara S., Itai K., Aturaliya, T.N.C, Dissanayake, C.B., Abeysekara, T., Harada, K., Watnabe, T and Koisumi, A. 2011a. Chronic kidney diseases of Sri Lanka: Geographic distribution and environmental implications. *Environmental Geochemistry and Health*. 33:267-277.
- Chandrajith , R., Dissanayake, C.B., Ariyaratne, T., Herath , H.M.J.M.K. and Padmasiri, J.P. 2011b. Dose-dependent Na and Ca in fluoride rich drinking water- A major cause of chronic renal failure in tropical arid regions. *Science of the Total Environment* 40(9): 671-675.
- Collett, D., 1991. *Modeling Binary Data*. London: Chapman & Hall.
- Cyrus, R.M., Nitin R. P., Pralay,S.,2012. Efficient Monte Carlo Methods for Conditional Logistic Regression. *Journal of the American Statistical Association*, Volume 95,[online] Available at <http://amstat.tandfonline.com/doi/abs/10.1080/01621459.2000.10473906>> [Accessed 2 October 2013].

Desalegn, B., Nanayakkara S., Harads, K.H., Hitomi, T., Chandrajith R., Karunaratne U., Abeyssekera, T and Koizumi, A. 2011. Mycotoxin detection in urine samples from patients with chronic kidney disease of uncertain etiology in Sri Lanka. *Bulletin of Environmental Contamination and Toxicology* 87: 6-10.

De Silva N,(2011), Arsenic, *The island* [Online] 7th June, 2011. Available from: http://www.island.lk/index.php?page_cat=article-details&page=article-details&code_title=27221 [Accessed: 22nd May 2012].

Dissanayake, C. B. (1996) Water quality and dental health in the Dry Zone of Sri Lanka. In JD Appleton, R Fuge, GJH McCall (Eds.), *Environmental geochemistry and health*. Geological Society UK, Special Publication, No. 113: 131–114.

Dissanayake, D.M. n.d. *The Cyanobacterial toxins: a hidden hazard*. Available from <<http://www.asiattox.org/9th%20apamt/OP/THE%20CYANOBACTERIAL%20TOXINS%20%20A%20HIDDEN%20HEALTH%20HAZARD.pdf>>.[Accessed 2 October 2013]

Dharmaratne D, Gunawardane A, Marawila T D, Ranaweera Banda R M, Steele P, Weerakkody C. Poverty and Social Impact Analysis (PSIA) of Sri Lanka's Land Reform. Institute of Policy Studies of Sri Lanka 2006.

Environment Action Plan.2002. Final report submitted on analysis of water for major pesticides used in the dry zone of Sri Lanka to the Ministry of Environmental Authority under the Environment Action Plan 1, 1-26.

Fernando S, 2004. *Land and water in Sri Lanka: To whom they belong?* .Law and Society Trust. 14: 201.

Goonarante, I.K., Ranaweera, A.K.P., Liyanarachchi, N.P., Gunawardane, N. and Laneralle, R.D. 2008. Epidemiology of chronic kidney disease in a Sri Lankan population. *International Journal of Diabetes in Developing Countries* 28(2): 60-64.

Herath, H.M.N., Wazil, J.A.W.M., Abeyssekara, D.T.D.J., Jeewani, N.D.C., Weerakoon, K.G.A.D., Ratnatunga, N.V.I., Bandara, E.H.C.K and Kalratne, S.A.M. 2011. Chronic kidney injury in Sri Lanka : A descriptive study. *Postgraduate Medical Journal* doi: 10.1136/postgradmedj-2011-130225.

Illeperuma, O.A., Dharmagunawardhane, H.A. and Herath, K.P.R.P. 2009. Dissolution of aluminium from substandard utensils under high florid stress: A possible risk factors for chronic renal failures in the North Central Province. *Journal of the National Science Foundation of Sri Lanka* 37: 219-222.

Illeperuma, O.A. 2011. Chronic renal failure in NCP and Arsenic: Science versus myth. *The Sunday Times*, 31 July 2011.

Jayakodiarachchige, S., 2012, Overview of causal factors of chronic kidney disease (CKD) in Sri Lanka. *Crop life: Sri Lanka Plant Protection Industry Journal* 5 (12) 75-77

Jayasumana, M.A.C.S., Paranagama, P. and Amarasinghe, M., 2011. Chronic kidney disease of unknown etiology and arsenic in ground water in Sri Lanka. Paper presented in

workshop on challenges in groundwater management in Sri Lanka, March 15, Colombo , Sri Lanka.

Jayatilake N, Mendis S, Maheepala P, Mehta F R.,2013, Chronic kidney disease of uncertain aetiology: prevalence and causative factors in a developing country,*Journal of medical case report*,< <http://www.biomedcentral.com/1471-2369/14/180>>.[Accessed 2 October 2013].

Jayasekara J M K B, Dissanayake D M, Gunaratne M D N, Thilakarathna S, and Sivakanesan R. 2013a. Agricultural and life style related risk factors of chronic kidney disease of unknown etiology: case control study. *International Journal of Medical and Pharmaceutical Sciences*, 3 (12), 21-29.

Jayasekara J M K B, Dissanayake D M, Adhikari S B and Bandara P. 2013b. Geographical distribution of chronic kidney disease of unknown origin in North Central Region of Sri Lanka. *Ceylon Medical Journal* 58: 6-10.

Jones, MD n.d., *Commentary on indigenous housing initiatives*. Available from: <<http://www.architecture.com.au>>. [Accessed 6 June 2009].

National Kidney Foundation 2013.*Kidney Disease*. [online] Available at <<http://www.kidney.org/kidneydisease/aboutckd.cfm> > [Accessed 2 October 2013]

Nerds, W., 2014. Machine Learning The Complete Guide According to Wikipedia: Everything you need to learn about Machinery [e-book] Singapore:Brighthouse. Available at : Google Books < <http://books.google.lk/books?id=4ZayAwAAQBAJ&printsec=frontcover#v=onepage&q&f=false>>[Accessed 2 March 2014]

Orth S.R, and Hallan S.I., 2008, Smoking: A Risk Factor for Progression of Chronic Kidney Disease and for Cardiovascular Morbidity and Mortality in Renal Patients— Absence of Evidence or Evidence of Absence?, *Clinical journal of American Society of Nephrology*, <<http://cjasn.asnjournals.org/content/3/1/226.full> >.[Accessed 2 October 2013].

Paneth N, Susser E, Susser M , 2002. Origins and early development of the case-control study: part 2 ; Soz.- Präventivmed. Available at : <[http://www.epidemiology.ch/history/papers/SPM%2047\(6\)%20359-65%20Paneth%20et%20al.%20%20Part%202.pdf](http://www.epidemiology.ch/history/papers/SPM%2047(6)%20359-65%20Paneth%20et%20al.%20%20Part%202.pdf)> [Accessed 2 October 2013].

Wanigasuriya, J.K., Peris –John, R.J., Wickramasinghe, A.R. Dissanayake, W.P. and Hittarage, A. 2007. Exposure to acetylcholinesterase-inhibiting pesticides and chronic renal failure. *Celom Medical Journal* 51: 42-43.

Seneviratne L.,Abeyseelera, T., Nanayakkara, S., Chandrajith , R., Ratnatunga, N., Harada, K.H., Hiltomi. T., Korniya, T., Muso, E and Koizumi, A. 2011. Risk factors associated with disease progression and mortality in chronic kidney disease of unknown etiology: a cohort study in Medawachchiya, Sri Lanka. *Environmental Health and Preventive Medicine* 2011 Sep 1:1-8.

Sinha, S., & Mukherjee, B., 2005: A Score Test for Determining Sample Size in Matched Case-Control Studies with Categorical Exposure; *Biometrical Journal* 48 ,1, 35–53.

Torres C, Gonzalez M, Vanegas R, Aragon A. Prevalence of chronic renal disease in the communities of “La Isla” and “Candelaria”, Chichigalpa, June 2008. Leon, Nicaragua: Universidad Nacional Autonoma de Nicaragua; 2008 (in Spanish).

Warnakulasuriya, K.A.A.S., Balasuriya, S., Perera, P.A.J., and Pieris, L.C.L., 1992. Determining optimal levels of fluoride in drinking water hot, dry climates- a case study in Sri Lanka. *Community Dental Oral Epidemiology* 2:364-367.

Wichramasinghe, R., Peris-John, R.J. and wanigasuriya , K.P.2011. Chronic kidney disease of unknown etiology in Sri Lanka: Trying to unravel the mystery. *Ceylon Medical Journal* 56(4): 143-146.

World Health Organization & Ministry of Health and Nutrition 2008. Chronic kidney disease of unknown etiology (CKDue) : a new threat to health. p4.

Mehtaa, C. R.1, Patelb, N. R. and Senchaudhuria, P.(2000) Efficient Monte Carlo Methods for Conditional Logistic Regression, *Journal of the American Statistical Association* <<http://amstat.tandfonline.com/doi/abs/10.1080/01621459.2000.10473906>>[Accessed 2 February 2013].