

REFERENCES

- Amarasinghe, A.U., Sakthivadivel, R. & Mutuwatta, L. (1999). Water Scarcity Variations within a country: A case Study of Sri Lanka, *IWMI Research Report* 32. Colombo: International Water Management Institute.
- Batuwitige, L.P., Manchanayake, P., & Wickramasuriya, S.S., (1986). Comparative Study of some Design Flood Estimation Methods for Sri Lanka. *Engineer, The Journal of Institution of Engineers of Sri Lanka*. Vol:XIV, No. 03.
- Blume, T., Zehe, & E., Bronstert, A. (2007). Rainfall-runoff response, event based runoff coefficients and hydrographs separation. *Hydrological Sciences Journal*, 52(5).
- Boonstra, J., (1994), Drainage Principles and Applications, International Institute for Land Reclamation and Improvement, Wageningen, The Netherlands.
- Bordie, R.S., & Hostetler, S., (2014). A review of Techniques for analyzing Baseflow for Streamflow Hydrographs. *Bureau of Rural Sciences*. Australian National University.
- Chapman, T.G., & Maxwell, A.L., (1996). Baseflow separation- comparison of numerical methods with tracer experiments. Institute Engineers Australia National Conference, 539-545.
- Chow, V.T., Maidment, D.R. & Mays, L.W., (2013), *Applied Hydrology* (7th ed). New Delhi, India: Mc Graw Hill Education. New York.
- DDM: Hazard profile (2014). Ministry of Disaster Management Sri Lanka. Retrieved on 10.05.2014 from www.disastermin.gov.lk/web.
- De Silva, M.A.P., (2006). *A time series model to predict the runoff ratio of catchments of the Kalu Ganga basin*, *Journal of Science Foundation, Sri Lanka*, 43(2): 103-105. 4th ed.). Harper & Row, Publisher, Inc.
- Dunkerley, D., (2008). Identifying individual rain events from pulviograph record: a review with analysis of data from an Australian dry land site. *Hydrological Processes*, 22, 5024-5036
- Ellouze, M., Abida, H.S.R., (2009). A triangular model for the generation of synthetic hyetographs. *Hydrological Sciences-Journal-des Sciences Hydrologiques*, 54(2), 287-299.
- Formula Alternatives for Streamflow Generation for small ungauged. *Journal of the Institution of Engineers, Sri Lanka*, Vol. XXXIV.
- Giang, N.T., & Phuong, T. A., (2010). Calibration and Verification of a hydrological model using event data. *Journal of Science, Earth Science* 26, 64-74

- Hammond, H., & Han, D.,(2006). Recession curve estimation for storm event separation. *Journal of Hydrology*,330, 573-585.
- Hernandez, M., Miller, S. N., & Kepnwe, W.G.(2009). Modeling Runoff Response of Land cover and Rainfall Spatial variability in Semi-Arid watersheds. *Environmental Monitoring and Assessment* 64,285-289.
- Hettiarachchi, P., (2009-2010), *Hydrological Annual*, Irrigation Department, Sri Lanka.
- Hydrological Division.(2010/2011). *Hydrological Annual*. Sri Lanka, Department of Irrigation.
- James, W.P., & Wurbs,R.A., (2002). Water Resources Engineering, 2nd ed., Phil Learnings Privated Limited, New Delhi, India.
- Johnstone, D.,& Cross, W.P.(1949). Elements of applied hydrology. *Journal of Royal Meteorological Society*, 77-331.
- Joo, J., Lee, J., Kim, J. H., Jun, H., & Jo, D.,(2013). Water. *Inter-Event Time definition setting procedure for Urban drainage systems*.
- Knighton, A.D.,& Nanson, C.G.(2001). An event-based approach to the hydrology on arid zone rivers in the Channel Country of Australia. *Journal of Hydrology*,25, 102-123.
- Kokkonen, T., Koivusalo, H., Karvonen, T., Croke, & B., Jakeman,A.,(2004). Exploring streamflow response to effective rainfall across event magnitude scale. *Hydrological Processes*, 18,1467-1486.
- Kumar,R., & Sarkar, A. (2012). Aftificial Neural Networks for Event based Rainfall-Runoff Modelling. *Journal of Water Resource and Protection*,891-897.
- Limantara,L.,M.,(2009). Evaluation of Roughness constant of river in Synthetic Unit Hydrograph. *World Applied Sciences Journal*, 7 (9), 1209-1211.
- Linsley, R.K., & Kholer, M.A.(1951). Predicting the Runoff from storm rainfall (Report no.34).Weather Bureau, U.S Department of Commerce.
- Linsley, R.K., Kohler, M.A & Phaulus J,L,H.,(1975). *Applied hydrology*. McGraw-Hill, New Delhi.
- Manchanayake, P., Sumanaweera, S., & Jayaratne, J.A., (1985). Some Preliminary studies of loss rates of few Sri Lankan, Catchments. *Journal of Institution of Engineers*, XIII (No:02), 7-12.
- Mays, L.W., (2004). *Water Resources Engineering*. John Wiley and Sons Inc.

- Melching, C. S., & Marquardt, J. S., (1997). Equations for Estimating Synthetic Unit Hydrograph parameter values for small watersheds in Lake County Illinois. U.S Geological Survey. Illinois, U.S.
- Miller, A.C., Kerr, S.N., Spaeder, D.J., (1983). Calibration of Snyder Coefficients for Pennsylvania. *American Water Resource Association, Vol.19*.
- Moriassis, D.N, Arnold, J.G., Lewis, M.W.V., Bingner, R.L., Harmel,R.D, & Veith, T.L., (2007). Model Evaluation Guidelines for Systematic Quantification of Accuracy in Watershed Simulations. *American Society of Agricultural and Biological Engineers, Vol 50(3)*, 885-900.
- Muthukrishnan, S., Harbor, J., Lim, J.K., & Engel, B.A., (2006). Calibration of a Simple Rainfall- runoff Model for Long term Hydrological Impact Evaluation. *URISA Journal, VOL.18. No.2*
- Ninghu,S. (1995). The Unit Hydrograph Model for Hydrograph Separation, *Environment International, Vol.21.No.5*, pp.509-515.
- Ogunlela, A.O & Kasali, M.Y (2002). Evaluation of four methods of storm hydrograph development for an ungaged watershed. *Nigerian Journal of Technological Development. 2, 25 – 34*.
- Perera, L.R.H., & Wijesekera, N.T.S., (2013). Key issues of Data and Data Checking for Hydrological Analyses- Case Study of Rainfall data in the Attanagalu Oya basin of Sri Lanka. *Journal of the Institution of Engineers, Sri Lanka, Vol. XXXXV, No 01*, pp 01-12
- Pettyjohn, W.A., & Henning, R. (1979). Preliminary Estimate of Ground Water Recharge Rates, Related Streamflow and Water Quality in Ohio (Report No.552). Ohio, USA: Ohio State University, Department of Geology and Mineralogy.
- Powell, D.N., Khan, A.A., Aziz, N.M.,& Raiford, J.P.,(2007). Dimensionless rainfall patterns for South Carolina. *Journal of Hydrologic Engineering 12, 130-133*
- Ponrajah A.J.P., (1984). *Technical Guidelines for Irrigation Works*, Irrigation Department, Sri Lanaka.
- Ramirez, J.A (2000). *Inland Flood Hazards: Human, Riparian and Aquatic Communities*, Cambridge University Press.
- Rao, R.A., & Tirtotjondro, W., (1995). Computation of Unit Hydrograph by a Bayesian method, *Journal of Hydrology, 164*, 325-344.

- Salami, A. W., (2009), Evaluation of methods of Strom Hydrograph Development, *International e-Journal of Engineering Mathematics: Theory and Application*, Vol.(6), pp.17-28.
- Sharma, R.K., & Sharma, T.K.,(1997). *Applied Hydrology*, 4th ed., Dhanpat Rai Publications, New Delhi.
- Silva,M.A.P., (2006). A time series to model predict the runoff ratio of catchments of Kalu Ganga Basin. *Journal of National Science Foundation*, Sri Lanka, 34(2),103-105.
- Snyder, F.F., (1938). Synthetic Unit Graphs. Retrieved on 20.5.2014 from <http://ca-contracostacounty2.civicplus.com/DocumentCenter/Home/View/3709>.
- Stephenson, D., & Green,I.R.A.,(2009). Criteria for comparison of single event models, *Hydrological Sciences Journal*.31,3.
- Szilagyi, J., & Parlange, M. B., (1998). Baseflow separation based on analytical solutions of Boussinesq equation, *Journal of Hydrology*,204, 251-260.
- Viessman, W., & Lewis, G.L.(1996), *Introduction to Hydrology*, 4th ed. Harper Collings College Publisher, USA
- Viessman, W.,& Lewis, G.L., Knapp, J.W. (1989), *Introduction to Hydrology*, 3rd ed. Harper Collings College Publisher, USA.
- Wang,X.(2009). Characteristics of individual rain events and its dependency on minimum interevent interval in a desert area in north China, *Geophysical Research* , Vol.11, EGU 4952.
- Westphal, A.J., Thompson, D.B., Stevens, D.B & Strauser, G.T.,(2004) Stage Discharge Relations on the middle of Mississippi River. *Journal of Water Resource Planning and Management*, 125, pp 48-53.
- Wijsekera, N.T.S. (1998), Surface Water Resources and Climate Change. *National Science Foundation*, Sri Lanka.
- Wijsekera, N.T.S. (2010b). *Hydrological study of Colombo Harbour and its Watershed*. Sri Lanka Port Authority, Sri Lanka.
- Wijsekera, N.T.S. (2010a). Surface Water Resources and Climate Change. *National Science Foundation* Ministry of Irrigation and water resources management, Sri Lanka.
- Wijsekera, N.T.S., & Ghanapala, P.P.(2003), Modelling of two low lying urban watersheds in the greater Colombo Area for drainage and Environment, *Journal of the Institution of Engineers, Sri Lanka*, Vol.XXXVI.

- Wijsekera, N.T.S., & Perera, P.R.J. (2011), Coefficients of three wet zone watersheds of Sri Lanka, *Journal of the Institution of Engineers, Sri Lanka, Vol.XXXXIV.03*, pg. 1-10.
- Wijesinghe, W. M. D., & Wijsekera, N.T.S. (2011), Comparison of Rational Alternatives for Streamflow Generation for small Ungaged catchments. *Journal of the Institution of Engineers, Sri Lanka, Vol.XXXXIV.02*.pg.29-36.
- Wijesinghe, W. M. D., & Wijsekera, N.T.S. (2012), Recognising Temporal variability of Lumped watershed behaviour and Evaluating averaged Performance of Hydrological Model, *Civil Engineering Research for Industry Symposium*, Sri Lanka.
- WMO. 1974. Guide to Hydrometeorological Practices, 3rd edition. World Meteorological Organization: Geneva.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk