

References

- [1] Blanks and Robert F., "Comparison of Selected Portland Cements in Mass Concrete Tests," Michigan, 1933.
- [2] ACI 207.1R-96, "Mass Concrete," Farmington Hills, Mich., 1996.
- [3] Bentz D.P., "CEMHYD3D: A Three-Dimensional Cement Hydration and Microstructure Development Modelling Package. Version 2.0," *NISTIR 6485*, 2000.
- [4] Maekawa K., Chaube R. and Kish T., *Modeling of concrete performance: hydration, microstructure formation and mass transport*, London: E and FN SPON, 1999.
- [5] Bentz D.P., "Transient plane source measurements of the thermal properties in hydrating cement pastes," *Materials and Structures*, 2007.
- [6] Ukrainczyk N. and Matusinovic T., "Thermal properties of hydrating calcium aluminate cement pastes," *Cement and Concrete Research*, 2010.
- [7] Kim K.H., Jeon S.E., Kim J.K. and Yang S., "An experimental study on thermal conductivity of concrete," *Cement Concrete Res.*, 2003.
- [8] Vosteen H.D. and Schellschmidt R., "Influence of temperature on thermal conductivity, thermal capacity, and thermal diffusivity for different types of rocks," *Phys Chem Earth* 28:499–509, 2003.
- [9] Bouguerra A., Laurent J.P., Goual M.S. and Queneudec M., "The measurement of the thermal conductivity of solid aggregates using the transient plane source technique," *J Phys D: Appl Phys* 30:2900–2904, 1997.

- [10] Horai K., "Thermal conductivity of rock-forming minerals," *J Geophys Res* 76(5):1278–1308, 1971.
- [11] Hewlett P.C., Lea's Chemistry of Cement and Concrete, 4th ed., Oxford, Ed., Elsevier Ltd., 2004.
- [12] Groberty B., *Portland Cement*, 2013.
- [13] Zhi Ge, "Predicting temperature and strength development of the field concrete," Iowa State University, Ames, Iowa, 2005.
- [14] Bouge R.H., *The Chemistry of Portland Cement*, New York: Reinhold Publishing Corporation, 1947.
- [15] ASTM C 150, Standard specification for Portland cement, vol. 4.02, Annual Book of ASTM Standards, 2002.
- [16] Tetmayer T., "Deutsche Topfer-und Ziegler-Atg.," 1883.
- [17] Rastrup E., "Winter Concreting," in *Proceeding of the RILEM Symposium*, Copenhagen, 1956.
- [18] Paine K.A., Dhir R.K. and Zheng L., "Predicting early-age temperatures of blended-cement concrete," in *Proceedings of the Institution of Civil Engineers*, 2006.
- [19] Paine K.A., Zheng L. and Dhir R.K., "Experimental study and modelling of heat evolution of blended cements," 2005.
- [20] Harrison T.A., "Early-age Thermal Crack Control in Concrete," London, 1992.
- [21] Bamforth P.B., "Early-age Thermal Crack Control in Concrete," London, 2007.

- [22] ASTM C595-03, "Standard Specification for Blended Hydraulic Cements," in *Annual Book of ASTM Standards V 04.01*, USA, ASTM International, 2004, pp. 340-346.
- [23] AS 3972:1997, "Portland and Blended Cements," in *Standards Australia*, Homebush, 1997.
- [24] GB 200: 2003, "Moderate heat Portland cement," in *low heat Portland cement, and low heat Portland slag cement*, Beijing, Inspection and Quarantine of the People's Republic of China, 2003.
- [25] Van Breugel K., "Simulation of hydration and formation of structure in hardening cement based materials," *Meinema*, 1991.
- [26] Suzuki Y., Harada Y., Maekawa K. and Tsuji Y., "Quantification of heat of hydration generation process in concrete," *JSCE*, 1990.
- [27] Lu H.R., Swaddiwudhipong S. and Wee T.H., "Evaluation of Thermal Crack by a Probabilistic Model Using The Tensile Strain Capacity," *Magazine of Concrete Research*, vol. 53, pp. 25-30, 2001.
- [28] Boulder Canyon Project Report, "Thermal properties of concrete," 1940.
- [29] C. A. D. and T. C.P., "The thermal conductivity of concrete," *Magazine of Concrete Research*, 1963.
- [30] Harmathy T.Z., "Thermal properties of concrete at elevated temperatures," *Journal of Materials*, 1970.
- [31] Bhattacharjee B. and Krishnamurthy S., "A model for thermal conductivity of porous building materials".
- [32] Glatzmaier G.C. and Ramirez W.F., *Rev. Sci. Instrum.* 56, 1985.

- [33] Bkkstron G., *J. Phys E: Sci. Znstrum.* 15, 1982.
- [34] Cull J. P., *J. Phys E: Sci. Znstrum.* 7, 1974.
- [35] Gustafsson S.E., Karawacki E. and Khan M.N., *J. Phys. D: Appl. Phys.* 12, 1979.
- [36] Gustafsson S.E., *Rev. Sci. Instrum.* 62, 1991.
- [37] Bouguerra A., Ait Mokhtar A., Amiri O. and Diop M.B., "Measurement of thermal conductivity, thermal diffusivity, and heat capacity of highly porous building materials using transient plane source technique," *Int. Comm. Heat Mass Transfer*, vol. 28, pp. 1065-1078, 2001.
- [38] Daniel P.H., "Thermal Conductivity of Fibre-Reinforced Lightweight Cement Composites," 2013.
- [39] Synder K.A., Interfacail zone percolation in cement aggregate composites, *Interface in Cementitious Composites*, J. M. (Ed.), Ed., London: E&FN Spon, 1990.
- [40] Powers T.C. and Brownyard T.L., "Studies of the Physical Properties of Hardened Portland cement Paste," 1948.
- [41] Bruanauer S., Emmett P.H. and Teller E., "Adsorption of Gases in Multimolecular Layers," *Journal of the American Chemical Society*, p. 2, 1938.
- [42] Jennings H.M. and Tennis P.D., "Model for the Developing Microstructure in Portland Cement Paste," *Journal of the Americal Ceramic Society*, 1994.
- [43] Jeffrey W.B., Hamlin M. J., Richard A. L., Andre N., George W. S., Jeffrey S. S., Karen L. S. and Jeffrey J. T., "Mechanism of Cement Hydration," *Cement and Concrete Research*, 2010.

- [44] Glasstone S., Laidler K.J. and Eyring H., "The Theory of Rate Processes," *McGraw-Hill*, 1941.
- [45] Kaschiev D. and Van Rosmalen G.M., "nucleation in solutions revisited," *Cryst. Res. Technol.* 38, 2003.
- [46] Dove P.M. and Han N., "Kinetics of mineral dissolution and growth as reciprocal microscopic surface processes across chemical driving force," in *AIP Conference Proceedings*, 2007.
- [47] Dove P.M., Han N. and Yoreo J.J.D., "Mechanisms of classical crystal growth theory explain quartz and silicate dissolution behavior," 2005.
- [48] Mills R. and Lobo V.M.M., "Self-Diffusion in Electrolyte Solutions," *Elsevier*, 1989.
- [49] Somorjai G.A., "Introduction to Surface Chemistry and Catalysis," *Wiley-Interscience*, 1994.
- [50] Adamson A.W. and Gast A.P., *Physical Chemistry of Surfaces*, 6th ed., New York: Wiley-Interscience, 1997.
- [51] Stumm W. and Morgan J.J., *Aquatic Chemistry*, New York: Wiley-Interscience, 1972.
- [52] Garrault S. and Nonat A., "Hydrated layer formation on tricalcium and dicalcium silicate surfaces: experimental study and numerical simulations," *Langmuir* 17, 2001.
- [53] Matararachchi A.I.G.K., Nanayakkara S.M.A and Asamoto S., "Investigation of temperature rise due to heat of hydration of cement and annual temperature variation related to control of thermal cracking in concrete water retaining structures," *Society of Structural Engineers*, 2012.

- [54] Scrivener K.L., "The development of microstructure during hydration of portland cement," University of London, 1984.
- [55] Youyuan Lu, Jinrui Ahang and Zongjin Li, "Study on hydration process of early -age concrete using embedded active acoustic and non-contact complex resistivity method," *Construction and Building Material*, p. 191, 2013.
- [56] Mindess S. and Young J.F., Concrete, N.J., Englewood Cliffs: Prentice-Hall Inc., 1981.
- [57] Lerch W. and Bogue R.H., "Heat of Hydration of Portland cement pastes," *Journal of Research of National Bureau Standads*, vol. 12, pp. 645-664, 1934.
- [58] Lerch W., "The influence of gypsum on the hydration and properties of Portland cement pastes," in *Proceedings of American Society for Testing Materials*, 1946.
- [59] Lerch W., Ashton F.W. and Bogue R.H., "The sulfoaluminated of calcium," *Journal of Research of National Bureau Standards*, vol. 2, pp. 715-731, 1929.
- [60] A. 207.2R-7, "Report on Thermal and Volume Change Effects on Cracking of Mass Concrete," American Concrete Institute, Farmington Hills, 2007.
- [61] Shuhua Liu, Lu Wang, Yuxin Gao, Baoying Yu and Wan Tang, "Influence of fineness of hydration kinetics of supersulfated cement," *Thermochimica Acta*, pp. 39-42, 2015.
- [62] RILEM 42-CEA, "Properties of set concrete at early ages," Material and Structures, 1981.
- [63] Escalante G., Sharp J.I. and Sharp J.H., "The effects of temperature on the early hydration of Portland cement and blended cements," *Advances in cement Research*, vol. 12, pp. 121-130, 2000.

- [64] Kondo R. and Kodama M., "Hydration kinetics of cement," *Semento Gijutsu Nenpo 21*, pp. 77-82, 1967.
- [65] Pommersheim J.M. and Clifton J.R., "Mathematical modeling of tricalcium silicate hydration," *Cement Concrete Research*, pp. 765-770, 1979.
- [66] Pommersheim J.R., Clifton G. and Frohnsdorff G., "Mathematical modeling of tricalcium silicate hydration," *Cement Concrete Research*, pp. 765-772, 1982.
- [67] Williamson R.B., "Solidification of Portland cement," *Prog. Mater. Sci.*, pp. 189-286, 1972.
- [68] Jennings H.M. and Johnson S.K., "Simulation of microstructure development during the hydration of a cement compound," *Journal of American Ceramic Society*, pp. 790-795, 1986.
- [69] Powers T.C. and Brownyard T.L., "Studies of the Physical Properties of Hardened Portland Cement Paste," *Detroit*, 1948.
- [70] Jeffrey J. T., Joseph J. B., Jeffrey W.B., Shashank B., Jorge S.D., George W.S. and Andreas L., "Modeling and simulation of cement hydration kinetics and microstructure development," *Cement and Concrete Research*, pp. 1257-1278, 2011.
- [71] Andreas K. and Helge S., "Specific Heat Capacity of Metals," *TFY4165 Termisk fysikk*, 2014.
- [72] Jindrich L., Pavel C, David S., Ales S. and Peter A., "Estimation of heat capacities of solid mixed oxides," *Thermochimica Acta 395*, pp. 27-46, 2003.
- [73] Yunsheng Xu and Chung D.D.L., "Cement of high specific heat and high thermal conductivity, obtained by using silane and silica fume as admixtures," *Cement and Concrete Research*, 2000.

- [74] Todd S.S., "Low-Temperature heat capacities and entropies at 298.16 K of crystalline calcium orthosilicate, zinc orthosilicate, and tricalcium silicate," *Journal of American Chemistry Society*, p. 3277–3278, 1951.
- [75] ASTM C177, Standard method for steady state heat flux measurements and thermal transmission properties by means of the guarded hot plate apparatus, 2004.
- [76] ASTM C 518, Standard test method for steady state transmission properties by means of the heat flow meter apparatus, PA: ASTM, 2004.
- [77] ASTM C1114, Standard method for steady state transmission properties by means of the thin heater apparatus, PA: ASTM, 2006.
- [78] ASTM E1225, Standard test method for thermal conductivity of solids by means of the guarded comparative longitudinal heat flow technique, PA: ASTM, 2004.
- [79] ASTM D5930, "Standard test method for thermal conductivity of plastics by means of a transient line source technique," ASTM, PA, 209.
- [80] ASTM C113, "Standard test method for thermal conductivity of refractories by hot wire (Platinum resistance thermometer technique)," ASTM, PA, 2009.
- [81] Parker W.J., Jenkins R.J., Butler C.P. and Abbott G.L., "Flash method of determining the thermal diffusivity, heat capacity, and thermal conductivity," *Journal of Applied Physics*, vol. 32, pp. 1679-1684, 1960.
- [82] T. S. W. Karol Pietrak, "A review of models for effective thermal conductivity of composite materials," *Journal of Power Technologies* , 2015.
- [83] L. F. J. D. P. H. Hasselman, " Effective thermal conductivity of composites with interfacial thermal barrier resistance," *J. Compos. Mater.*, (1987).

- [84] Santhikumar S., "Temperature dependent heat generation model for mixed cement concrete with mutual interaction among constituent minerals," 1993.
- [85] Mullin J.W., in *Crystalization*, 4th ed., London, Butterworth Henneman, 2001, p. 51.
- [86] Wang J., Carson J.K., North M.F. and Cleland D.J., "A new approach to modelling the effective thermal conductivity of heterogeneous materials," *International J. of Heat and Mass Transfer*, vol. 49, pp. 3075-3083, 2006.
- [87] Purdue University, "Thermophysical Properties of Matter: Thermal Conductivity; Nonmetallic Liquids and Gases," 1970.
- [88] Tsilingiris P.T., "Thermophysical and Transport Properties of Humid Air at Temperature Range Between 0 and 100°C.," *Energy Conservation and Management*, September 2008.
- [89] Rohsenow W.M., Hartnett J.P. and Cho Y.I., *Handbook of Heat Transfer*, New York: McGraw-Hill, 1998.
- [90] Torban C.H., "Physical Structure of Hardened Cement Paste. A Classical Approach," *Construction Material*, vol. 19.
- [91] Mehta P.K. and Paulo J.M.M., *Concrete Structures, Properties, and Materials*, N.J., Englewood Cliffs: Prentice-Hall, 1993.
- [92] Michael E.R., "Predicting Temperature Rise and Thermal Cracking in Concrete," PCA, 2007.
- [93] John H. L., *Heat Transfer Text Book*, Massachusetts: Cambridge, 2000.
- [94] Holman J.P., *Heat Transfer*, 7th ed., New York: McGraw Hill, 1990.

- [95] Kyle A.R., Jonathan L.P., Anton K.S., Maria C.G.J. and Kevin J.F., "Temperature Boundary Condition Model for Concrete Bridge Member," *ACI Material Journal*, vol. 104, pp. 379-387, July - August 2007.
- [96] Jayawardena U.S., "Correlations between some strength properties of metamorphic rocks of Sri Lanka," *Journal of Geological Society of Sri Lanka*, vol. 14, pp. 65-66, 2011.
- [97] Fernando L.J.D., "Mineral resources of Sri Lanka," *Natural Resources, Energy and Science Authority*, 1986.
- [98] Julia C., "Thermal properties of concrete with different Swedish aggregate materials," 2013.
- [99] Perera S.K.H., "Field measurements of early age temperature rise and seasonal temperature variation in concrete," March 2007.
- [100] BS8007, Design of concrete structures for retaining aqueous liquid, London: British Standards Institution, 1987.
- [101] Nanayakkara S.M.A and Liyanage W.W., "Use of Grade 25 concrete in Design of Water Retaining Structures Based on BS 8007 Recommendations," *IESL Transactions*, pp. 1-8, 2003.