

LIST OF PUBLICATIONS ORIGINATED FROM THE THESIS

Refereed Journal Publications

1. **M. A. V. J. Muthugala**, and A. G. B. P. Jayasekara, “A Review of Service Robots Coping With Uncertain Information in Natural Language Instructions,” *IEEE Access*, vol. 6, pp. 12913–12928, 2018.
2. **M. A. V. J. Muthugala**, and A. G. B. P. Jayasekara, “Enhancing User Satisfaction by Adapting Robot’s Perception of Uncertain Information Based on Environment and User Feedback,” *IEEE Access*, vol. 5, pp. 26435–26447, 2017.
3. **M. A. V. J. Muthugala**, P. H. D. A. S. Srimal and A. G. B. P. Jayasekara, “Enhancing Interpretation of Ambiguous Voice Instructions based on Environment and User’s Intention for Improved Human Friendly Robot Navigation,” *Applied Sciences special issue on Social Robotics*, vol. 7, no. 8, 2017.
4. **M. A. V. J. Muthugala**, and A. G. B. P. Jayasekara, “Improving understanding of navigational commands by adapting robot’s directional perception based on environment,” [under review]
5. **M. A. V. J. Muthugala**, P. H. D. A. S. Srimal, and A. G. B. P. Jayasekara, “Improving Robot’s Perception of Uncertain Spatial Descriptors in Navigational Instructions by Evaluating Influential Gesture Notions,” [under review]

Refereed International Conference Publications¹

1. **M. A. V. J. Muthugala** and A. G. B. P. Jayasekara, “Interpreting Uncertain Information Related to Relative References for Improved Navigational Command Understanding of Service Robots,” in *2017 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, Vancouver, IEEE, 2017, pp. 6567–6574.
2. **M. A. V. J. Muthugala** and A. G. B. P. Jayasekara, “Interpreting Fuzzy Directional Information in Navigational Commands Based on Arrangement of the Surrounding Environment,” in *2017 IEEE International Conference on Fuzzy Systems (FUZZ IEEE)*, Naples, IEEE, 2017, pp. 1-7.
3. **M. A. V. J. Muthugala** and A. G. B. P. Jayasekara, “Interpretation of Uncertain Information in Mobile Service Robots by Analyzing Surrounding Spatial Arrangement Based on Occupied Density Variation,” in *2016 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, Daejeon, IEEE, 2016, pp. 1517-1523.
4. **M. A. V. J. Muthugala** and A. G. B. P. Jayasekara, “Enhancing Human-Robot Interaction by Interpreting Uncertain Information in Navigational Commands Based on Experience and Environment,” in *2016 IEEE International Conference on Robotics and Automation (ICRA)*, Stockholm, IEEE, 2016, pp. 2915-2921.
5. **M. A. V. J. Muthugala** and A. G. B. P. Jayasekara, “MIRob: An Intelligent Service Robot that Learns from Interactive Discussions while Handling Uncertain Information in User Instructions,” in *2016 Moratuwa Engineering Research Conference (MERCon)*, Moratuwa, IEEE, 2016, pp. 397-402.
[Best paper award]

¹Only the first author and accepted/published papers at the time of submission are listed here.

6. **M. A. V. J. Muthugala** and A. G. B. P. Jayasekara, “Interpreting Fuzzy Linguistic Information in User Commands by Analyzing Movement Restrictions in the Surrounding Environment ,” in *2015 Moratuwa Engineering Research Conference (MERCon)*, Moratuwa, IEEE, 2015, pp. 124-129.

REFERENCES

- [1] R. C. Arkin, *Behavior-based robotics*. MIT press, 1998.
- [2] S. Koceski and N. Koceska, “Evaluation of an assistive telepresence robot for elderly healthcare,” *Journal of Medical Systems*, vol. 40, no. 5, pp. 1–7, 2016. [Online]. Available: <http://dx.doi.org/10.1007/s10916-016-0481-x>
- [3] C. Jayawardena, I. Kuo, E. Broadbent, and B. A. MacDonald, “Socially assistive robot healthbot: Design, implementation, and field trials,” *IEEE Syst. J.*, no. 99, pp. 1–12, 2014.
- [4] H.-M. Gross, A. Scheidig, K. Debes, E. Einhorn, M. Eisenbach, S. Mueller, T. Schmiedel, T. Q. Trinh, C. Weinrich, T. Wengfeld, A. Bley, and C. Martin, “Roreas: robot coach for walking and orientation training in clinical post-stroke rehabilitation—prototype implementation and evaluation in field trials,” *Autonomous Robots*, pp. 1–20, 2016. [Online]. Available: <http://dx.doi.org/10.1007/s10514-016-9552-6>
- [5] A. Tapus, C. Tapus, and M. J. Mataric, “User-robot personality matching and assistive robot behavior adaptation for post-stroke rehabilitation therapy,” *Intelligent Service Robotics*, vol. 1, no. 2, pp. 169–183, 2008.
- [6] R. Liu and X. Zhang, “Fuzzy context-specific intention inference for robotic caregiving,” *International Journal of Advanced Robotic Systems*, vol. 13, no. 5, pp. 1–14, 2016.
- [7] K. Gerling, D. Hebesberger, C. Dondrup, T. Körtner, and M. Hanheide, “Robot deployment in long-term care,” *Zeitschrift für Gerontologie*

- und Geriatrie*, vol. 49, no. 4, pp. 288–297, 2016. [Online]. Available: <http://dx.doi.org/10.1007/s00391-016-1065-6>
- [8] Y. Zhang, Y. Hu, P. Zhang, and W. Zhang, “Development of personal assistant system with human computer interaction,” *International Journal of Human Computer Interaction (IJHCI)*, vol. 5, no. 3, p. 40, 2014.
 - [9] E. Clotet, D. Martínez, J. Moreno, M. Tresanchez, and J. Palacín, “Assistant personal robot (apr): conception and application of a tele-operated assisted living robot,” *Sensors*, vol. 16, no. 5, p. 610, 2016.
 - [10] N. Reich-Stiebert and F. Eyssel, “Learning with educational companion robots? toward attitudes on education robots, predictors of attitudes, and application potentials for education robots,” *International Journal of Social Robotics*, vol. 7, no. 5, pp. 875–888, 2015.
 - [11] A. Causo, G. T. Vo, I.-M. Chen, and S. H. Yeo, “Design of robots used as education companion and tutor,” in *Robotics and Mechatronics*. Springer, 2016, pp. 75–84.
 - [12] I. Aaltonen, A. Arvola, P. Heikkilä, and H. Lammi, “Hello pepper, may i tickle you?: Children’s and adults’ responses to an entertainment robot at a shopping mall,” in *Proceedings of the Companion of the 2017 ACM/IEEE International Conference on Human-Robot Interaction*. ACM, 2017, pp. 53–54.
 - [13] M. E. Foster, R. Alami, O. Gestranius, O. Lemon, M. Niemelä, J.-M. Odobez, and A. K. Pandey, “The mummer project: Engaging human-robot interaction in real-world public spaces,” in *International Conference on Social Robotics*. Springer, 2016, pp. 753–763.
 - [14] Y. Kim and W. C. Yoon, “Generating task-oriented interactions of service robots,” *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 44, no. 8, pp. 981–994, 2014.

- [15] M. Mast, M. Burmester, B. Graf, F. Weisshardt, G. Arbeiter, M. Španěl, Z. Materna, P. Smrž, and G. Kronreif, “Design of the human-robot interaction for a semi-autonomous service robot to assist elderly people,” in *Ambient Assisted Living*. Springer, 2015, pp. 15–29.
- [16] K. Swift-Spong, E. Short, E. Wade, and M. J. Mataric, “Effects of comparative feedback from a socially assistive robot on self-efficacy in post-stroke rehabilitation,” in *2015 IEEE International Conference on Rehabilitation Robotics (ICORR)*. IEEE, 2015, pp. 764–769.
- [17] S. Schiffer, A. Ferrein, and G. Lakemeyer, “Caesar: an intelligent domestic service robot,” *Intelligent Service Robotics*, vol. 5, no. 4, pp. 259–273, 2012.
- [18] M. K. Murray, “The nursing shortage: past, present, and future,” *Journal of Nursing Administration*, vol. 32, no. 2, pp. 79–84, 2002.
- [19] N. Super, “Who will be there to care?: The growing gap between caregiver supply and demand.” National Health Policy Forum Washington, DC, 2002.
- [20] J.-Y. Puigbo, A. Pumarola, C. Angulo, and R. Tellez, “Using a cognitive architecture for general purpose service robot control,” *Connection Science*, vol. 27, no. 2, 2015.
- [21] P. Vogt, M. De Haas, C. De Jong, P. Baxter, and E. Krahmer, “Child-robot interactions for second language tutoring to preschool children,” *Frontiers in Human Neuroscience*, vol. 11, 2017.
- [22] C. Piezzo and K. Suzuki, “Feasibility study of a socially assistive humanoid robot for guiding elderly individuals during walking,” *Future Internet*, vol. 9, no. 3, p. 30, 2017.
- [23] T. Fong, I. Nourbakhsh, and K. Dautenhahn, “A survey of socially interactive robots,” *Robotics and autonomous systems*, vol. 42, no. 3, pp. 143–166, 2003.

- [24] P. Menzel and F. d'Aluisio, *Robo sapiens: Evolution of a new species.* Mit Press, 2001.
- [25] S. Frennert and B. Östlund, “Review: seven matters of concern of social robots and older people,” *International Journal of Social Robotics*, vol. 6, no. 2, pp. 299–310, 2014.
- [26] S. Kleanthous, C. Christophorou, C. Tsioruti, C. Dantas, R. Wintjens, G. Samaras, and E. Christodoulou, “Analysis of elderly users preferences and expectations on service robots personality, appearance and interaction,” in *International Conference on Human Aspects of IT for the Aged Population.* Springer, 2016, pp. 35–44.
- [27] S. Huang, T. Tanioka, R. Locsin, M. Parker, and O. Masory, “Functions of a caring robot in nursing,” in *2011 7th Int. Conf. Natural Language Processing and Knowledge Engineering*, 2011, pp. 425–429.
- [28] N. Mavridis, “A review of verbal and non-verbal human–robot interactive communication,” *Robotics and Autonomous Systems*, vol. 63, pp. 22–35, 2015.
- [29] F. Portet, M. Vacher, C. Golanski, C. Roux, and B. Meillon, “Design and evaluation of a smart home voice interface for the elderly: acceptability and objection aspects,” *Personal and Ubiquitous Computing*, vol. 17, no. 1, pp. 127–144, 2013.
- [30] J. A. Ansari, A. Sathyamurthy, and R. Balasubramanyam, “An open voice command interface kit,” *IEEE Transactions on Human-Machine Systems*, vol. 46, no. 3, pp. 467–473, 2016.
- [31] E. Bastianelli, D. Nardi, L. C. Aiello, F. Giacomelli, and N. Manes, “Speaky for robots: the development of vocal interfaces for robotic applications,” *Applied Intelligence*, vol. 44, no. 1, pp. 43–66, 2016. [Online]. Available: <http://dx.doi.org/10.1007/s10489-015-0695-5>

- [32] K. Sugiura and K. Zettsu, “Rospeex: A cloud robotics platform for human-robot spoken dialogues,” in *2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, Sept 2015, pp. 6155–6160.
- [33] M. Mazo, F. J. Rodriguez, J. L. Lázaro, J. Ureña, J. C. Garcia, E. Santiso, P. Revenga, and J. J. Garcia, “Wheelchair for physically disabled people with voice, ultrasonic and infrared sensor control,” *Autonomous Robots*, vol. 2, no. 3, pp. 203–224, 1995.
- [34] J. Clark and R. Roemer, “Voice controlled wheelchair.” *Archives of physical medicine and rehabilitation*, vol. 58, no. 4, pp. 169–175, 1977.
- [35] K. B. Stanton, P. R. Sherman, M. L. Rohwedder, C. P. Fleskes, D. R. Gray, D. T. Minh, C. Espinoza, D. Mayui, M. Ishaque, and M. A. Perkowski, “Psubot-a voice-controlled wheelchair for the handicapped,” in *Circuits and Systems, 1990., Proceedings of the 33rd Midwest Symposium on.* IEEE, 1990, pp. 669–672.
- [36] A. Iborra, D. Caceres, F. Ortiz, J. Franco, P. Palma, and B. Alvarez, “Design of service robots,” *IEEE Robot. Automat. Mag.*, vol. 16, no. 1, pp. 24–33, 2009.
- [37] M. Kim, S. Kim, S. Park, M.-T. Choi, M. Kim, and H. Gomaa, “Service robot for the elderly,” *IEEE Robot. Automat. Mag.*, vol. 16, no. 1, pp. 34–45, 2009.
- [38] J. Fasola and M. J. Matarić, *Using Spatial Semantic and Pragmatic Fields to Interpret Natural Language Pick-and-Place Instructions for a Mobile Service Robot*. Cham: Springer International Publishing, 2013, pp. 501–510.
- [39] E. Bastianelli, G. Castellucci, D. Croce, R. Basili, and D. Nardi, “Effective and robust natural language understanding for human-robot interaction.” in *ECAI*, 2014, pp. 57–62.

- [40] K.-P. Gapp, “Basic meanings of spatial computation and evaluation in 3d space,” in *Proceedings AAAI-94*, 1994, pp. 1393–1398.
- [41] J. D. Kelleher, G.-J. M. Kruijff, and F. J. Costello, “Proximity in context: an empirically grounded computational model of proximity for processing topological spatial expressions,” in *Proceedings of the 21st International Conference on Computational Linguistics and the 44th annual meeting of the Association for Computational Linguistics*. Association for Computational Linguistics, 2006, pp. 745–752.
- [42] S. Guadarrama, L. Riano, D. Golland, D. Go, Y. Jia, D. Klein, P. Abbeel, T. Darrell, *et al.*, “Grounding spatial relations for human-robot interaction,” in *2013 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 2013, pp. 1640–1647.
- [43] T. Kollar, S. Tellex, D. Roy, and N. Roy, “Toward understanding natural language directions,” in *2010 5th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 2010, pp. 259–266.
- [44] B. Talbot, O. Lam, R. Schulz, F. Dayoub, B. Upcroft, and G. Wyeth, “Find my office: Navigating real space from semantic descriptions,” in *2016 IEEE International Conference on Robotics and Automation (ICRA)*, May 2016, pp. 5782–5787.
- [45] I. Zukerman, S. N. Kim, T. Kleinbauer, and M. Moshtaghi, “Employing distance-based semantics to interpret spoken referring expressions,” *Computer Speech & Language*, 2015.
- [46] D. Whitney, M. Eldon, J. Oberlin, and S. Tellex, “Interpreting multimodal referring expressions in real time,” in *2016 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 2016, pp. 3331–3338.
- [47] H. Admoni, T. Weng, and B. Scassellati, “Modeling communicative behaviors for object references in human-robot interaction,” in *2016 IEEE Inter-*

national Conference on Robotics and Automation (ICRA)). IEEE, 2016, pp. 3352–3359.

- [48] N. Kubota and Y. Toda, “Multimodal communication for human-friendly robot partners in informationally structured space,” *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 42, no. 6, pp. 1142–1151, 2012.
- [49] G. Randelli, T. M. Bonanni, L. Iocchi, and D. Nardi, “Knowledge acquisition through human–robot multimodal interaction,” *Intelligent Service Robotics*, vol. 6, no. 1, pp. 19–31, 2013.
- [50] K. Lynch, *The image of the city*. MIT press, 1960, vol. 11.
- [51] R. Briggs, “Urban cognitive distance,” *Image and environment: Cognitive mapping and spatial behavior*, pp. 361–388, 1973.
- [52] D. R. Montello, “The measurement of cognitive distance: Methods and construct validity,” *Journal of Environmental Psychology*, vol. 11, no. 2, pp. 101–122, 1991.
- [53] S. Dutta, “Approximate spatial reasoning: integrating qualitative and quantitative constraints,” *International journal of approximate reasoning*, vol. 5, no. 3, pp. 307–330, 1991.
- [54] E. Clementini, P. Di Felice, and D. Hernández, “Qualitative representation of positional information,” *Artificial intelligence*, vol. 95, no. 2, pp. 317–356, 1997.
- [55] M. Skubic, D. Perzanowski, S. Blisard, A. Schultz, W. Adams, M. Bugajska, and D. Brock, “Spatial language for human-robot dialogs,” *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 34, no. 2, pp. 154–167, 2004.

- [56] M. Skubic, P. Matsakis, G. Chronis, and J. Keller, “Generating multi-level linguistic spatial descriptions from range sensor readings using the histogram of forces,” *Autonomous Robots*, vol. 14, no. 1, pp. 51–69, 2003.
- [57] K. Pulasinghe, K. Watanabe, K. Izumi, and K. Kiguchi, “Modular fuzzy-neuro controller driven by spoken language commands,” *IEEE Trans. Syst. Man Cybern. B, Cybern.*, vol. 34, no. 1, pp. 293–302, 2004.
- [58] A. Chatterjee, K. Pulasinghe, K. Watanabe, and K. Izumi, “A particle-swarm-optimized fuzzy-neural network for voice-controlled robot systems,” *IEEE Tran. Ind. Electron.*, vol. 52, no. 6, pp. 1478–1489, 2005.
- [59] K. Kawamura, S. Bagchi, and T. Park, “An intelligent robotic aid system for human services,” in *NASA CONFERENCE PUBLICATION*. NASA, 1994, pp. 413–413.
- [60] A. G. B. P. Jayasekara, K. Watanabe, and K. Izumi, “Understanding user commands by evaluating fuzzy linguistic information based on visual attention,” *Artificial Life and Robotics*, vol. 14, no. 1, pp. 48–52, 2009.
- [61] M.-K. Hu, “Visual pattern recognition by moment invariants,” *IRE transactions on information theory*, vol. 8, no. 2, pp. 179–187, 1962.
- [62] C. Jayawardena, K. Watanabe, and K. Izumi, “Learning of object identification by robots commanded by natural language.” in *IAS*, 2006, pp. 913–920.
- [63] A. B. P. Jayasekara, K. Watanabe, and K. Izumi, “Evaluating fuzzy voice commands by user guided visual attention for controlling a robot manipulator,” in *ICCAS-SICE, 2009*. IEEE, 2009, pp. 3136–3141.
- [64] S. Schiffer, A. Ferrein, and G. Lakemeyer, “Fuzzy representations and control for domestic service robots in golog,” in *Intelligent Robotics and Applications*. Springer, 2011, pp. 241–250.

- [65] S. Schiffer, A. Ferrein, and G. Lakemeyer, “Reasoning with qualitative positional information for domestic domains in the situation calculus,” *Journal of Intelligent & Robotic Systems*, vol. 66, no. 1-2, pp. 273–300, 2012.
- [66] H. J. Levesque, R. Reiter, Y. Lesperance, F. Lin, and R. B. Scherl, “Golog: A logic programming language for dynamic domains,” *The Journal of Logic Programming*, vol. 31, no. 1, pp. 59–83, 1997.
- [67] C. Jayawardena, K. Watanabe, and K. Izumi, “Posture control of robot manipulators with fuzzy voice commands using a fuzzy coach–player system,” *Advanced Robotics*, vol. 21, no. 3-4, pp. 293–328, 2007.
- [68] C. Jayawardena, K. Watanabe, and K. Izumi, “Controlling a robot manipulator with fuzzy voice commands using a probabilistic neural network,” *Neural Computing and Applications*, vol. 16, no. 2, pp. 155–166, 2007.
- [69] K. Watanabe, C. Jayawardena, and K. Izumi, “Approximate decision making by natural language commands for robots,” in *32nd Annual Conference on IEEE Industrial Electronics (IECON 2006)*, Nov 2006, pp. 4480–4485.
- [70] A. G. B. P. Jayasekara, K. Watanabe, K. Kiguchi, and K. Izumi, “Interpreting fuzzy linguistic information by acquiring robot’s experience based on internal rehearsal,” *Journal of System Design and Dynamics*, vol. 4, no. 2, pp. 297–313, 2010.
- [71] E. Erdemir, C. B. Frankel, K. Kawamura, S. M. Gordon, S. Thornton, and B. Ulutas, “Towards a cognitive robot that uses internal rehearsal to learn affordance relations,” in *2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 2008, pp. 2016–2021.
- [72] G. Hesslow, “Conscious thought as simulation of behaviour and perception,” *Trends in cognitive sciences*, vol. 6, no. 6, pp. 242–247, 2002.

- [73] C.-T. Lin and M.-C. Kan, “Adaptive fuzzy command acquisition with reinforcement learning,” *Fuzzy Systems, IEEE Transactions on*, vol. 6, no. 1, pp. 102–121, 1998.
- [74] A. B. P. Jayasekara, K. Watanabe, K. Kiguchi, and K. Izumi, “Adaptation of robots perception of fuzzy linguistic information by evaluating vocal cues for controlling a robot manipulator,” *Artificial Life and Robotics*, vol. 15, no. 1, pp. 5–9, 2010.
- [75] J.-S. R. Jang, C.-T. Sun, and E. Mizutani, “Neuro-fuzzy and soft computing: a computational approach to learning and machine intelligence,” 1997.
- [76] A. G. B. P. Jayasekara, K. Watanabe, K. Kiguchi, and K. Izumi, “Interpretation of fuzzy voice commands for robots based on vocal cues guided by user’s willingness,” in *2010 IEEE/RSJ Int. Conf. Intelligent Robots and Systems*, 2010, pp. 778–783.
- [77] M. W. Eysenck and M. T. Keane, *Cognitive psychology: A student’s handbook*. Taylor & Francis, 2000.
- [78] K. Izumi, A. Jayasekara, K. Watanabe, and K. Kiguchi, “Attentive and corrective feedback for adapting robot’s perception on fuzzy linguistic information,” in *SICE Annual Conference 2010, Proceedings of*. IEEE, 2010, pp. 1963–1968.
- [79] M. A. V. J. Muthugala and A. G. B. P. Jayasekara, “Synthesizing fuzzy linguistic vocal responses by adapting perception of robot based on visual attention,” in *7th International Conference on Information and Automation for Sustainability*, Dec 2014, pp. 1–6.
- [80] C. Lee, “Fuzzy logic in control systems: fuzzy logic controller. i,” *IEEE Trans. Syst. Man Cybern.*, vol. 20, no. 2, pp. 404–418, Mar 1990.
- [81] I.-H. Kuo and C. Jayawardena, “Application of fuzzy techniques in human-robot interaction-a review,” in *Social Robotics*. Springer, 2014, pp. 249–255.

- [82] E. Dadios, A. Valencia, D. Johnson, J. Biliran, and R. Garcia, *Humanoid Robot: Design and Fuzzy Logic Control Technique for Its Intelligent Behaviors*. INTECH Open Access Publisher, 2012. [Online]. Available: <https://books.google.lk/books?id=ILmHoAEACAAJ>
- [83] J. M. Mendel, “Computing with words: Zadeh, turing, popper and occam,” *IEEE Computational Intelligence Magazine*, vol. 2, no. 4, pp. 10–17, 2007.
- [84] J. M. Mendel, “General type-2 fuzzy logic systems made simple: a tutorial,” *IEEE Transactions on Fuzzy Systems*, vol. 22, no. 5, pp. 1162–1182, 2014.
- [85] C. L. Bethel and R. R. Murphy, “Review of human studies methods in hri and recommendations,” *International Journal of Social Robotics*, vol. 2, no. 4, pp. 347–359, 2010.
- [86] A. Hunt and A. Hunt, “Jspeech grammar format,” *W3C Note, June*, 2000.
- [87] J. Tan, Z. Ju, and H. Liu, “Grounding spatial relations in natural language by fuzzy representation for human-robot interaction,” in *2014 IEEE Int. Conf. Fuzzy Systems (FUZZ-IEEE)*. IEEE, 2014, pp. 1743–1750.
- [88] P. D. Ellis, *The essential guide to effect sizes: Statistical power, meta-analysis, and the interpretation of research results*. Cambridge University Press, 2010.
- [89] M. Pfadenhauer and C. Dukat, “Robot caregiver or robot-supported caregiving?” *International Journal of Social Robotics*, vol. 7, no. 3, pp. 393–406, 2015.
- [90] A. G. B. P. Jayasekara, K. Watanabe, K. Kiguchi, and K. Izumi, “Adaptation of robot behaviors toward user perception on fuzzy linguistic information by fuzzy voice feedback,” in *18th IEEE Int. Symp. Robot and Human Interactive Communication*, 2009, pp. 395–400.
- [91] P. H. D. A. S. Srimal, M. A. V. J. Muthugala, and A. G. B. P. Jayasekara, “Identifying spatial terminology and boundaries for human robot interaction:

A human study,” in *2017 Moratuwa Engineering Research Conf. (MERCon)*, 2017, pp. 46–51.

- [92] C. Matuszek, L. Bo, L. Zettlemoyer, and D. Fox, “Learning from unscripted deictic gesture and language for human-robot interactions.” in *28th AAAI Conf. Artificial Intelligence*, 2014, pp. 2556–2563.
- [93] P. H. D. A. S. Srimal, “Development of an intelligent vision enhanced multi-modal human-robot interaction for service robots in domestic environment,” Master’s thesis, University of Moratuwa, 2017.
- [94] A. B. P. Jayasekara, K. Watanabe, M. K. Habib, and K. Izumi, “Visual evaluation and fuzzy voice commands for controlling a robot manipulator,” *International Journal of Mechatronics and Manufacturing Systems*, vol. 3, no. 3-4, pp. 244–260, 2010.
- [95] R. Mead and M. J. Matarić, “Autonomous human–robot proxemics: socially aware navigation based on interaction potential,” *Autonomous Robots*, vol. 41, no. 5, pp. 1189–1201, 2017.