

REFERENCES

- Ahn, D. H., Chung, Y. C., & Chang, W. S., 2002, ‘Use of coagulant and zeolite to enhance the biological treatment efficiency of high ammonia leachate’ *Journal of Environmental Science and Health, Part A*, 37(2), 163-173.
- Alexnder, M., (1971). Microbial ecology, New York: John Wiley & Sons, Inc.
- Baig, S., Coulomb, I., Courant, P., Liechti, P., 1993, ‘Treatment of landfill leachates’ Lapeyrouse and Satrod case studies, *Ozone Sci. Eng.* 21 (1999) 1–22.
- Bandara, W. M. K. R. T. W. et al. (2011) ‘Removal of residual dissolved methane gas in an upflow anaerobic sludge blanket reactor treating low-strength wastewater at low temperature with degassing membrane’, *Water Research*. Elsevier Ltd, 45(11), pp. 3533–3540. doi: 10.1016/j.watres.2011.04.030.
- Bandara, W. M. K. R. T. W., Ikeda, M., Satoh, H., Sasakawa, M., Nakahara, Y., Takahashi, M., & Okabe, S., 2013b, ‘Introduction of a degassing membrane technology into anaerobic wastewater treatment’ *Water Environment Research*, 85(5), 387-390.
- Bandara, W.M. K. R. T. W., 2013a, ‘Anaerobic treatment of low-strength wastewaters at ambient temperature in up flow anaerobic sludge blanket reactors’ PhD thesis, Division of Environmental Engineering Graduate School of Engineering, Hokkaido University
- Berrueta, J. and Castrill??n, L. (1992) ‘Anaerobic treatment of leachates in UASB reactors’, *Journal of Chemical Technology & Biotechnology*, 54(1), pp. 33–37. doi: 10.1002/jctb.280540107.
- Gerardi, M. H. (2003) *The Microbiology of Anaerobic Digesters*, Vasa. doi: 10.1002/0471468967.

Heyer, K. and Stegmann, R. (1998) ‘Leachate management: leachate generation , collection , treatment and costs’, pp. 1–23.

Ifeanyichukwu, M. J. (2008) ‘Water and Environmental Engineering’, *Lund University*, (April), pp. 1–77.

Karthikeyan, K. and Kandasamy, J. (2009) ‘Upflow Anaerobic Sludge Blanket (Uasb) Reactor in Wastewater Treatment’, *WATER AND WASTEWATER TREATMENT TECHNOLOGIES - Volume II*, pp. 180–198.

Kjeldsen, P. et al. (2002) ‘Present and Long-Term Composition of MSW Landfill Leachate: A Review’, *Critical Reviews in Environmental Science and Technology*, 32(4), pp. 297–336. doi: 10.1080/10643380290813462.

Kumar, A. M. S. (2013) ‘Effects of heavy metals as stress factors on anaerobic digestion processes and biogas production from biomass’, pp. 1383–1398. doi: 10.1007/s13762-012-0167-y.

Lettinga, G.; Rebac, S.; Parshina, S. . and Nozhevnikova, A.; van Lier, J. B.; Stams, A. J. M. (1999) ‘High-Rate Anaerobic Treatment of Wastewater at Low Temperatures’, *Applied and Environmental Microbiology*, 65(4), pp. 1696–1702.

Lettinga, G., Rebac, S. and Zeeman, G. (2001) ‘Challenge of psychrophilic anaerobic wastewater treatment’, *Trends in Biotechnology*, 19(9), pp. 363–370. doi: 10.1016/S0167-7799(01)01701-2.

Morling, B. S. (2007) ‘Composition , and Some Findings From Leachate Treatment At’, *Vann-2*, pp. 174–184.

Pauss, A. et al. (1990) ‘Liquid-to-Gas mass transfer in anaerobic processes: Inevitable transfer limitations of methane and hydrogen in the biomethanation

process', *Applied and Environmental Microbiology*, 56(6), pp. 1636–1644.

Renou, S. et al. (2008) 'Landfill leachate treatment: Review and opportunity', *Journal of Hazardous Materials*, 150(3), pp. 468–493. doi: 10.1016/j.jhazmat.2007.09.077.

Selvam, S. B. et al. (no date) 'Performance of an Up-Flow Anaerobic Sludge Bed (UASB) Reactor Treating Landfill Leachate Containing Heavy Metals and Formaldehyde', pp. 0–6.

Sewwandi, B. G. N., S. S. R. M. D. H. R. Wijesekara, A. Rajapaksha, M. I. M. Mowlood and M. Vithanage. 2011. Risk of Soil and Water Pollution by Heavy Metals in Landfill Leachate. In *Proc. International Conference on Agricultural Engineering "Novelty, Clean and Sustainable"*. Thailand, 31st March-1st April 2011: pp 43.

Sewwandi, B. G. N., (2014) 'Development of a Permeable Reactive Barrier to Treat Leachate from Municipal Solid waste Dumpsites in Sri Lanka' PhD thesis, Graduate School of Science and Engineering, Saitama University.

Singh, V. and Mittal, A. K. (1997) 'Applicabilit Y of Uasb Reactor for Leachate Treatment : a Case Study for Okhla Landfill'.

Yuzer, B., Akgul, D. and Mertoglu, B. (2012) 'Effect of High Ammonia Concentration on UASB Reactor Treating Sanitary Landfill Leachate', *Fen Bilimleri Dergisi*, 24(2), pp. 59–67.