## REFERENCES

- [1] E. Peña-Pitarch, N. T. Falguera, J. A. L. Martinez, A. A. Omar and I. A. Larrión, "Driving device for a hand movement without external force," *Mechanism and Machine Theory*, vol. 105, pp. 388-396, 2016.
- [2] D. S. V. Bandara, R. A. R. C. Gopura, K. T. M. U. Hemapala and K. Kiguchi, "A multi-DoF anthropomorphic transradial prosthetic arm," in *IEEE RAS/EMBS International Conference on Biomedical Robotics and Biomechatronics*, São Paulo, Brazil, 2014.
- [3] D. G. K. Madusanka, L. N. S. Wijayasingha, K. Sanjeevan, M. A. R. Ahamed, J. C. W. Edirisooriya and R. A. R. C. Gopura, "A 3DOF transtibial robotic prosthetic limb," in 7th International Conference on Information and Automation for Sustainability, Colombo, Sri Lanka, 2014.
- [4] V. Ramos, "Introduction to Prosthetic Limbs," *The Kabod*, vol. 2, no. 1, pp. 1-11, 2015.
- [5] R. Niska, F. Bhuiya and J. Xu, "National Hospital Ambulatory Medical Care Survey: 2007 emergency department summary," National health statistics reports, 2010.
- [6] V. Ivan, F. Dario and C. A. Oskar, "New developments in prosthetic arm systems," *Orthopedic Research and Reviews*, vol. Rev 8, pp. 31-39, 2016.
- [7] B. Grunert, C. Smith, C. Devine and B. Fehring, "Early psychological aspects of severe hand injury," *Journal of Hand Surgery: British & European Volume*, vol. 13, no. B(2), pp. 177-180, 1988.
- [8] M. Grob, N. Papadopulos, A. Zimmermann, E. Biemer and L. Kovacs, "The psychological impact of severe hand injury," *Journal of Hand Surgery* (European Volume), vol. 33, no. 3, pp. 358-362, 2008.
- [9] V. Putti, "Historical Prostheses," Journal of Hand Surgery (British and European Volume), vol. 30, no. 3, pp. 310-325, 2005.

- [10] D. Merrill, J. Lockhart, P. Troyk, R. Weir and D. Hankin, "Development of an implantable myoelectric sensor for advanced prosthesis control," *Artif Organs*, vol. 35, no. 3, pp. 249-252, 2011.
- [11] P. P. H. Perera, "History of Prosthetics and Orthotics in Sri Lanka," Sri Lanka Association for Prosthetics and Orthotics, Colombo, 2017, [Online]. Available: http://www.slapo.lk. [Accessed: 20-09-2016].
- [12] K. M. Norton, "A Brief History of Prosthetics," Amputee Coalition, Manassas, 2017.
- [13] N. Wiener, Cybernetics or Control and Communication in the Animal and the Machine, vol. 25, MIT Press, 1965.
- [14] R. Atkins and D. Meier, "Functional Restoration of Adults and Children with Upper Extremity Amputation," Res Trends for the Twenty-First Century, vol. 30, no. 30, pp. 353-360, 2004.
- [15] Arms Within Reach Foundation, "Six Prosthetic Options," [Online]. Available: http://www.armswithinreach.org. [Accessed: 11-09-2016].
- [16] M. Demello, "Feet and footwear: A cultural Encyclopedia," ABC-CLIO, 2009.
- [17] M. M. Lusardi, M. Jorge and C. C. Nielsen, Orthotics & prosthetics in rehabilitation, Elsevier Health Sciences, 2013.
- [18] A. Freivalds, Biomechanics of the Upper Limbs: mechanics, modeling and musculoskeletal injuries, CRC Press LLC, 2004.
- [19] P. Gigis and K. Kuczynski, "The distal interphalangeal joints of the human," Journal of Hand Surgery, vol. 7, no. 2, pp. 76–182, 1982.
- [20] Levangie, K. Pamela and C. Norkin, Joint structure and function: a comprehensive analysis, FA Davis, 1992.
- [21] M. Batmanabane and S. Malathi, "Movements at the carpometacarpal and metacarpophalangeal joints of the hand and their effect on the dimensions of the articular ends of the metacarpal bones," *The Anatomical Record*, vol. 213, no. 1, pp. 102–110, 1985.

- [22] A. Steindler, Kinesiology of the human body under normal and pathological conditions, vol. 63, Springfield: CC Thomas, 1995.
- [23] Y. Youm, R. McMurty, A. Flatt and T. Gillespie, "Kinematics of the wrist. I. An experimental study of radial-ulnar deviation and flexion-extension," *Journal of Bone and Joint Surgery*, vol. 60, no. 4, pp. 424–431, 1978.
- [24] W. His, W. Spalteholz and L. F. Barker, Hand Atlas of Human Anatomy, Bibliolife DBA of Biblio Bazaar, 2015.
- [25] D. Sanjaya, "Development of an Anthropomorphic Transhumeral Prosthetic Arm for Upper-Arm Amputees," M.Phil dissertation: University of Moratuwa, Katubedda 2014.
- [26] A. D. Astin, "Finger force capability: measurement and prediction using anthropometric and myelectric measures," Ph.D. dissertation: Virginia Polytechnic Institute and State University, Blacksburg, Virginia, 1999.
- [27] C. Pylatiuk, S. Schulz and L. Döderlein, "Results of an Internet survey of myoelectric prosthetic hand users," *Prosthet Orthot Int*, vol. 31, no. 04, pp. 362-370, 2007.
- [28] K. Mirza and E. David, "General Formulation for Force Distribution in Power Grasp," in *IEEE International Conference on Robotics and Automation*, San Diego, 1994.
- [29] Nottingham University, "Ergonomics Data for use in the Design of Safer Products," DTI Publications, London, 2000.
- [30] D. G. Kamper, E. G. Cruz and M. P. Siegel, "Stereotypical fingertip trajectories during grasp," *Journal of neurophysiology*, vol. 90, no. 6, pp. 3702-3710, 2003.
- [31] Y. Kamata, T. Nakamura, S. Sueda, M. Tada, D. K. Pai, T. Nagura and Y. Toyama, "Motion analysis of fingertip trajectory under different levels of lumbrical muscle activation," *ORS Annual Meeting*, 2012.
- [32] C. Arunesh, C. Pankaj and D. Surinder, "Analysis of Hand Anthropometric Dimensions of Male Industrial Workers of Haryana State," *International Journal of Engineering (IJE)*, vol. 5, no. 3, pp. 242-256, 2011.

- [33] J. Damascene, A. Anthony and S. Houshang, "Body Size Data of Sri Lankan Workers and Their Comparison with Other Populations in the World: It's Impact on the Use of Imported Goods," *Journal of human ergology*, vol. 16, no. 2, pp. 193-208, 1987.
- [34] N. Jarrassé, M. Maestrutti, G. Morel and A. Roby-Brami, "Robotic Prosthetics: Moving Beyond Technical Performance," *IEEE Technology and Society Magazine*, vol. 34, no. 2, pp. 71 - 79, 2015.
- [35] I. Dudkiewicz, R. Gabrielov, I. Seiv-Ner, G. Zelig and M. Heim, "Evaluation of prosthetic usage in upper limb amputees," *Disability & Rehabilitation*, vol. 26, no. 1, pp. 60-63, 2004.
- [36] D. Atkins, D. Heard and W. Donovan, "Epidemiologic overview of individuals with upper-limb loss and their reported research priorities," *JPO: Journal of Prosthetics and Orthotics*, vol. 8, no. 1, pp. 2-11, 1996.
- [37] J. Belter, J. Segil, A. Dollar and R. Weir, "Mechanical design and performance specifications of anthropomorphic prosthetic hands: A review," *Journal of Rehabilitation Research & Development*, vol. 50, no. 5, pp. 599-618, 2013.
- [38] B. Maat, G. Smit, D. Plettenburg and P. Breedveld, "Passive prosthetic hands and tools: A literature review," *Prosthetics and Orthotics International*, pp. 1-9, 2017.
- [39] J. Pillet, "The aesthetic hand prosthesis," *The Orthopedic Clinics of North America*, vol. 12, no. 4, pp. 961-969, 1981.
- [40] T. A. Kuiken, G. Li, B. A. Lock, R. D. Lipschutz and M. L. A, "Targeted muscle reinnervation for real-time myoelectric control of multifunction artificial arms," Journal of American Medical Association, vol. 301, no. 6, pp. 619-628, 2009.
- [41] L. Hochberg, D. Bacher, B. Jarosiewicz, N. Masse, G. Simeral, J. Vogel and S. Haddadin, "Reach and grasp by people with tetraplegia using a neurally controlled robotic arm," *Nature*, vol. 485, no. 7398, pp. 372-375, 2012.
- [42] C. Antfolk, A. Björkman, S. O. Frank, F. Sebelius, G. Lundborg and B. Rosen, "Sensory feedback from a prosthetic hand based on air-mediated pressure from

- the hand to the forearm skin," *Journal of Rehabilitation Medicine*, vol. 44, no. 8, pp. 702-707, 2012.
- [43] M. Stanisa, F. Capogrosso, M. Petrini, M. Bonizzato, J. Rigosa, G. Di Pino and J. Carpaneto, "Restoring natural sensory feedback in real-time bidirectional hand prostheses," *Science Translational Medicine*, vol. 2, no. 222, pp. 19-222, 2014.
- [44] P. U. Jeethesh, N. P. Sarath, R. Sidharth, A. P. Kumar, S. Pramod and G. Udupa, "Design and manufacture of 3D printed myoelectric multi-fingered hand for prosthetic application," in *International Conference on Robotics and Automation for Humanitarian Applications (RAHA)*, Kerala, India, 2016.
- [45] M. S. Çelik, C. Tepe, H. Baş and İ. Eminoğlu, "Multifunctional hand prosthesis setup design," in *Medical Technologies National Congress (TIPTEKNO)*, Antalya, Turkey, 2016.
- [46] C. L. Semasinghe, J. L. B. Prasanna, H. M. Kandamby, R. K. P. S. Ranaweera, D. G. K. Madusanka and R. A. R. C. Gopura, "Transradial prostheses: Current status and future directions," in *Manufacturing & Industrial Engineering Symposium (MIES)*, Colombo, Sri Lanka, 2016.
- [47] R. A. M. Abayasiri, D. G. K. Madhusanka, N. M. P. Arachige, A. T. S. Silva and R. A. R. C. Gopura, "MoBio: A 5 DOF trans-humeral robotic prosthesis," in 2017 International Conference on Rehabilitation Robotics (ICORR), London, UK, 2017.
- [48] R. A. R. C. Gopura, D. S. V. Bandara, G. N. P. A, H. V. H and B. S. Ariyarathna, "A prosthetic hand with self-adaptive fingers Control," in 2017 3rd International Conference on Automation and Robotics (ICCAR), Nagoya, Japan, 2017.
- [49] S. Farah, D. G. Anderson and R. Langer, "Physical and mechanical properties of PLA, and their functions in widespread applications - A comprehensive review," Advanced Drug Delivery Reviews, vol. 107, pp. 367-392, 2016.
- [50] G. Gogu, "Chebychev-Grübler-Kutzbach's criterion for mobility calculation of multi-loop mechanisms revisited via theory of linear transformations," *European Journal of Mechanics A/Solids*, vol. 24, no. 3, pp. 427-441, 2005.

- [51] J. S. Dai, Z. Huang and H. Lipkin, "Mobility of Overconstrained Parallel Mechanisms," Journal of Mechanical Design, vol. 128, no. 1, pp. 220-229, 2004.
- [52] F. C. Chen, S. Appendino, A. Battezzato, A. Favetto, M. Mousavi and F. Pescarmona, "Human Finger Kinematics and Dynamics," in New Advances in Mechanisms, Transmissions and Applications, Springer, pp. 115-122, 2014.
- [53] W. Licheng, K. Yanxuan and L. Xiali, "A fully rotational joint underactuated finger mechanism and its kinematics analysis," *International Journal of Advanced Robotic Systems*, vol. 13, no. 5, pp. 1-9, 2016.
- [54] K. H. Hunt, A. E. Samuel and P. R. McAree, "Special configurations of multi-finger multi-freedom grippers—A kinematic study," *The International Journal of Robotics Research*, vol. 10, no. 2, pp. 123-134, 1991.
- [55] C. R. Rocha, C. P. Tonetto and A. Dias, "A comparison between the Denavit-Hartenberg and the screw-based methods used in kinematic modeling of robot manipulators," *Robotics and Computer-Integrated Manufacturing*, vol. 27, no. 4, pp. 723-728, 2011.
- [56] P. I. Corke, "A simple and systematic approach to assigning Denavit-Hartenberg parameters," *IEEE transactions on robotics*, vol. 23, no. 3, pp. 590-594, 2007.
- [57] S. Singh, A. Singla, A. Singh, S. Soni and S. Verma, "Kinematic modelling of a five-DOFs spatial manipulator used in robot-assisted surgery," *Perspectives in Science*, vol. 8, pp. 550-553, 2016.
- [58] J. Dupuis, C. Holst and H. Kuhlmann, "Improving the kinematic calibration of a coordinate measuring arm using configuration analysis," *Precision Engineering*, vol. 50, pp. 171-182, 2017.
- [59] Z. Du, W. Yang and W. Dong, "Kinematics modeling of a notched continuum manipulator," *Journal of Mechanisms and robotics*, vol. 7, no. 4, pp. 1-9, 2015.
- [60] P. Boscariol, A. Gasparetto, L. Scalera and R. Vidoni, "Efficient closed-form solution of the kinematics of a tunnel digging machine," *Journal of Mechanisms and Robotics*, vol. 9, no. 3, pp. 1-13, 2017.

- [61] J. Li, L. D. Yu, J. Q. Sun and H. J. Xia, "A kinematic model for parallel-joint coordinate measuring machine," *Journal of Mechanisms and Robotics*, vol. 5, no. 4, pp. 1-4, 2013.
- [62] H. Lipkin, "A note on Denavit-Hartenberg notation in robotics," in ASME International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, California, USA, 2005.