REFERENCES

Adams F.D.,1929, The geology of Ceylon , Canada Journal Research,1,425-511

Ajithprema M.M.J.P., Perera A.G.S.R. and De Silva K.U.D.S., 1999, Application of remote sensing and GIS technology in demarcating HC and VC boundary of Sri Lanka, Journal of Geological Society of Sri Lanka, volume 8, pp 77-86.

Bacle I, Meges S., Louge C. and Macleod P.,1999, Sensory analysis of four medical spa spring waters containing various mineral concentrations, International Journal of Dermatology, volume 38,pp 784-788.

Baur N, Kroner A., Todt W., Liew T.C. and Hofmann A.W., 1991, U-Pb isotopic systematises of zircons from prograde and retrograde transition zone in high–gade ortho-gneisses, Sri Lanka. Journal of Geology, voloum 99: pp 527-545.

Berger A.R. and Jayasinghe N.R.,1976, Precambrian structure and chronology in the Highland Series of Sri Lanka. Precambrian Researh. Volume 3, pp 559-576.

Benoit Dick, 1999. Conceptual model of the Dixie valley, Nevada geothermal field, Geothermal Resources, volume 22, pp 505-511.

Bibhy H. M., Dawson G.B., Rayner H.H., Stagpool V.M. and Graham D.K.J, 1981, Geophysical investigation of Mokai geothermal area. Department of Scientific and Industrial Research, Wellington, New Zealand, 1844, 34.

Billingsley G. A. and Hubble J. H., 1953, Chemical analyses of spring waters in the Hot Springs National Park, Arkansas area, USGS report 77-624.

Cezanno L., Gabrian F., Charveron M., etal., 1993, Effects of Avene Spring Water on the dynamics of lipids in the membrane of cultured fibroblasrs. Skin Pharmacology ,volume 6, pp 231-240.

Cooray P.G.,1994, The Precambrian of Sri Lanka: a historic review. Precambrian Research, volume 66, pp 3-18.

Cooray P.G., 1984, An introduction to the Geology of Sri Lanka. National Museum of Ceylon, Colombo.

Cordani U. and Cooray P.G.,1990, Rb-Sr ages of granites and gneisses from the Precmbrian of Sri Lanka. Journal of Geological Society of Sri Lanka, volume 2,pp 35-43.

Danial J.A., 1908, Cold and hot spring, Ceylon Administrative report part 4/ Education, Science and Arts,E3

Deriniyagaala P.E.P.,1958. The Pleistocene of Ceylon. National Museum Publication, National historical Service Ceylon.

Dharmasiri J.K. and Basnayake S.B.,1986, Origin of thermal springs of Sri Lanka. Sri Lanka Association for the Advancement of Science, volume 42, pp 156-157.

Dick B.,1999, Conceptual model of the Dixie Valley Nevada Geothermal field. Geothermal Resources Council Transactions, volume 23, pp 505-511.

Dissanayake C.B. and Chandrajith R,1999, Sri Lanka –Madagascar- Gondwana linkage : evidence for a Pan –African Mineral belt. Journal of Geology, pp 223-235

Dissanayke C.B. and Jayasena H.A.H.,1988, Origin of Geothermal system of Sri Lanka. Geothermics, 17, No.4,pp 657-669.

Dissnayake C.B. and Weerasooriya S.V.R., 1985, The Hydrogeochemical atlas of Sri Lanka. Natural Resources, Energy and Science Authority Sri Lanka, Colombo.

Dissanayake C.B. and Munasinghe T.,1984, Reconstruction of the Precambrian sedimentary basing in the granulite belt of Sri Lanka. Chemical Geology ,volume47, pp 221-247.

Fonseka G.M.,1994, Geothermal System in Sri Lanka and Exploration of Geothermal Energy. Journal of the Geological Society of Sri Lanka, volume5, pp 127-133.

Fonseka J.P.R., De Silva N.R., Balendran U.S. and Snevirathne L.K., 1963, Mineral and thermal waters of Ceylon. International Geological Congress, volume 19, pp 9-19.

Forster C. and Smith L., 1988, Ground water floe systems in mountainous terrain, 2 controlling factors. Water resource research, volume 24, pp 1011-1023.

Franke L., Reiner L., Pratzel H.G. ,Franke T. and Resch K.L. 2000, Long-term efficacy of radon spa therapy in rheumatoid arthritis-a randomized, sham-controlled study and follow up. British Journal of Rheumatalogy, volume 39, pp 894- 902.

Guidy S.A., Chafets H.S., 2003, Siliceous shrubs in hot water spring from Yellowstone National park in USA. Journal of Earth Science, volume 40, pp 1571-1583.

Hatherton T, Pattiarachchi D.B. and Ranasinghe V.V.C., 1975, Gravity map of Sri Lanka. Professional paper No. 3, Geological Survey Department Sri Lanka.

Hatherton T.,Macdolad W.J.P. and Thompson G.E.K., 1966, Geophysical methods in geothermal prospecting in New Zealand. Bull Volcanol.29, pp 485-497.

Herath J.W., 1995. Economic Geology of Sri Lanka (5th Edition). Ministry of Industrial Development, pp 57-58.

Holzl S., Kohler H.,Kroner A., Jaeckel P. and Liew T.C., 1991, Geochronology of the Sri Lankan Basement. The crystalline crust of Sri Lanka part 1, Professional Paper No.5, Geological Survey Department, Sri Lanka, pp 237-258.

Holz S. and Kohler H., 1989, U-Pb Geochronolgie and Unterkrustengesteinen Sri Lanka. European Journal of Mineralogy, 1, beiheft 1, 75.

Hyde and Crandle, 1978. Postglacial volcanic deposit at mount Baker, Washington and potential hazards from future eruption. USGS professional paper 1022-C.

Katz M.B., 2000. Sri Lanka India intra-plate tectonics- Precambrian to present. Gondwana Research, volume 3 (1), pp 3-5.

Kehelpannala K.V.W.,2003, Structural evelution of the middle to lower crust in Sri Lanka- a review, Journal of the Geological Society of Sri Lanka, volume 11, pp 45-85.

Kroner A., Cooray P.G. and Vitanage P.W.,1991, Lithotectonic Subdivision of the Basement in the Sri Lanka. The crystalline crust of Sri Lanka part 1, Professional Paper No.5, Geological Survey Department, Sri Lanka, pp 5-21.

Lowrie W., 1997, Fundamental of Geophysiscs. Cambridge University Press, pp 178-189.

Kriesmann L.M., 1993, Geodyanamic evolution of the Pan-African lower crust inm Sri Lanka : structural and petrologiucal investigationinto a high-grade gneiss terrain, Geologia Ultraiectina, der Univeriteit Utreecht. No.114

Milisenda C.C., Liew T.C., Hofmann A.W. and Kroner A, 1988, Isotopes mapping of provinces in Precambrian high grade terrains : Sri Lanka . Journal of Geology, volume 96, pp 608-615.

Leonard Robert Benjamin and Janzer Victor J. 1977, Natural radioactivity in geothermal waters, Alhambra Hot Springs and nearby areas, Jefferson County, Montana, USGS open file report.

Parson J., 1907, Cold and hot spring, Ceylon Administrative report part 4/ Education, Science and Arts,E3.

Perry L.D.,Costain J.K. and Geiser P.A., 1979, Heat flow in western Virginia and a model for the origin of thermal springs in folded Appalachians, Journal og Geophysics Research, volume 84, pp 6875-6883.

Raith M. and Hoerens S.,1994, Tectonic metamorphic and isotopic evolution of deep crustal rocks, wit special reference to Sri Lanka. Precambrian Research, volume 66, pp 223-224.

Ranjit M., 2000, Geothermal energy updates of Nepal. Proceeding world geothermal conference (Japan 2000), pp 387-396.

Robinson E. and Muffer, 1976, Quaternary volcanism in the saltan sea geothermal field California. GSA Bulletin 87, pp 347-368.

Rybach L.1976, Radioactive heat production in rocks and its relation to other petrophysical parameters. Pure Applied Geophysics, volume 114,pp 309-318.

Sammel E. A. 1980, Hydro-geological appraisal of the Klamath falls geothermal area. USGS Professional paper 1044-G.

Schumacheer R., Schenk V., Raasa P. and Vitanage P.W., 1990, Granulite facies metamorphism of metabasic and intermediate rocks in the Highland Series of Sri Lanka. High grade metamorphism and crustal anatexis, Allen and Unwin, London, pp 235-271.

Smith R.P., Wisian K.W. and Blackwell D.D., 2001, Geologic and geophysical evedence for intr-basing and footwall faulting at Dixie Valley, Nevada. Geothermal Resources Council Transaction, 25, pp 26-29.

Smith L. and Chapmann D.S., 1983, On the thermal effects of ground water flow, 1. Regional scale systems, Journal of Geophysics research , volume 88, pp 593-608.

Swanberg A.C., 1975, The Mesa geothermal anomaly, Imperial valley, Califronia: A comparison and evaluation of results obtained from surface geophysics and deep drilling. Proceedings, 2nd UN Symposium on the Development and use of Geothermal Resources, USA, 2, pp 2217-1229.

Thnassonlas C., Tseleenntis G. and Kolios N, 1986, Geothermal prospecting by geoelectric soundings (VES) of the Lagada hot springs area in Northern Greece. Geothermics, volume 16 (3), pp 227-238.

Telford W.M., Geldart L. P., and Sheriff R.E.,1990, Applied geophysics, Cambridge University Press, pp 293-604.

Tilling,1985. Volcanoes. USGS general interest Publication.

Voll G. and Kleinchrodt,R., 1991. Sri Lanka Structural, magmetic and metamorphic development of a Gondwana fragment. The crystalline crust of Sri Lanka part 1, Professional Paper No.5, Geological Survey Department, Sri Lanka, pp 22-51.

Vitanage P.W., 1988, Tectonics, National Atlas, Survey Department of Sri Lanka, pp 48-49.

Vitanage, P.W., 1972, Post Precambrian uplifts and regional neotectonic movements of Ceylon. 24th International Geological Congress, Canada ,Section 3, pp 642-654.

Wood and Kienle,1990. Volcanoes of North America : United States and Canada. Cambridge University Press, pp 226-229.

Yoshida M. and Vitanage P.W.,1993, A review of the Precambrian geology of Sri Lanka and it's comparison with Antarctica. Gondawana 8th assembly, Balkema, Rotterdam, pp 97-109.

Yoshida M., Tani Y., Rajesh H.M. and Santosh M., 2003, Diversity in the position of Sri Lanka within the Gondwana assemble. Journal of Geological Society of Sri Lanka, volume 11, pp 5-20.

Nevada Bureau of Mines and Geology Web Site
US National Park Service web Site (2002)
USFS Deschutes National Forest web site 2001
http:// librarythnikquest.org

http:/ www.pc.gc.ca/regional/hotsprings/

http://www.pref.oita.jp/hotspring/japan

http://www.2gol.com/jolsen

http://geology.er.usgs.gov/eastern/plates.html