

## Bibliography

- [1] IAN CROSS. "Music, Cognition, Culture, and Evolution". In: (), p. 15.
- [2] Dragan Matic. "A genetic algorithm for composing music". In: *Yugoslav Journal of Operations Research* 20.1 (2010), pp. 157–177. ISSN: 0354-0243. DOI: 10.2298/YJOR1001157M. URL: <http://www.doiserbia.nb.rs/Article.aspx?ID=0354-02431001157M> (visited on 04/07/2018).
- [3] Jónatas Manzioli et al. "A METHOD FOR SOUND SYNTHESIS BASED ON GENETIC ALGORITHMS". In: (), p. 10.
- [4] Xiaoying Wu and Ze-Nian Li. "2-A study of image-based music composition". In: IEEE, June 2008, pp. 1345–1348. ISBN: 978-1-4244-2570-9. DOI: 10.1109/ICME.2008.4607692. URL: <http://ieeexplore.ieee.org/document/4607692/> (visited on 04/07/2018).
- [5] Koen E. A. van de Sande, Theo Gevers, and Cees G. M. Snoek. *Evaluating Color Descriptors for Object and Scene Recognition*. 2009.
- [6] Szabolcs Sergyán. *3-Color Content-based Image Classification*.
- [7] Hye-Rin Kim et al. "1-Building Emotional Machines: Recognizing Image Emotions through Deep Neural Networks". In: *arXiv:1705.07543 [cs]* (May 21, 2017). arXiv: 1705.07543. URL: <http://arxiv.org/abs/1705.07543> (visited on 05/14/2018).
- [8] Bolei Zhou et al. "5-Learning Deep Features for Scene Recognition using Places Database". In: (), p. 9.
- [9] Xinyue Zhu et al. "4-Data Augmentation in Emotion Classification Using Generative Adversarial Networks". In: *arXiv:1711.00648 [cs]* (Nov. 2, 2017). arXiv: 1711.00648. URL: <http://arxiv.org/abs/1711.00648> (visited on 04/03/2018).
- [10] Junyoung Chung et al. "Empirical Evaluation of Gated Recurrent Neural Networks on Sequence Modeling". In: *arXiv:1412.3555 [cs]* (Dec. 11, 2014). arXiv: 1412.3555. URL: <http://arxiv.org/abs/1412.3555> (visited on 05/26/2018).
- [11] Alex Graves. "Generating Sequences With Recurrent Neural Networks". In: *arXiv:1308.0850 [cs]* (Aug. 4, 2013). arXiv: 1308.0850. URL: <http://arxiv.org/abs/1308.0850> (visited on 05/26/2018).
- [12] Nicolas Boulanger-Lewandowski, Yoshua Bengio, and Pascal Vincent. "Modeling Temporal Dependencies in High-Dimensional Sequences: Application to Polyphonic Music Generation and Transcription". In: (), p. 8.
- [13] Natasha Jaques et al. "Sequence Tutor: Conservative Fine-Tuning of Sequence Generation Models with KL-control". In: *arXiv:1611.02796 [cs]* (Nov. 8, 2016). arXiv: 1611.02796. URL: <http://arxiv.org/abs/1611.02796> (visited on 05/26/2018).
- [14] Adhika Sigit Ramanto and Jl Ganesha No. "Markov Chain Based Procedural Music Generator with User Chosen Mood Compatibility". In: (), p. 6.
- [15] S.-B. Cho. "6-Emotional Image and Musical Information Retrieval With Interactive Genetic Algorithm". In: *Proceedings of the IEEE* 92.4 (Apr. 2004),

- pp. 702–711. ISSN: 0018-9219. DOI: 10.1109/JPROC.2004.825900. URL: <http://ieeexplore.ieee.org/document/1278692/> (visited on 05/19/2018).
- [16] Saber Malekzadeh et al. “Classical Music Generation in Distinct Dastgahs with AlimNet ACGAN”. In: (), p. 5.
- [17] Sander Dieleman, Aäron van den Oord, and Karen Simonyan. “The challenge of realistic music generation: modelling raw audio at scale”. In: *arXiv:1806.10474 [cs, eess, stat]* (June 26, 2018). arXiv: 1806.10474. URL: <http://arxiv.org/abs/1806.10474> (visited on 01/25/2019).
- [18] Kevin Joslyn, Naifan Zhuang, and Kien A. Hua. “Deep Segment Hash Learning for Music Generation”. In: *arXiv:1805.12176 [cs, stat]* (May 30, 2018). arXiv: 1805.12176. URL: <http://arxiv.org/abs/1805.12176> (visited on 01/25/2019).
- [19] Stefan Lattner, Maarten Grachten, and Gerhard Widmer. “Imposing higher-level Structure in Polyphonic Music Generation using Convolutional Restricted Boltzmann Machines and Constraints”. In: *Journal of Creative Music Systems* 2.1 (Mar. 31, 2018). ISSN: 23997656. DOI: 10.5920/jcms.2018.01. arXiv: 1612.04742. URL: <http://arxiv.org/abs/1612.04742> (visited on 01/25/2019).
- [20] Jay A. Hennig, Akash Umakantha, and Ryan C. Williamson. “A Classifying Variational Autoencoder with Application to Polyphonic Music Generation”. In: *arXiv:1711.07050 [cs, stat]* (Nov. 19, 2017). arXiv: 1711.07050. URL: <http://arxiv.org/abs/1711.07050> (visited on 01/25/2019).
- [21] Kratarth Goel, Raunaq Vohra, and J. K. Sahoo. “Polyphonic Music Generation by Modeling Temporal Dependencies Using a RNN-DBN”. In: *arXiv:1412.7927 [cs]* 8681 (2014), pp. 217–224. DOI: 10.1007/978-3-319-11179-7\_28. arXiv: 1412.7927. URL: <http://arxiv.org/abs/1412.7927> (visited on 01/25/2019).
- [22] Mason Bretan, Gil Weinberg, and Larry Heck. “A Unit Selection Methodology for Music Generation Using Deep Neural Networks”. In: *arXiv:1612.03789 [cs]* (Dec. 2016). arXiv: 1612.03789. URL: <http://arxiv.org/abs/1612.03789> (visited on 03/22/2019).
- [23] Florian Colombo, Alexander Seeholzer, and Wulfram Gerstner. “Deep Artificial Composer: A Creative Neural Network Model for Automated Melody Generation”. In: *Computational Intelligence in Music, Sound, Art and Design*. Ed. by João Correia, Vic Ciesielski, and Antonios Liapis. Vol. 10198. Cham: Springer International Publishing, 2017, pp. 81–96. ISBN: 978-3-319-55749-6 978-3-319-55750-2. DOI: 10.1007/978-3-319-55750-2\_6. URL: [http://link.springer.com/10.1007/978-3-319-55750-2\\_6](http://link.springer.com/10.1007/978-3-319-55750-2_6) (visited on 03/22/2019).
- [24] Huanru Henry Mao, Taylor Shin, and Garrison W. Cottrell. “DeepJ: Style-Specific Music Generation”. In: *2018 IEEE 12th International Conference on Semantic Computing (ICSC)* (Jan. 2018). arXiv: 1801.00887, pp. 377–382. DOI: 10.1109/ICSC.2018.00077. URL: <http://arxiv.org/abs/1801.00887> (visited on 03/22/2019).
- [25] Gino Brunner et al. “JamBot: Music Theory Aware Chord Based Generation of Polyphonic Music with LSTMs”. In: *arXiv:1711.07682 [cs, eess,*

- math, stat*] (Nov. 2017). arXiv: 1711.07682. URL: <http://arxiv.org/abs/1711.07682> (visited on 03/22/2019).
- [26] Vasanth Kalingeri and Srikanth Grandhe. "Music Generation with Deep Learning". In: *arXiv:1612.04928 [cs]* (Dec. 2016). arXiv: 1612.04928. URL: <http://arxiv.org/abs/1612.04928> (visited on 03/22/2019).
- [27] Qi Lyu, Zhiyong Wu, and Jun Zhu. "Polyphonic Music Modelling with LSTM-RTRBM". en. In: *Proceedings of the 23rd ACM international conference on Multimedia - MM '15*. Brisbane, Australia: ACM Press, 2015, pp. 991–994. ISBN: 978-1-4503-3459-4. DOI: 10.1145/2733373.2806383. URL: <http://dl.acm.org/citation.cfm?doid=2733373.2806383> (visited on 03/22/2019).
- [28] Hang Chu, Raquel Urtasun, and Sanja Fidler. "Song From PI: A Musically Plausible Network for Pop Music Generation". In: *arXiv:1611.03477 [cs]* (Nov. 2016). arXiv: 1611.03477. URL: <http://arxiv.org/abs/1611.03477> (visited on 03/22/2019).
- [29] Jana Machajdik and Allan Hanbury. "5-Affective image classification using features inspired by psychology and art theory". In: ACM Press, 2010, p. 83. ISBN: 978-1-60558-933-6. DOI: 10.1145/1873951.1873965. URL: <http://dl.acm.org/citation.cfm?doid=1873951.1873965> (visited on 05/19/2018).
- [30] Xin Lu et al. "On shape and the computability of emotions". In: ACM Press, 2012, p. 229. ISBN: 978-1-4503-1089-5. DOI: 10.1145/2393347.2393384. URL: <http://dl.acm.org/citation.cfm?doid=2393347.2393384> (visited on 05/26/2018).
- [31] Tao Chen et al. "DeepSentiBank: Visual Sentiment Concept Classification with Deep Convolutional Neural Networks". In: *arXiv:1410.8586 [cs]* (Oct. 30, 2014). arXiv: 1410.8586. URL: <http://arxiv.org/abs/1410.8586> (visited on 05/26/2018).
- [32] Yongli Zhu, Chengxi Liu, and Kai Sun. "Image Embedding of PMU Data for Deep Learning Towards Transient Disturbance Classification". In: *2018 IEEE International Conference on Energy Internet (ICEI)*. 2018 2nd IEEE International Conference on Energy Internet (ICEI). Beijing: IEEE, May 2018, pp. 169–174. ISBN: 978-1-5386-4131-6. DOI: 10.1109/ICEI.2018.00038. URL: <https://ieeexplore.ieee.org/document/8403446/> (visited on 01/25/2019).
- [33] Arindam Das et al. "Document Image Classification with Intra-Domain Transfer Learning and Stacked Generalization of Deep Convolutional Neural Networks". In: *arXiv:1801.09321 [cs]* (Jan. 28, 2018). arXiv: 1801.09321. URL: <http://arxiv.org/abs/1801.09321> (visited on 01/25/2019).
- [34] Roshan Gopalakrishnan, Yansong Chua, and Laxmi R. Iyer. "Classifying neuromorphic data using a deep learning framework for image classification". In: *arXiv:1807.00578 [cs]* (July 2, 2018). arXiv: 1807.00578. URL: <http://arxiv.org/abs/1807.00578> (visited on 01/25/2019).
- [35] Alhussein Fawzi et al. "Adaptive data augmentation for image classification". en. In: *2016 IEEE International Conference on Image Processing (ICIP)*.

- Phoenix, AZ, USA: IEEE, Sept. 2016, pp. 3688–3692. ISBN: 978-1-4673-9961-6. DOI: 10.1109/ICIP.2016.7533048. URL: <http://ieeexplore.ieee.org/document/7533048/> (visited on 03/22/2019).
- [36] Ren Wu et al. “Deep Image: Scaling up Image Recognition”. en. In: (), p. 12.
- [37] Saining Xie et al. “Hyper-class augmented and regularized deep learning for fine-grained image classification”. en. In: *2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. Boston, MA, USA: IEEE, June 2015, pp. 2645–2654. ISBN: 978-1-4673-6964-0. DOI: 10.1109/CVPR.2015.7298880. URL: <http://ieeexplore.ieee.org/document/7298880/> (visited on 03/22/2019).
- [38] Luke Taylor and Geoff Nitschke. “Improving Deep Learning with Generic Data Augmentation”. en. In: *2018 IEEE Symposium Series on Computational Intelligence (SSCI)*. Bangalore, India: IEEE, Nov. 2018, pp. 1542–1547. ISBN: 978-1-5386-9276-9. DOI: 10.1109/SSCI.2018.8628742. URL: <https://ieeexplore.ieee.org/document/8628742/> (visited on 03/22/2019).
- [39] Zhun Zhong et al. “Random Erasing Data Augmentation”. In: *arXiv:1708.04896 [cs]* (Aug. 2017). arXiv: 1708.04896. URL: <http://arxiv.org/abs/1708.04896> (visited on 03/22/2019).
- [40] Sebastien C. Wong et al. “Understanding data augmentation for classification: when to warp?” en. In: *arXiv:1609.08764 [cs]* (Sept. 2016). arXiv: 1609.08764. URL: <http://arxiv.org/abs/1609.08764> (visited on 03/22/2019).
- [41] Antreas Antoniou, Amos Storkey, and Harrison Edwards. “Data Augmentation Generative Adversarial Networks”. In: *arXiv:1711.04340 [cs, stat]* (Nov. 2017). arXiv: 1711.04340. URL: <http://arxiv.org/abs/1711.04340> (visited on 03/22/2019).
- [42] Mina Rezaei et al. “Conditional Adversarial Network for Semantic Segmentation of Brain Tumor”. en. In: *arXiv:1708.05227 [cs]* (Aug. 2017). arXiv: 1708.05227. URL: <http://arxiv.org/abs/1708.05227> (visited on 03/22/2019).
- [43] Hojjat Salehinejad et al. “Generalization of Deep Neural Networks for Chest Pathology Classification in X-Rays Using Generative Adversarial Networks”. In: *arXiv:1712.01636 [cs]* (Nov. 2017). arXiv: 1712.01636. URL: <http://arxiv.org/abs/1712.01636> (visited on 03/22/2019).
- [44] Xin Yi, Ekta Walia, and Paul Babyn. “Unsupervised and semi-supervised learning with Categorical Generative Adversarial Networks assisted by Wasserstein distance for dermoscopy image Classification”. In: *arXiv:1804.03700 [cs]* (Apr. 2018). arXiv: 1804.03700. URL: <http://arxiv.org/abs/1804.03700> (visited on 03/22/2019).
- [45] Wanli Ouyang et al. “3-DeepID-Net: multi-stage and deformable deep convolutional neural networks for object detection”. In: *arXiv:1409.3505 [cs]* (Sept. 11, 2014). arXiv: 1409.3505. URL: <http://arxiv.org/abs/1409.3505> (visited on 05/19/2018).
- [46] Mircea Cimpoi, Subhansu Maji, and Andrea Vedaldi. “Deep filter banks for texture recognition and segmentation”. In: IEEE, June 2015, pp. 3828–

3836. ISBN: 978-1-4673-6964-0. DOI: 10.1109/CVPR.2015.7299007. URL: <http://ieeexplore.ieee.org/document/7299007/> (visited on 05/19/2018).
- [47] Bolei Zhou et al. "Learning Deep Features for Discriminative Localization". In: *arXiv:1512.04150 [cs]* (Dec. 13, 2015). arXiv: 1512.04150. URL: <http://arxiv.org/abs/1512.04150> (visited on 03/01/2018).
- [48] Ian Goodfellow et al. "Generative Adversarial Nets". In: *Advances in Neural Information Processing Systems 27*. Ed. by Z. Ghahramani et al. Curran Associates, Inc., 2014, pp. 2672–2680. URL: <http://papers.nips.cc/paper/5423-generative-adversarial-nets.pdf> (visited on 04/19/2019).
- [49] Martin Arjovsky, Soumith Chintala, and Leon Bottou. "Wasserstein Generative Adversarial Networks". en. In: (), p. 10.
- [50] Jonas Natten. "Generative Adversarial Networks for Improving Face Classification.pdf". PhD thesis. URL: <https://brage.bibsys.no/xmlui/bitstream/handle/11250/2454822/Natten%2C%20Jonas.pdf?sequence=1> (visited on 02/22/2019).
- [51] Alec Radford, Luke Metz, and Soumith Chintala. "2-Unsupervised Representation Learning with Deep Convolutional Generative Adversarial Networks". In: *arXiv:1511.06434 [cs]* (Nov. 19, 2015). arXiv: 1511.06434. URL: <http://arxiv.org/abs/1511.06434> (visited on 05/19/2018).
- [52] Dwarikanath Mahapatra et al. "Efficient Active Learning for Image Classification and Segmentation using a Sample Selection and Conditional Generative Adversarial Network". In: *arXiv:1806.05473 [cs]* (June 14, 2018). arXiv: 1806.05473. URL: <http://arxiv.org/abs/1806.05473> (visited on 02/22/2019).
- [53] Dan Stowell et al. "Detection and Classification of Acoustic Scenes and Events". In: *IEEE Transactions on Multimedia* 17.10 (Oct. 2015), pp. 1733–1746. ISSN: 1520-9210, 1941-0077. DOI: 10.1109/TMM.2015.2428998. URL: <http://ieeexplore.ieee.org/document/7100934/> (visited on 05/19/2018).
- [54] Allen Huang and Raymond Wu. "Deep Learning for Music.pdf". In: *arXiv:1606.04930 ()*. URL: <https://arxiv.org/pdf/1606.04930.pdf> (visited on 02/23/2019).
- [55] Nikhil Kotecha and Paul Young. "Generating Music using an LSTM Network". In: *arXiv:1804.07300 [cs, eess]* (Apr. 18, 2018). arXiv: 1804.07300. URL: <http://arxiv.org/abs/1804.07300> (visited on 02/22/2019).