

## References

- [1] A. P. Kaur, A. Helwig and N. Das, "SFRA transformer reliability engineering modelling for undergraduates," in *2016 Australasian Universities Power Engineering Conference (AUPEC)*, Brisbane, 2016.
- [2] Cigre Working Group A2.37, Transformer Reliability Survey, *Electra*, no. 261, p. 48-49.
- [3] A. Kraetge, M. Krüger, J. L. Velásquez, M. Heindl, and S. Tenbohlen, "Experiences with practical application of Sweep Frequency Response Analysis (SFRA) on power transformers," in *Proc. of the 16th International Symposium on High Voltage Engineering © 2009 SAIEE*, Johannesburg, 2009.
- [4] *IEEE Guide for the Application and Interpretation of Frequency Response Analysis for Oil-Immersed Transformers*, IEEE Std C57.149, 2012.
- [5] F. Predl, "Interpretation of Sweep Frequency Response Analysis (SFRA) Measurement Results," in *Techcon Asia-Pacific 2016*, Sydney, 2016.
- [6] D. K. Xu, C. Z. Fu and Y. M. Li, "Application of artificial neural network to the detection of the transformer winding deformation," in *1999 Eleventh International Symposium on High Voltage Engineering*, London, 1999.
- [7] A. Contin, G. Rabach, J. Borghetto, M. D. Nigris, R. Passaglia and G. Rizzi, "Frequency-response analysis of power transformers by means of fuzzy tools," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 18, no. 3, pp. 900-909, June 2011.
- [8] P. M. Joshi and S. V. Kulkarni, "Transformer winding diagnostics using deformation coefficient," in *2008 IEEE Power and Energy Society General Meeting - Conversion and Delivery of Electrical Energy in the 21st Century*, Pittsburgh, 2008.
- [9] J. C. Gonzales and E. E. Mombello, "Automatic detection of frequency ranges of power transformer transfer functions for evaluation by mathematical indicators," in *2012 Sixth IEEE/PES Transmission and Distribution: Latin*

*America Conference and Exposition (T&D-LA)*, Montevideo, 2012.

- [10] P. Vaessen, "Transformer model for high frequencies," *IEEE Trans. Power Del.*, vol. 3, no. 4, p. 1761–1768, Oct. 1988.
- [11] A. Morched, L. Marti, and J. Ottewangers, "A high frequency transformer model for the EMTP," *IEEE Trans. Power Del.*, vol. 8, no. 3, p. 1615–1626, Jul. 1993.
- [12] K. Ragavan and L. Satish, "Construction of Physically Realizable Driving-Point Function From Measured Frequency Response Data on a Model Winding," *IEEE Transactions on Power Delivery*, vol. 23, no. 2, pp. 760-767, April 2008.
- [13] V. Rashtchi, E. Rahimpour and E.M. Rezapour, "Using a genetic algorithm for parameter identification of transformer R-L-C-M model," *Electrical Engineering*, vol. 88, no. 5, pp. 417-422, 2006.
- [14] G. B. Gharehpetian, H. Mohseni, and K. Moller, "Hybrid modeling of inhomogeneous transformer windings for very fast transient overvoltage studies," *IEEE Transactions on Power Delivery*, vol. 13, no. 1, p. 157–163, Jan. 1998.
- [15] *Measurement of frequency response*, IEC 60076-18, 2012.
- [16] V Behjat, A Vahedi, A Setayeshmehr, H Borsi and E Gockenbach, "Identification of the most sensitive frequency response measurement technique for diagnosis of interturn faults in power transformers," *Meas. Sci. Technol.* 21, vol. 21:1–14, 2010.
- [17] S. Tenbohlen and S. A. Ryder, "Making frequency response analysis measurements: a comparison of the swept frequency and low voltage impulse methods," in *XIIIth International Symposium on High Voltage Engineering*, Netherlands, 2003.
- [18] J. C. Gonzales and E. E. Mombello, "Fault Interpretation Algorithm Using Frequency-Response Analysis of Power Transformers," *IEEE Transactions on Power Delivery*, vol. 31, no. 3, pp. 1034-1042, June 2016.
- [19] A. A. ElFaraskoury, "Experiences of Sweep Frequency Response Analyser for

- the Diagnosis of Transformer Winding Damage,” in *17th International Middle-East Power System Conference (MEPCON'15) Mansoura University, Egypt*, 2015.
- [20] R. D. Jiwane, “Detection Of Mechanical Faults On Transformer Winding,” in *International conference on computing, communication and energy systems*, India, 2016.
- [21] E. Dick and C. Erven, “Transformer Diagnostic Testing by Frequency Response Analysis,” *IEEE Transactions on Power Apparatus and Systems*, Vols. PAS-97, no. 6, pp. 2144-2153, 1978.
- [22] K. P. Badgujar, M. Maoyafikuddin and S. V. Kulkarni, “Alternative statistical techniques for aiding SFRA diagnostics in transformers,” *IET Generation, Transmission & Distribution*, vol. 6, no. 3, pp. 189-198, March 2012.
- [23] Y. Shibuya, S. Fujita and N. Hosokawa, “Analysis of very fast transient overvoltage in transformer winding,” *IEE Proceedings - Generation, Transmission and Distribution*, vol. 144, no. 5, pp. 461-468, Sept. 1997.
- [24] K. Ragavan and L. Satish, “Localization of Changes in a Model Winding Based on Terminal Measurements: Experimental Study,” *IEEE Transactions on Power Delivery*, vol. 22, no. 3, pp. 1557-1565, July 2007.
- [25] G. Joginadham, H. A. Mangalvedekar and A. Venkatasami, “Development of networks for SFRA data using circuit synthesis,” in *2008 International Conference on Condition Monitoring and Diagnosis*, Beijing, 2008.
- [26] D. M. Sofian, Z. D. Wang and P. Jarman, “Interpretation of transformer FRA measurement results using winding equivalent circuit modelling technique,” in *CEIDP '05. 2005 Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, Nashville, TN, USA, 2005.
- [27] S. P. Ang, J. Li, Z. Wang and P. Jarman, “FRA low frequency characteristic study using duality transformer core modeling,” in *2008 International Conference on Condition Monitoring and Diagnosis*, Beijing, 2008.
- [28] M.R. Barzegaran, M. Mirzaie, A. S. Akmal, “Frequency Response Analysis in Power Transformer for Detection of Winding Short-circuit using Quasi-static

- Finite Element and Circuit-based Method,” *World Applied Sciences Journal*, vol. 7, no. 8, pp. 1006-1015, 2009.
- [29] P. Mukherjee and L. Satish, “Construction of Equivalent Circuit of a Single and Isolated Transformer Winding From FRA Data Using the ABC Algorithm,” *IEEE Transactions on Power Delivery*, vol. 27, no. 2, pp. 963-970, April 2012.
- [30] M. Bigdeli, D. .Azizian, H Bakhshi and E. Rahimpour, “Identification of Transient Model Parameters of Transformer Using Genetic Algorithm,” in *2010 International Conference on Power System Technology*, Hangzhou, China, 2010.
- [31] M. S. Chaouche, H. Houassine, S. Moulahoum and I. Colak, “BA to construction of equivalent circuit of a transformer winding from frequency response analysis measurement,” *IET Electric Power Applications*, vol. 12, no. 5, pp. 728-736, 2018.
- [32] A. Shintemirov, W.J. Tang, W.H. Tang and Q.H. Wu, “Improved modelling of power transformer winding using bacterial swarming algorithm and frequency response analysis,” *Electric Power Systems Research*, vol. 80, no. 9, pp. 1111-1120, 2010.
- [33] M. A. Eldery, E. F. El-Saadany and M. M. A. Salama, “Parameters Identification of Sectional Winding High Frequency Transformer Model Using Neural Network,” in *2003 46th Midwest Symposium on Circuits and Systems*, Cairo, 2003.
- [34] G. M. V. Zambrano, A. C. Ferreira and L. P. Caloba, “Power transformer equivalent circuit identification by artificial neural network using frequency response analysis,” in *2006 IEEE Power Engineering Society General Meeting*, Montreal, Que., 2006.
- [35] D. L. Alvarez, J. A. Rosero and E. E. Mombello, “Circuit model of transformers windings using vector fitting, for frequency response analysis (FRA),” in *2013 Workshop on Power Electronics and Power Quality Applications (PEPQA)*, , Bogota, 2013.
- [36] K. F. Man, K. S. Tang and S. Kwong,, “Genetic Algorithms: Concepts and

- Applications,” *IEEE Transactions on Industrial Electronics*, vol. 43, no. 5, pp. 519-534, Oct. 1996.
- [37] “MATLAB User’s Guide,” The Mathworks, 2018.
- [38] E. C. Levy, “Complex-curve fitting,” *IRE Transactions on Automatic Control*, Vols. AC-4, no. 1, pp. 37-43, May 1959.
- [39] A. O. Soysal and A. Semlyen, “Practical transfer function estimation and its application to wide frequency range representation of transformers,” *IEEE Transactions on Power Delivery*, vol. 8, no. 3, pp. 1627-1637, July 1993.
- [40] C. Sanathanan and J. Koerner, “Transfer function synthesis as a ratio of two complex polynomials,” *IEEE Transactions on Automatic Control*, vol. 8, no. 1, pp. 56-58, January, 1963.
- [41] P. Payne, “An improved technique for transfer function synthesis from frequency response data,” *IEEE Transactions on Automatic Control*, vol. 154, no. 4, pp. 480-483, Aug 1970.
- [42] A. K. Kamath et al., “Modeling of transformer characteristics using fractional order transfer functions,” in *2009 IEEE International Conference on Control and Automation*, Christchurch, 2009 .
- [43] K. L. I. M. Pramod B. Jayarathna, W. E. P. Sampath Ediriweera, J. R. Lucas and R. Samarasinghe, “Modelling Transfer Function of Power Transformers Using Sweep Frequency Response Analysis,” in *2018 Moratuwa Engineering Research Conference (MERCOn)*, Moratuwa, 2018.
- [44] D. Valrio and J. S Da Costa, “Levy’s identification method extended to commensurate fractional order transfer functions,” in *Fifth EUROMECHNonlinear Dynamics conference*, Eindhoven, 2005.
- [45] U.A.Bakshi and S.C.Goyal, *Principles of Control Systems*, India: Technical Publications, 2008.
- [46] E. Bjerkan, "High frequency modeling of power transformers: Stresses and Diagnostics", Ph.D. Dissertation, Norwegian university of science and technology, May 2005.
- [47] K. R. Gandhi and K. P. Badgajar, “Artificial neural network based

- identification of deviation in frequency response of power transformer windings,” in *2014 Annual International Conference on Emerging Research Areas: Magnetics, Machines and Drives (AICERA/iCMMMD)*, Kottayam, 2014.
- [48] “MATLAB ANN toolbox,” MATLAB®, Mathwork Ltd., [Online]. Available: <https://www.mathworks.com/discovery/neural-network.html>.
- [49] “Genetic Algorithm,” MATLAB®, Mathwork Ltd.. [Online].
- [50] S. Bagheri , R. Efftejad and A. Salami , “ Transformer Winding Parameter Identification based on Frequency Response Analysis using Hybrid Wavelet Transform (WT) and Simulated Annealing Algorithm (SA) and Compare with Genetic Algorithm (GA),” *Indian Journal of Science and Technology*, vol. 7, no. 5, pp. 614-621, May, 2014.
- [51] U. Sharma, S. Chatterjee and K. Bhuyan, “Development of reference SFRA plot of transformer at design stage using high frequency modelling,” in *2012 1st International Conference on Power and Energy in NERIST (ICPEN)*, Nirjuli, 2012.
- [52] “MATLAB GA Toolbox,” MATLAB®, Mathwork Ltd., [Online]. Available: <https://www.mathworks.com/help/gads/genetic-algorithm.html>.
- [53] V. Behjat, A. Vahedi, A.Setayeshmehr, H. Borsi and Ernst Gockenbach, “Sweep frequency response analysis for diagnosis of low level short circuit faults on the windings of power transformers: An experimental study,” *International Journal of Electrical Power & Energy Systems*, vol. 42, no. 1, pp. 78-90, November 2012.
- [54] S. Alsuhaibani, Y. Khan, Beroual, M. Abderrahmane and N. Hussain, “A review of frequency response analysis methods for power transformer diagnostics,” *Energies*, vol. 9, no. 11, pp. 1-17, Nov 2016.
- [55] J. C. Olivares-Galvan, R. Escarela-Perez, E. Campero-Littlewood, F. de Leon and C. A. Cruz, “Separation of core losses in distribution transformers using experimental methods,” *Canadian Journal of Electrical and Computer Engineering*, vol. 35, no. 1, pp. 33-39, Winter 2010.
- [56] M. F. Bin Mohd Yousof, "*Frequency Response Analysis for Transformer*

*Winding Condition Monitoring*", Ph.D. Dissertation, School of Information Technology and Electrical Engineering, University of Queensland, 2015.

- [57] T. Mariprasath and V. Kirubakaran, "Power Transformer Faults Identification using SFRA," *International Journal of Scientific & Engineering Research*, vol. 5, no. 5, pp. 581-587, May, 2014.
- [58] R. S. Bhide, M. S. S. Srinivas and I. Voloh, "Detection of inter-turn fault in transformers at incipient level," in *2014 International Conference on Electrical Machines (ICEM)*, Berlin, 2014.
- [59] R. Prudhvi Raj, "Transformer Core Fault Detection and Control," *Advances in Electronic and Electric Engineering*, vol. 3, no. 4, pp. 485-490, 2013.
- [60] G. A. T. N. Aravinda, K. Bandara, G. A. Jayantha, J. R. S. S. Kumara and M. A. R. M. Fernando, "Application of SFRA techniques to discriminate short circuit faults of transformer winding," in *2017 IEEE International Conference on Industrial and Information Systems (ICIIS)*, Peradeniya, 2017.
- [61] G. Energy, "geindustrial," [Online]. Available: <http://apps.geindustrial.com/publibrary/checkout/LAPL0084?TNR=Articles%7CLAPL0084%7CPDF&filename=LAPL0084.pdf>. [Accessed 4 oct 2018].
- [62] M. Bagheri, M.S. Naderi, T Blackburn and T. Phung, "Case study on FRA capability in detection of mechanical defects within a 400MVA transformer," *CIGRE, Paris, France*, pp. 1-9, 2012.
- [63] M. Florkowski and J. Furgał, "Transformer winding defects identification based on a high frequency method," *Measurement Science and Technology*, vol. 18, no. 9, p. 1986–1992, July, 2007.
- [64] M. Bagheri, B. Stojcevski and B. T. Phung, "Frequency response technique to recognize turn-to-turn insulation deterioration in transformer winding," in *016 IEEE International Conference on Power and Renewable Energy (ICPRE)*, Shanghai, 2016.
- [65] D. Allan, C. Jones and B. Sharp, "Studies of the condition of insulation in aged power transformers. 1. Insulation condition and remnant life assessments for in-service units," in *3rd International Conference on Properties and*

*Applications of Dielectric Materials*, tokyo, 1991.

- [66] S. Rai and N.P. Gupta, "SFRA, Detect Of Winding Deformation in Power Transformer," *IOSR Journal of Electrical and Electronics Engineering (IOSR-JEEE)*, vol. 9, no. 6, pp. 53-57, dec, 2014.
- [67] C. W. G. A2.26, *Mechanical Condition Assessment of Transformer Windings Using Frequency Response Analysis (FRA)*, paris: Brochure, 2008.