

LB/DON/62/2020

DCM 04/56 ✓

BIOMETRIC AUTHENTICATION SYSTEM USING MULTI-AGENT TECHNOLOGY IN BORDER CONTROL



Susara S Thenuwara

179418B


LIBRARY
UNIVERSITY OF MORATUWA, SRI LANKA
MORATUWA

Degree of Master of Science in Artificial Intelligence

Department of Computational Mathematics

University of Moratuwa

Sri Lanka



519.6 "2020"
004.8 (043)

January 2020



TH4241 + CD-ROM
is not working

TH 4241

BIOMETRIC AUTHENTICATION SYSTEM USING MULTI-AGENT TECHNOLOGY IN BORDER CONTROL

Susara S Thenuwara

179418B

A thesis submitted in partial fulfillment of the requirements for the degree of Master
of Science in Artificial Intelligence

Department of Computational Mathematics

University of Moratuwa

Sri Lanka

January 2020

Declaration


I declare that this is my own work and this thesis does not incorporate without acknowledgment any material previously submitted for a Degree or Diploma in any other University or institute of higher learning and to the best of my knowledge and belief it does not contain any material previously published or written by another person except where the acknowledgment is made in the text.

Also, I hereby grant to the University of Moratuwa the non-exclusive right to reproduce and distribute my thesis/dissertation, in whole or in part in print, electronic or another medium. I retain the right to use this content in whole or part in future works (such as articles or books).

Name of Student

Susara S Thenuwara

Signature of Student:




Date: 28/01/2020

The above candidate has carried out research for the Master's Dissertation under my supervision.

Name of Supervisor

Prof. A.S. Karunananda

Signature of Supervisor:



Date: 28/07/20

Acknowledgments

I would like to express my sincere gratitude to my supervisor Prof. A.S. Karunananda for providing his invaluable guidance, comments, and feedback throughout the entire project. I would also like to acknowledge him for constantly motivating me to work harder to make this project a success.

Furthermore, I would like to thank my parents, fellow colleagues, and all the lecturers of the Department of Computational Mathematics for the help and support they have given me over the course of this project.

Abstract

In today's world security is the most important aspect. Border criminals, frauds, unauthorized immigrants are burning issues in Sri Lanka within the last few years due to the lack of proper identification system i.e. duplicate passports, fake identity, etc. Therefore, the efficiency and accuracy of the traditional authentication system are not good enough to overcome this disaster. Furthermore, cryptanalysis and brute force attacks are dramatically strong with uncontrolled demanding of computational power. In fact, the efficiency and accuracy of the authentication are not enough to cater the future authentication systems by comparing traditional user authentication techniques. Therefore, Biometrics is the ideal solution for authentication as it has advantages over conventional systems. Second, it's not important to recall a biometric and it can't easily be lost. It makes the client much smoother. In addition, it is not easy to stolen or loan a biometric to a relative.

Biometrics can provide greater security and comfort than traditional methods of human identification. Even if we don't want to replace a conventional method with a biometric one, we are certainly future consumers of these systems, which will even be mandatory for new passport models. Therefore, it is important to be familiar with biometric security engineering possibilities. The most common way for people to perform biometric authentication maybe facial recognition. Face recognition can be based on single images, multiple still images or video sequences. Although most of the efforts have been traditionally dedicated to the former, the latest is rising, probably due to the lowering of prices in devices for image and video acquisition. The system was designed using the technology of multi-agents and it has two phases biometric capturing phase at VISA granting process and biometric recognition phase at border points. The product's longevity is maintained through the use of biometric and nonbiometric techniques. This solution has been implemented as a multi-agent program with a hybrid approach that identification of faces and validation of fingerprint. The system has been tested in a border protection environment which is a more time-critical real-world application and notices the 87% accuracy in the recognition phase. The proposed system evaluated with traditional border management software and time calculated for each participant. Those participants have given informed consent participation at the evaluation.

Table of Contents

Declaration	ii
Acknowledgments	iv
Abstract	v
List of Figures	ix
List of Tables	xi
Chapter 1	12
Introduction	12
1.1. Prolegomena	12
1.2. Aims and Objectives	14
1.3. Background and Motivation	14
1.4. Problem in Brief	15
1.4.1 Functional Issues	15
1.4.2 Technological Issues	16
1.6. Resource Requirements	17
1.6.1. Computer Hardware Requirements	17
1.6.2. Software Requirements	17
1.6.3. Other Requirements	17
1.7. Structure of the Thesis	18
1.8. Summary	18
Chapter 2	19
Biometric Review	19
2.1. Introduction	19
2.2. Application of Multi-Agent Technology in biometric authentication	19
2.3. Functional Issues	25
2.4. Technical Issues and Opportunities	29
2.7. Summary	37
Chapter 3	41
Technology Adapted	41
3.1. Introduction	41

3.3. Multi-Agent Technology	44
3.4. Popular Frameworks for Multi-Agent System Development	47
3.5. Other Technologies Used in BMAgent System	48
3.5.1. Programming Language	48
3.5.2. User Interface.....	49
3.5.3. Database Technology	50
3.6. Summary	55
Chapter 4.....	56
A Multi-Agent-Based Approach to Biometric Authentication	56
4.1. Introduction	56
4.2. Hypothesis	56
4.3. Inputs	56
4.4. Outputs.....	56
4.5. Process	56
4.5.1. Agent Types.....	57
4.6. Features.....	59
4.7. Users	59
4.8. Summary.....	59
Chapter 5.....	61
Design of the Multi-Agent-Based BMAgent System	61
5.1. Introduction.....	61
5.2. The architecture of the System.....	61
5.3. Class Diagram	68
5.4. Novel Concepts Introduced in the BMAgent System	69
5.5. Summary	70
Chapter 6.....	71
Implementation of the BMAgent System	71
6.1. Introduction.....	71
6.2. Implementation of Biometric Detection agents	71
6.5 Summary	81
Chapter 7.....	82
Evaluation of the BMAgent System.....	82

7.1. Introduction.....	82
7.2. Experimental Design	82
7.2.1. Measurements	82
7.2.2 The system considered for Evaluation	83
7.2.2. Data Set	84
7.3 Evaluation Strategy	85
7.4 Experimental Results.....	85
7.5 Summary.....	88
Chapter 8.....	89
Conclusion and Future Work	89
8.1. Introduction.....	89
8.2. Conclusion	89
8.3. Limitations of the System.....	91
8.4. Future Work.....	92
8.5. Summary.....	92
References	94
Bibliography.....	97
Appendix A	98
Evaluating the BMAgent system using the Test Dataset	98
Appendix B.....	102
Code Sections of Different Agent Types, UIs and Message Space Screenshots	102

List of Figures

Figure 2.1 : Multi agent-based face recognition architecture.....	21
Figure 2.2 : The parameters characteristic of the face	22
Figure 2.3 : Proposed Multi-Agent Framework for fingerprint	23
Figure 2.4 : Passport officer's error rate in face identification.....	26
Figure 2.5 : Complexity of the different face algorithms	27
Figure 2.6 : Face detection in a complex visual background	28
Figure 2.7 : Multi-model biometrics which includes in Marco Gamassi's research ..	29
Figure 2.8 : Latest biometric machine at Narita, Japan airport	32
Figure 2.9 : All biometric levels.....	35
Figure 3.1 : Multiple agent-based biometric authentication overview.....	37
Figure 3.2 : JADE Multi-Agent Development Framework Logo.....	45
Figure 3.3 : MySQL logo.....	47
Figure 3.4 : HAAR features.....	49
Figure 3.5 : Fingerprint Technology.....	52
Figure 4.1: Overview of the proposed system.....	54
Figure 5.1 : High-level architecture of the System.....	57
Figure 5.1 : High-level architecture of the facedetectandcrop agent.....	59
Figure 5.3 : High-level architecture of the colorSegment agent.....	60
Figure 5.4 : High-level architecture of the skinRegionDetection agent.....	61
Figure 5.5 : High-level architecture of the featureExtraction agent.....	62
Figure 5.6 : High-level architecture of the fingerprint agent.....	63
Figure 5:7 : Class Diagram.....	64
Figure 6.1 : faceDetectandCrop Agent Providing the from the given image.....	68
Figure 6:2 : colorSegment Agent flowchart.....	70
Figure 6:3 : skinRegionDetection Agent flowchart.....	71
Figure 6:2 : featureExtraction Agent flowchart.....	72

Figure 6.5 : fingerPrint Agent flowchart.....	73
Figure 6:6 : Overall Agent Architecture.....	74
Figure 6.7 : Sequence Diagram of BMAgent both phases.....	75
Figure 6.8 : Sample Message Space of Agent Communication.....	76
Figure 7.1 : Traditional eboder software interface.....	80
Figure 7.2 : Intermediate test sample at the recognition phase.....	81
Figure 7.3 : Eigenface images and fingerprints (intermediate step).....	82
Figure 7:4 : Finger Print and Face Biometric accuracy.....	83
Figure 9.1 : Biometric Agreement Foam.....	94
Figure 9.2 : Face biometric capturing phase.....	94
Figure 9.3 : Fingerprint in capturing phase.....	95
Figure 9.4 : Face biometric recognition phase.....	95
Figure 9.5 : Fingerprint recognition phase.....	95
Figure 9.6 : Sample fingerprint Collection.....	95
Figure 9.7 : Sample images at evaluation the software.....	96
Figure 10.5 : agent - AddDataFaceDetectionAgent	107
Figure 10.6 : agent – StartDetectAndRecognizeAgent.....	107

List of Tables

Table 1.1 - The Difference Between Face Recognition and Face Biometric.....	13
Table 2.1 - Biometric Comparison	36
Table 2.2 - Summarization of the Literature review.....	37
Table 8.5 - Test Dataset Details.....	84
Table 8.6 - Phase 1 biometric capture results.....	86
Table 8.7 - Phase 2 biometric Recognition Results	87
Table 8.8 - Average Time taken for face recognition	87