

CHAPTER 6 REFERENCES

- Abdulmalek, F. (2007). Analyzing the benefits of lean manufacturing and value stream mapping via simulation: A process sector case study. *Production Economics*.
- Alonso ayuso, L. (2003). *An approach for strategic supply chain planning under uncertainty based on stochastic 0–1 programming*. Global Optimization.
- Amiri, L. (2006). *Designing a distribution network in a supply chain system*.
- Baita, F. (1998). *Dynamic routing-and-inventory problem*. Transportation Research.
- Berman, O. (1985). *Optimal 2-facility network districting in the presence of queuing*. Transportation Science 19.
- Bostel, Z. (2007). *A facility location model for logistics systems including reverse flows: the case of remanufacturing activitie*.
- Bramel, J. (2000). *The Logic of Logistic*. New York: Springer-Verlag.
- Campbell, J. (1994). *Integer programming formulations of discrete hub location problems*. European Journal of Operational Research 72.
- Cedarleaf, J. (1994). *Plant layout and flow improvement*. New york: McGRaw Hill.
- Chen, F. (1999). Market segmentation advanced demand information, and supply chain performance. *Manufacturing and Service Operations Management*.
- Crainic, T. (1998). *Fleet Management and Logistics*. Kluwer Academic. London: Dordrecht.
- Daskin, M. (1995). *Network and Discrete Location: Models, Algorithms, and Applications*. New York: Wiley-Interscience.
- Daskin, M. (2002). An inventory-location model: formulation, solution algorithm and computational results. *Annals of Operations Research*.
- Daskin, M. (2002). *An inventory–location model: formulation, solution algorithm and computational results*. Annals of Operations Research.

- Dowling, T. N. (2004). *An Analysis of Log Truck Turn Times at Harvest Sites and Mill*. Virginia.
- Edward, H. (2002). *World-class warehousing and material handling*.
- Eppen, G. (1979). Effects of centralization on expected costs in a multi-location newsboy problem. *Management Science* 2, 498–501.
- Eppen, G. (1988). Determining safety stock in the presence of stochastic lead time and demand. *Management Science*, 34.
- Erlebacher, S. (2000). *The interaction of location and inventory in designing distribution systems*. IIE Transactions 32.
- Erlebacher, S. (2000). The interaction of location and inventory in designing distribution systems. *IIE Transactions*.
- Erlenkotter, D. (1978). *A dual-based procedure for uncapacitated facility location*. Operations Research 26.
- Fransoo, J. (2000). Measuring the bullwhip effect in the supply chain. Supply Chain Management. *An International Journal* 5.
- Frazelle, E. (2002). *World - class warehousing and material handling*. New york: McGraw-Hill.
- Gao, L. (1994). *Uncapacitated facility location: General solution procedure and computational experience*. European Journal of Operational Research 76.
- Geoffrion, A. (1974). *Multicommodity distribution system design by Benders decomposition*. Management Science 20.
- Geunes, J. (2004). *Economic ordering decisions with market choice flexibility*. Naval Research Logistics.
- Hakimi, S. (1964). *Optimum locations of switching centers and the absolute centers and medians of a graph*. Operations Research 12.
- Hansen, P. (1957). *Facility location analysis*.
- Hompel, M. (2007). *Managemet – Automation and Organisation of Warehouse and Order Picking Systems*. Springer-Verlag Berlin Heidelberg,.

- Huang, W. (2005). The continuous-time single-sourcing problem with capacity expansion opportunities. *Naval Research Logistics*, 52.
- Jaillet, P. (2002). *Delivery cost approximations for inventory routing problems in a rolling horizon framework*. *Transportation Science* 3.
- Johnny, T. (2007). *Distribution Centre Management*. Hui Ling.
- Kleywegt, A. (2002). *The stochastic inventory routing problem with direct deliveries*. *Transportation Science* 36.
- Kulwiec, R. (2004). *Crossdocking as a Supply Chain Strategy*.
- Meyers, F. (1993). *Plant layout and material handling*. Englewood Cliff: Prentice Hall Regents.
- Meyerson. (2001). *Profit-Earning Facility Location*. Greece: Hersonissos.
- Miranda, P. (2004). Incorporating inventory control decisions into a strategic distribution network design model with stochastic demand. *Transportation Research Part E*.
- Nagy, G. (2007). *Location–routing, issues, models, and methods*. *European Journal of Operational Research*.
- Nozick, L. (2001). The fixed charge facility location problem with coverage restriction. *Transportation Research Part E*.
- Ozsen, L. (2008). Capacitated warehouse location model with risk pooling. *Naval Research Logistics*.
- Peeters, D. (1995). The profit-maximizing Weber problem. *Location Sci*, 67-85.
- Piasecki, D. (2002). *Inventory Operations Consulting*. Retrieved from <http://www.inventoryops.com>
- Pishvaei, M. (2010). *A memetic algorithm for bi-objective integrated forward/reverse logistics network design*.
- Pishvaei, M. (2010). *A memetic algorithm for bi-objective integrated forward/reverse logistics network design*.

- ReVelle, C. (1993). *Facility siting and integer-friendly programming*. European Journal of Operational Research 65.
- Rother, M. (1999). *Learning to See: Value Stream Mapping to Add Value and Eliminate Muda*. The Lean Enterprise Institute.
- Salema, M. (2007). *An optimization model for the design of a capacitated multi-product reverse logistics network with uncertainty*. European Journal of Operational Research.
- Santoso, T. (2005). *A Stochastic programming approach for supply chain network design under uncertainty*. Europ.
- Schilling, D. (1980). *Dynamic location modeling for public-sector facilities A multicriteria approach*. Decision Sciences 11.
- Shen, Z. (2003). A joint location-inventory model. *Transportation Science*, 37.
- Sourirajan, K. (2009). A genetic algorithm for a single product network design model with lead time and safety stock considerations. *European Journal of Operational Research*.
- Stull, R. (2004). *Re-design warehouse plant layout for a food company*. University of Wisconsin-Stout Menomonie.
- Sule, D. (1994). *Manufacturing facilities: location, planning and design*. PWS Publishing Company.
- Tcha, D. (1984). *A branch and bound algorithm for the multi-level uncapacitated facility location problem*. European Journal of Operational Research 18.
- Teo, C. (2001). Impact on inventory costs with consolidation of distribution centers. *IIE Transactions*, 33.
- Üster, H. (2007). *Benders decomposition with alternative multiple cuts for a multi-product closed-loop supply chain network design model*. University of Michigan.
- Üster, H. (2008). Integrated warehouse location and inventory decisions in a three-tier distribution system. *IIE Transactions*, 44.

- Vasiljevic, D. (2013). *Cross Docking Implementation in Distribution of Food Products*.
- Vidal, C. (2001). *A global supply chain model with transfer pricing and transportation cost allocation*. Europ.
- Vidyarthi, N. (2007). Integrated production-inventory-distribution system design with risk pooling: model formulation and heuristic solution. *Transportation Science*.
- Wesche, E. R. (2012). *Impacts of implementing a retailer cross-dock on the Western Europe Proctor and Gamble Supply Chain*. Eindhoven.
- Zhang, S. (2001). On a profit maximizing location model. *Ann Oper*, 251–260.