

REFERENCES

- Abbaspour, K. C., Rouholahnejad, E., Vaghefi, S., Srinivasan, R., Yang, H., & Kløve, B. (2015). A continental-scale hydrology and water quality model for Europe: Calibration and uncertainty of a high-resolution large-scale SWAT model. *Journal of Hydrology*, 524, 733–752. <https://doi.org/10.1016/j.jhydrol.2015.03.027>
- Abimbola, O. P., Wenninger, J., Venneker, R., & Mittelstet, A. R. (2017). The assessment of water resources in ungauged catchments in Rwanda. *Journal of Hydrology: Regional Studies*, 13, 274–289. <https://doi.org/10.1016/j.ejrh.2017.09.001>
- Chapter 2—FAO Penman-Monteith equation. (2020). Retrieved February 29, 2020, from <http://www.fao.org/3/X0490E/x0490e06.htm>
- Chen, F.-W., & Liu, C.-W. (2012). Estimation of the spatial rainfall distribution using inverse distance weighting (IDW) in the middle of Taiwan. *Paddy and Water Environment*, 10(3), 209–222. <https://doi.org/10.1007/s10333-012-0319-1>
- Chiew, F. H. S. (2006a). Estimation of rainfall elasticity of streamflow in Australia. *Hydrological Sciences Journal*, 51(4), 613–625. <https://doi.org/10.1623/hysj.51.4.613>
- Chiew, F. H. S. (2006b). Estimation of rainfall elasticity of streamflow in Australia. *Hydrological Sciences Journal*, 51(4), 613–625. <https://doi.org/10.1623/hysj.51.4.613>
- Climate Change_NTSIESL_2010 fullIN (1).pdf. (n.d.).
- Devia, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015a). A review on hydrological models. *Aquatic Procedia*, 4(1), 1001–1007.
- Devia, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015b). A Review on Hydrological Models. *Aquatic Procedia*, 4, 1001–1007. <https://doi.org/10.1016/j.aqpro.2015.02.126>
- Dile, Y., Srinivasan, R., & George, C. (2017). QGIS Interface for SWAT (QSWAT), Version 1.4. Retrieved from http://swat.tamu.edu/media/115523/qswat-manual_v14.pdf
- Fu, G., Charles, S. P., & Chiew, F. H. S. (2007). A two-parameter climate elasticity of streamflow index to assess climate change effects on annual streamflow: Climate

Change Effects on Streamflow. *Water Resources Research*, 43(11).
<https://doi.org/10.1029/2007WR005890>

- G. T. Dharmasena (Department of Irrigation). (1997). *Destructive Water: Water-Caused Natural Disasters, Their Abatement and Control*—Google Books.
[https://books.google.lk/books?hl=en&lr=&id=8nbLGQw5fckC&oi=fnd&pg=P225&dq=Dharmasena+\(1997\)+numerical+model&ots=Niy2DfBaQj&sig=PLcGki_0qw3n5y4TDzmuw7yXUgQ&redir_esc=y#v=onepage&q=Dharmasena&\(1997\) numerical model&f=false](https://books.google.lk/books?hl=en&lr=&id=8nbLGQw5fckC&oi=fnd&pg=P225&dq=Dharmasena+(1997)+numerical+model&ots=Niy2DfBaQj&sig=PLcGki_0qw3n5y4TDzmuw7yXUgQ&redir_esc=y#v=onepage&q=Dharmasena&(1997) numerical model&f=false)
- Hamed, K. H., & Ramachandra Rao, A. (1998). A modified Mann-Kendall trend test for autocorrelated data. *Journal of Hydrology*, 204(1–4), 182–196.
[https://doi.org/10.1016/S0022-1694\(97\)00125-X](https://doi.org/10.1016/S0022-1694(97)00125-X)
- Hargreaves George H., & Allen Richard G. (2003). History and Evaluation of Hargreaves Evapotranspiration Equation. *Journal of Irrigation and Drainage Engineering*, 129(1), 53–63. [https://doi.org/10.1061/\(ASCE\)0733-9437\(2003\)129:1\(53\)](https://doi.org/10.1061/(ASCE)0733-9437(2003)129:1(53))
- Helper, F., Lemckert, C., & Zhang, H. (2012). Impacts of climate change on temperature and evaporation from a large reservoir in Australia. *Journal of Hydrology*, 475, 365–378. <https://doi.org/10.1016/j.jhydrol.2012.10.008>
- Jeffrey, S. J., Carter, J. O., Moodie, K. B., & Beswick, A. R. (2001). Using spatial interpolation to construct a comprehensive archive of Australian climate data. *Environmental Modelling & Software*, 16(4), 309–330.
[https://doi.org/10.1016/S1364-8152\(01\)00008-1](https://doi.org/10.1016/S1364-8152(01)00008-1)
- Kamran, M. (2017). Effect of watershed subdivision and antecedent moisture condition on hec-hms model performance in the maha oya basin, sri lanka. *Sri Lanka*, 202.
- Kra, E. (2014). FAO-56 Penman-Monteith Daily ETo from Linear Regression Calibrated Hargreaves Equation with Wind Terms in Tropics with Limited Data. *International Journal of Agronomy*, 2014, 1–9.
<https://doi.org/10.1155/2014/402809>
- M., C. (2002). Climate predictability on interannual to decadal time scales: The initial value problem. *Climate Dynamics*, 19(8), 671–692.
<https://doi.org/10.1007/s00382-002-0254-8>
- Monteith, J. L. (1965). Evaporation and environment. *Symposia of the Society for Experimental Biology*, 19, 205–234.

- Mukaka, M. M. (2012). A guide to appropriate use of Correlation coefficient in medical research. *Malawi Medical Journal*, 24(3), 69–71. <https://doi.org/10.4314/mmj.v24i3>.
- Mwakalila, S., Campling, P., Feyen, J., Wyseure, G., & Beven, K. (2001). Application of a data-based mechanistic modelling (DBM) approach for predicting runoff generation in semi-arid regions. *Hydrological Processes*, 15(12), 2281–2295. <https://doi.org/10.1002/hyp.257>
- National Physical Planning Department, 2011, National Physical Plan Sri Lanka
- Niemann, J. D., & Eltahir, E. A. B. (2005). Sensitivity of regional hydrology to climate changes, with application to the Illinois River basin: sensitivity of regional hydrology. *Water Resources Research*, 41(7). <https://doi.org/10.1029/2004WR003893>
- P. W. Gassman, M. R. Reyes, C. H. Green, & J. G. Arnold. (2007). The Soil and Water Assessment Tool: Historical Development, Applications, and Future Research Directions. *Transactions of the ASABE*, 50(4), 1211–1250. <https://doi.org/10.13031/2013.23637>
- Priestley, C. H. B., & Taylor, R. J. (1972). On the Assessment of Surface Heat Flux and Evaporation Using Large-Scale Parameters. *Monthly Weather Review*, 100(2), 81–92. [https://doi.org/10.1175/1520-0493\(1972\)100<0081:OTAOSH>2.3.CO;2](https://doi.org/10.1175/1520-0493(1972)100<0081:OTAOSH>2.3.CO;2)
- Risley, J., Stonewall, A., & Haluska, T. (2008). Estimating flow-duration and low-flow frequency statistics for unregulated streams in Oregon: US Geological Survey Scientific Investigations Report 2008-5126. *United States Geological Survey*, 22.
- Sankarasubramanian, A., Vogel, R. M., & Limbrunner, J. F. (2001). Climate elasticity of streamflow in the United States. *Water Resources Research*, 37(6), 1771–1781. <https://doi.org/10.1029/2000WR900330>
- Sen, P. K. (1968). Estimates of the Regression Coefficient Based on Kendall's Tau. *Journal of the American Statistical Association*, 63(324), 1379–1389. <https://doi.org/10.1080/01621459.1968.10480934>
- Sen, Z. (2012). Innovative Trend Analysis Methodology. *Journal of Hydrologic Engineering*, 17(9), 1042–1046. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000556](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000556)

- Seo, S.-N. N., Mendelsohn, R., & Munasinghe, M. (2005). Climate change and agriculture in Sri Lanka: A Ricardian valuation. *Environment and Development Economics*, 10(5), 581–596. <https://doi.org/10.1017/S1355770X05002044>
- Shi, P., Chen, C., Srinivasan, R., Zhang, X., Cai, T., Fang, X., Qu, S., Chen, X., & Li, Q. (2011). Evaluating the SWAT Model for Hydrological Modeling in the Xixian Watershed and a Comparison with the XAJ Model. *Water Resources Management*, 25(10), 2595–2612. <https://doi.org/10.1007/s11269-011-9828-8>
- Smakhtin, V. U. (2001). Low flow hydrology: A review. *Journal of Hydrology*, 240(3–4), 147–186. [https://doi.org/10.1016/S0022-1694\(00\)00340-1](https://doi.org/10.1016/S0022-1694(00)00340-1)
- Summary for Policymakers of IPCC Special Report on Global Warming of 1.5°C approved by governments—IPCC. (n.d.). Retrieved January 20, 2020, from <https://www.ipcc.ch/2018/10/08/summary-for-policymakers-of-ipcc-special-report-on-global-warming-of-1-5c-approved-by-governments/>
- Tang, Y., Tang, Q., Tian, F., Zhang, Z., & Liu, G. (2013). Responses of natural runoff to recent climatic variations in the Yellow River basin, China. *Hydrology and Earth System Sciences*, 17(11), 4471–4480. <https://doi.org/10.5194/hess-17-4471-2013>
- White, K. L., & Chaubey, I. (2005). Sensitivity Analysis, Calibration, And Validations For A Multisite And Multivariable Swat Model. *Journal of the American Water Resources Association*, 41(5), 1077–1089. <https://doi.org/10.1111/j.1752-1688.2005.tb03786.x>
- WMO Guidelines on Generating a Defined Set of Nati... | E-Library. (n.d.). Retrieved January 20, 2020, from https://library.wmo.int/index.php?lvl=notice_display&id=20166#.XiTtTsgzY2w
- Wu, H., & Qian, H. (2017). Innovative trend analysis of annual and seasonal rainfall and extreme values in Shaanxi, China, since the 1950s: Trend in Annual And Seasonal Rainfall And Extreme Values In Shaanxi. *International Journal of Climatology*, 37(5), 2582–2592. <https://doi.org/10.1002/joc.4866>
- X. Zhang, R. Srinivasan, & F. Hao. (2007). Predicting Hydrologic Response to Climate Change in the Luohe River Basin Using the SWAT Model. *Transactions of the ASABE*, 50(3), 901–910. <https://doi.org/10.13031/2013.23154>

Yang, H., & Yang, D. (2011). Derivation of climate elasticity of runoff to assess the effects of climate change on annual runoff: Derivation Of Climate Elasticity of Runoff. *Water Resources Research*, 47(7).
<https://doi.org/10.1029/2010WR009287>

Zheng, H., Zhang, L., Zhu, R., Liu, C., Sato, Y., & Fukushima, Y. (2009). Responses of streamflow to climate and land surface change in the headwaters of the Yellow River Basin: Responses of Streamflow to Climate. *Water Resources Research*, 45(7). <https://doi.org/10.1029/2007WR006665>