

7.4 REFERENCES

- [1] O. Chum and J. Matas, “Matching with PROSAC-Progressive sample consensus,” in *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR '05)*, vol. 1, pp. 220–226, June 2005.
- [2] X. Wang, M. Yang, and K. Yu, “Efficient re-ranking in vocabulary tree based image retrieval,” in *Proceedings of the 45th Asilomar Conference on Signals, Systems and Computers*, pp. 855–859, 2011.
- [3] S. S. Tsai, D. Chen, G. Takacs et al., “Fast geometric re-ranking for image-based retrieval,” in *Proceedings of the 17th IEEE International Conference on Image Processing (ICIP '10)*, pp. 1029–1032, Hong Kong, September 2010.
- [4] H. Jegou, M. Douze, and C. Schmid, “Hamming embedding and weak geometric consistency for large scale image search,” *Journal of Sensors*
- [5] X. Wang, M. Yang, T. Cour, S. Zhu, K. Yu, and T. X. Han, “Contextual weighting for vocabulary tree based image retrieval,” in *Proceedings of the IEEE International Conference on Computer Vision (ICCV '11)*, pp. 209–216, Barcelona, Spain, November 2011.
- [6] G. Takacs, V. Chandrasekhar, N. Gelfand et al., “Outdoors augmented reality on mobile phone using loxel-based visual feature organization,” in *Proceedings of the 1st International ACM Conference on Multimedia Information Retrieval (MIR '08)*, pp. 427–434, New York, NY, USA, August 2008.
- [7] A. Kumar, J.-P. Tardif, R. Anati, and K. Daniilidis, “Experiments on visual loop closing using vocabulary trees,” in *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops (CVPR '08)*, pp. 1–8, Anchorage, Alaska, USA, June 2008.
- [8] Lucas Paletta. “Visual Object Recognition in the context of mobile vision services”, *JOANNEUM RESEARCH Forschungsgesellschaft mbH, Institute of Digital Image Processing, Computational Perception Group (CAPE)*, Wastiangasse 6, 8010 Graz.0

- [9] Y. Li and L. Shapiro. “Consistent line clusters for building recognition in CBIR”. *In Proc. International Conference on Pattern Recognition, ICPR 2002*, volume 3, pages 952–957, 2002.
- [10] A.R. Dick, P.H.S. Torr, and R. Cipolla. “Modelling and interpretation of architecture from several images”. *International Journal of Computer Vision*, 60(2):111–134, 2004.
- [11] Niels Henze, Torben Schinke, Susanne Boll, “Object Recognition from Natural Features on a Mobile Phone”.
- [12] Michael Rohs* , Beat Gfeller, “Using camera-equipped mobile phones for interacting with real-world objects”. *in 2004*.
- [13] “Server-side object recognition and client-side object tracking for mobile augmented reality - IEEE Xplore Document,” *Server-side object recognition and client-side object tracking for mobile augmented reality - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/5543248/>. [Accessed: 02-Jan-2017].
- [14] “Real-time object tracking on mobile phones - IEEE Xplore Document,” *Real-time object tracking on mobile phones - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/6166663/>. [Accessed: 20-Dec-2016].
- [15] “Single-view recaptured image detection based on physics-based features - IEEE Xplore Document,” *Single-view recaptured image detection based on physics-based features - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/5583280/>. [Accessed: 27-Nov-2016].
- [16] “Development of a real time image based object recognition method for mobile AR-devices,” *Development of a real time image based object recognition method for mobile AR-devices*. [Online]. Available: <http://dl.acm.org/citation.cfm?id=602355>. [Accessed: 15-Dec-2016].

- [17] “Outdoors augmented reality on mobile phone using loxel-based visual feature organization,” *Outdoors augmented reality on mobile phone using loxel-based visual feature organization*. [Online]. Available: <http://dl.acm.org/citation.cfm?id=1460165>. [Accessed: 19-Dec-2016].
- [18] “SURFTrac: Efficient tracking and continuous object recognition using local feature descriptors - IEEE Xplore Document,” *SURFTrac: Efficient tracking and continuous object recognition using local feature descriptors - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/5206831/>. [Accessed: 12-Dec-2016].
- [19] “Server-side object recognition and client-side object tracking for mobile augmented reality - IEEE Xplore Document,” *Server-side object recognition and client-side object tracking for mobile augmented reality - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/5543248/>. [Accessed: 04-Jan-2017].
- [20] “ORB: An efficient alternative to SIFT or SURF - IEEE Xplore Document,” *ORB: An efficient alternative to SIFT or SURF - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/6126544/>. [Accessed: 05-Jan-2017].
- [21] “Streaming mobile augmented reality on mobile phones - IEEE Xplore Document,” *Streaming mobile augmented reality on mobile phones - IEEE Xplore Document*. [Online]. Available: <http://ieeexplore.ieee.org/document/5336472/>. [Accessed: 07-Jan-2017].
- [22] S. H. Neven, H. Neven, and G. Inc., “Patent US7565139 – Image-based search engine for mobile phones with camera,” *Google Books*. [Online]. Available: <https://www.google.com/patents/US7565139>. [Accessed: 04-Jan-2017].
- [23] “City-scale landmark identification on mobile devices - IEEE Xplore Document,” *City-scale landmark identification on mobile devices - IEEE Xplore Document*.

Document. [Online]. Available: <http://ieeexplore.ieee.org/document/5995610/>. [Accessed: 28-Dec-2016].

[24] C. Stauffer and W. Grimson. Adaptive background mixture models for realtime tracking. In Proc. of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, page 246252, 1999.

[25] Ashley Colley^{1*}, Jacob Thebault-Spieker^{2*}, Allen Yilun Lin^{3*}, Donald Degraen⁴, Benjamin Fischman², Jonna Häkkinen¹, Kate Kuehl², Valentina Nisi⁵, Nuno Jardim Nunes⁵, Nina Wenig⁶, Dirk Wenig⁶, Brent Hecht^{3**}, Johannes Schöning⁶ “The Geography of Pokémon GO: Beneficial and Problematic Effects on Places and Movement.” *University of Lapland (Finland), University of Minnesota (USA), Northwestern University (USA), Saarland University (Germany), Madeira-ITI (Portugal), University of Bremen (Germany)*

[26] “Updating Google Maps with Deep Learning and Street View,” *Research on Google Blogs*. [Online]. Available: <https://research.googleblog.com/2017/05/updating-google-maps-with-deep-learning.html>. [Accessed: 04-June-2017].

[27] “Google Street View: Capturing the World at Street Level” Available: http://www.vincent-net.com/luc/papers/10ieeecomputer_theworldatstreetlevel.pdf [Accessed: 04-June-2017].

[28] “What does it mean to be a location-based augmented reality app” Available: <https://placernote.com/blog/2018/01/15/location-based-augmented-reality/> [Accessed: 04-June-2017].

[29] Stephen Se and David Lowe, Jim Little “Mobile Robot Localization and Mapping with Uncertainty using Scale-Invariant Visual Landmarks. *First Published on August 1, 2002.*

[30] Sid Ahmed Berrabah^{1,2}, Hichem Sahli² and Yvan Baudoin¹ “Visual-based simultaneous localization and mapping and global positioning system correction for geo-localization of a mobile robot” *Published 15 November 2011 • 2011 IOP Publishing Ltd.*

- [31] Nusret Demir “VARIOUS BUILDING DETECTION METHODS WITH THE USE OF IMAGE AND LIDAR DATA” *ISSN 1330-3651 (Print), ISSN 1848-6339*
- [32] Myoung-Bum Chung and Il-Ju Ko “Classification of a Person Picture and Scenery Picture Using Structured Simplicity” *Department of Media, Soongsil University, SangDo-Dong Dongjak-Gu Seoul Korea*
- [33] “Color Detection & Object Tracking” Available: <https://www.opencv-srf.com/2010/09/object-detection-using-color-seperation.html> [Accessed: 2 July 2017]
- [34] “Object detection with TensorFlow” Available: <https://www.oreilly.com/ideas/object-detection-with-tensorflow> [Accessed: 3 July 2017]
- [35] F. Zheng, D. Schmalstieg, and G. Welch, “Pixel-wise closed-loop registration in video-based augmented reality,” *2014 IEEE International Symposium on Mixed and Augmented Reality (ISMAR)*, 2014.
- [36] D. Stricker and T. Kettenbach, “Real-time and markerless vision-based tracking for outdoor augmented reality applications,” *Proceedings IEEE and ACM International Symposium on Augmented Reality*.
- [37] A. Henrysson, M. Ollila, and M. Billinghurst, “Mobile Phone Based Augmented Reality,” *Emerging Technologies of Augmented Reality*, pp. 90–109.
- [38] J.-Y. Didier, D. Roussel, and M. Malle, “A Texture Based Time Delay Compensation Method for Augmented Reality,” *Third IEEE and ACM International Symposium on Mixed and Augmented Reality*.
- [39] T. Engelke, S. Weibel, and N. Gavish, “Generating vision based Lego augmented reality training and evaluation systems,” *2010 IEEE International Symposium on Mixed and Augmented Reality*, 2010.

- [40] S. Gammeter, A. Gassmann, L. Bossard, T. Quack, and L. V. Gool, “Server-side object recognition and client-side object tracking for mobile augmented reality,” *2010 IEEE Computer Society Conference on Computer Vision and Pattern Recognition - Workshops*, 2010.
- [41] H. Wechsler, “Object Recognition,” *Computational Vision*, pp. 302–365, 1990.
- [42] S. S. Kumar, M. Sun, and S. Savarese, “Mobile object detection through client-server based vote transfer,” *2012 IEEE Conference on Computer Vision and Pattern Recognition*, 2012.