

REFERENCES

- [1] R.S.Blackburn. (2005). *Biodegradable and sustainable fibres*. Cambridge: Woodhead Publishing Limited.
- [2] K. Fletcher, "Sustainable Fashion and Textiles", *ResearchGate*, 2012. Available: 10.4324/9781849772778.
- [3] S. Muthu, *Sustainable Innovations in Textile Fibres*. Springer Singapore, 2018.
- [4] S. Mishra, *Fibre Structure*, 1st ed. New Delhi: WPI India, 2016.
- [5] H.Wardman, R. R. (2015). *The Chemistry of Textile Fibres*. Cambridge: Royal Society of Chemistry,UK.
- [6] A. Parry, "Nanocellulose and its Composites for Biomedical Applications", *ResearchGate*,2016.[Online].Available:https://www.researchgate.net/publication/309350498_Nanocellulose_and_its_Composites_for_Biomedical_Applications.
- [7] A. Dumanlı and A. Windle, "Carbon fibres from cellulosic precursors: a review", *SpringerLink*,2020.[Online].Available:<https://link.springer.com/article/10.1007%2Fs10853-011-6081-8#citeas>.
- [8] D. Miyashiro, R. Hamano and K. Umemura, "A Review of Applications Using Mixed Materials of Cellulose, Nanocellulose and Carbon Nanotubes", *ResearchGate*,2020.[Online].Available:https://www.researchgate.net/publication/338723603_A_Review_of_Applications_Using_Mixed_Materials_of_Cellulose_Nanocellulose_and_Carbon_Nanotubs.
- [9] D. Trache, M. Hussin, M. Haafiz and V. Thakur, "Recent progress in cellulose nanocrystals: sources and production", *Nanoscale*, vol. 9, no. 5, pp. 1763-1786, 2017. Available: 10.1039/c6nr09494e.
- [10] U. Kankanamge and D. Amarathunga, "PHYTOCHEMICAL AND ETHNOPHARMACOLOGICAL PROPERTIES OF LASIA SPINOSA (KOHILA): A REVIEW", *World Journal of Pharmaceutical Research*, vol. 6, no. 13, pp. 1-9, 2017. Available: DOI: 10.20959/wjpr201713-9837.
- [11] T.Kumari, R.Rajapaksha, L.Karunarathne, G.Pushpakumara, P.Bandaranayake, et al., "Morphological characterization of *Lasia spinosa* (L.) Thw.: Screening of indigenous crop genetic resources for future food and nutritional security", *Sri Lanka Journal of Food and Agriculture*, pp.31, Dec 2017.

- [12] H. Puspita, "Studies on karyomorphology and in vitro propagation of *lasia spinosa* thwaites", Ph.D, Gauhati University, 2015.
- [13] S. Mayo, J. Bogner and P. Boyce, "THE GENERA OF ARACEAE PROJECT", *Curtis's Botanical Magazine*, vol. 12, no. 3, pp. 125-126, 1995. Available: 10.1111/j.1467-8748.1995.tb00500.x.
- [14] E. McHenry, *Botany in 8 lessons*. State College, PA: Ellen McHenry's Basement Workshop, 2013, pp. 27-29.
- [15] F. Essig, "Everything you wanted to know about plant cells, but were afraid to ask", *Botany Professor*, 2015.
- [16] L. Baessler, "What Is A Rhizome: Learn About Rhizome Plant Facts", *Gardening Know How*, 2018. [Online]. Available: <https://www.gardeningknowhow.com/ornamental/bulbs/bgen/what-is-a-rhizome.htm>.
- [17] K. Murugesh Babu, M. Selvadass & R. Somashekar (2013) Characterization of the conventional and organic cotton fibres, *Journal of The Textile Institute*, 104:10, 1101-1112, DOI:10.1080/00405000.2013.774948
- [18] M. Fan, D. Dai and B. Huang, "Fourier Transform Infrared Spectroscopy for Natural Fibres", *Fourier Transform - Materials Analysis*, pp. 46-62, 2012. Available: 10.5772/35482 [Accessed 11 April 2020].
- [19] TASNIM N. SHAIKH, S. A. AGRAWAL, "Qualitative and Quantitative Characterization of Textile Material by Fourier Transform Infra-Red," *IJRSET*, vol. 3, no. 1, January 2014, pp. 8496,8497,8498, 2014.
- [20] Z. Belouadah, A. Ati, M. Rokbi, "Characterization of new natural cellulosic fibre from *Lygeum spartum* L.," *Carbohydrate Polymers*, vol. 134, no. 2015, p. 429–437, 2015.
- [21] Y. Pan et al., "Structural characteristics and physical properties of lotus fibres obtained from *Nelumbo nucifera* petioles", *Carbohydrate Polymers*, vol. 85, no. 1, pp. 188-195, 2011. Available: 10.1016/j.carbpol.2011.02.013.
- [22] S.Indran, R.Edwin Raj, V.S.Sreenivasan, "Characterization of new natural cellulosic fibre from *Cissus quadrangularis* root," *Carbohydrate Polymers*, vol. 110, no. 22 September 2014, pp. 423-429, 2014.
- [23] C. Cheng et al., "Preparation and characterization of lotus fibres from lotus stems", *The Journal of The Textile Institute*, vol. 109, no. 10, pp. 1322-1328, 2018. Available: 10.1080/00405000.2018.1423898.

- [24] S. Sadi and J. Hossain, "Measurement of the relationship between shade (%), reflectance (%) and color strength (K/S)", *Textile News, Apparel News, RMG News, Fashion Trends*, 2020.
- [25] M. Abate and V. Nierstrasz, "Combined Pre-Treatment and Causticization of Cotton Fabric for Improved Dye Uptake", *Advance Research in Textile Engineering*, vol. 2, no. 1, 2017. Available: 10.26420/advrestexteng.2017.1016.
- [26] M. Maheshwaran, N. Hyness, P. Senthamaraiannan, S. Saravanakumar and M. Sanjay, "Characterization of natural cellulosic fibre from *Epipremnum aureum* stem", *Journal of Natural Fibres*, vol. 15, no. 6, pp. 789-798, 2017. Available: 10.1080/15440478.2017.1364205.
- [27] S. Arju, A. Afsar, D. Das and M. Khan, "Role of Reactive Dye and Chemicals on Mechanical Properties of Jute Fabrics Polypropylene Composites", *Procedia Engineering*, vol. 90, pp. 199-205, 2014. Available: 10.1016/j.proeng.2014.11.837.
- [28] E. Portella, D. Romanzini, C. Angrizani, S. Amico and A. Zattera, "Influence of Stacking Sequence on the Mechanical and Dynamic Mechanical Properties of Cotton / Glass Fiber Reinforced Polyester Composites", *Materials Research*, vol. 19, no. 3, pp. 542-547, 2016. Available: 10.1590/1980-5373-mr-2016-0058.
- [29] R. Kozlowski, *Handbook of natural fibres*. Cambridge: Woodhead Publishing Ltd, 2012.
- [30] P. Wakelyn, *Cotton fibre chemistry and technology*. Boca Raton: CRC Press, 2007.
- [31] G. Chinga-Carrasco, "Cellulose fibres, nanofibrils and microfibrils: The morphological sequence of MFC components from a plant physiology and fibre technology point of view", *Nanoscale Research Letters*, vol. 6, no. 1, 2011. Available: 10.1186/1556-276x-6-417.
- [32] P. Garside and P. Wyeth, "Identification of Cellulosic Fibres by FTIR Spectroscopy - Thread and Single Fibre Analysis by Attenuated Total Reflectance", *Studies in Conservation*, vol. 48, no. 4, pp. 269-275, 2003. Available: 10.1179/sic.2003.48.4.269.
- [33] M. Sfiligoj, S. Hribernik, K. Stana and T. Kree, "Plant Fibres for Textile and Technical Applications", *Advances in Agrophysical Research*, 2013. Available: 10.5772/52372.

- [34] C.Yu, "NATURAL TEXTILE FIBRES: VEGETABLE FIBRES," in *TEXTILES AND FASHION*, Shanghai, Elsevier Ltd., 2015, p. 34.
- [35] Y. Liu, D. Thibodeaux and J. Rodgers, "Preliminary Study of Linear Density, Tenacity, and Crystallinity of Cotton Fibres", *Fibres*, vol. 2, no. 3, pp. 211-220, 2014. Available: 10.3390/fib2030211.
- [36] R. Pandey, M. Sinha and A. Dubey, "Cellulosic fibres from Lotus (*Nelumbo nucifera*) peduncle", *Journal of Natural Fibres*, vol. 17, no. 2, pp. 298-309, 2018. Available: 10.1080/15440478.2018.1492486.
- [37] D. Chen, Y. Gan and X. Yuan, "Research on Structure and Properties of Lotus Fibres", *Advanced Materials Research*, vol. 476-478, pp. 1948-1954, 2012. Available: 10.4028/www.scientific.net/amr.476-478.1948.
- [38] P. Senthamarai kanna n and M. Kathiresan, "Characterization of raw and alkali treated new natural cellulosic fibre from *Coccinia grandis.L*", *Carbohydrate Polymers*, vol. 186, pp. 332-343, 2018. Available: 10.1016/j.carbpol.2018.01.072.
- [39] A. KılınÇ, S. Köktaş, M. Atagür and M. Seydibeyoglu, "Effect of Extraction Methods on the Properties of *Althea Officinalis L.* Fibres", *Journal of Natural Fibres*, vol. 15, no. 3, pp. 325-336, 2017. Available: 10.1080/15440478.2017.1325813.
- [40] C. Cheng, R. Guo, J. Lan and S. Jiang, "Extraction of lotus fibres from lotus stems under microwave irradiation", *Royal Society Open Science*, vol. 4, no. 9, p. 170747, 2017. Available: 10.1098/rsos.170747.
- [41] J. Kim et al., "Review of nanocellulose for sustainable future materials", *International Journal of Precision Engineering and Manufacturing-Green Technology*, vol. 2, no. 2, pp. 197-213, 2015. Available: 10.1007/s40684-015-0024-9.
- [42] H. Kim, K. Okubo, T. Fujii and K. Takemura, "Influence of fibre extraction and surface modification on mechanical properties of green composites with bamboo fibre", *Journal of Adhesion Science and Technology*, vol. 27, no. 12, pp. 1348-1358, 2013. Available: 10.1080/01694243.2012.697363.
- [43] R. Wahab, A. Mohamed, M. Mustafa and A. Hassan, "Physical Characteristics and Anatomical Properties of Cultivated Bamboo (*Bambusa vulgaris Schrad.*) Culms", *Journal of Biological Sciences*, vol. 9, no. 7, pp. 753-759, 2009. Available: 10.3923/jbs.2009.753.759.

- [44] M. Maache, A. Bezazi, S. Amroune, F. Scarpa and A. Dufresne, "Characterization of a novel natural cellulosic fibre from *Juncus effusus* L.", *Carbohydrate Polymers*, vol. 171, pp. 163-172, 2017. Available: 10.1016/j.carbpol.2017.04.096.
- [45] Z. Belouadah, A. Ati and M. Rokbi, "Characterization of new natural cellulosic fibre from *Lygeum spartum* L.", *Carbohydrate Polymers*, vol. 134, pp. 429-437, 2015. Available: 10.1016/j.carbpol.2015.08.024.
- [46] L. Segal, J. Creely, A. Martin and C. Conrad, "An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer", *Textile Research Journal*, vol. 29, no. 10, pp. 786-794, 1959. Available: 10.1177/004051755902901003.
- [47] H. Boumediri, A. Bezazi, G. Del Pino, A. Haddad, F. Scarpa and A. Dufresne, "Extraction and characterization of vascular bundle and fibre strand from date palm rachis as potential bio-reinforcement in composite", *Carbohydrate Polymers*, vol. 222, p. 114997, 2019. Available: 10.1016/j.carbpol.2019.114997.
- [48] K. Subramanian, P. Senthil Kumar, P. Jeyapal and N. Venkatesh, "Characterization of ligno-cellulosic seed fibre from *Wrightia Tinctoria* plant for textile applications—an exploratory investigation", *European Polymer Journal*, vol. 41, no. 4, pp. 853-861, 2005. Available: 10.1016/j.eurpolymj.2004.10.037.
- [49] J. Jayaramudu, B. Guduri and A. Varada Rajulu, "Characterization of new natural cellulosic fabric *Grewia tilifolia*", *Carbohydrate Polymers*, vol. 79, no. 4, pp. 847-851, 2010. Available: 10.1016/j.carbpol.2009.10.046.
- [50] K. Jegatheesan, "Feasibility study on the utilization of lotus fibres as a textile raw materials", *Dl.lib.mrt.ac.lk*, 2019.
- [51] R. Sohel, "Standard Moisture Regain and Moisture Content of Fibres", *Textilecalculation.blogspot.com*, 2015. [Online]. Available: <https://textilecalculation.blogspot.com/2015/08/standard-moisture-regain-and-moisture.html>.
- [52] J. McKittrick, P. Chen, S. Bodde, W. Yang, E. Novitskaya and M. Meyers, "The Structure, Functions, and Mechanical Properties of Keratin", *JOM*, vol. 64, no. 4, pp. 449-468, 2012. Available: 10.1007/s11837-012-0302-8.
- [53] R. Arib, S. Sapuan, M. Ahmad, M. Paridah and H. Zaman, "Mechanical properties of pineapple leaf fibre reinforced polypropylene

composites", *Materials & Design*, vol. 27, no. 5, pp. 391-396, 2006.
Available: 10.1016/j.matdes.2004.11.009.

- [54] J. Booth, *Principles of textile testing*, 1st ed. London: Butterworths, 1986.
- [55] M. Hossen and Imran, "Study on Color Strength of Different Reactive Dyes", *Journal of Textile Science & Engineering*, vol. 07, no. 02, 2017. Available: 10.4172/2165-8064.1000293.