

Reference List

- Abdessalem, S. Ben, Abdelkader, Y. Ben, Mokhtar, S., & Elmarzougui, S. (2009). Influence of elastane consumption on plated plain knitted fabric characteristics. *Journal of Engineered Fibers and Fabrics*, 4(4), 30–35. <https://doi.org/10.1177/155892500900400411>
- Ajji, A., Cole, K. C., Dumoulin, M. M., & Brisson, J. (1995). Amorphous orientation of poly(ethylene terephthalate) by X-ray diffraction in combination with Fourier transform infra-red spectroscopy. *Polymer*, 36(21), 4023–4030. [https://doi.org/10.1016/0032-3861\(95\)90981-7](https://doi.org/10.1016/0032-3861(95)90981-7)
- Anton, A. (1968). Detection of Polymer Transition Temperatures by Infrared Absorption Spectrometry*. *Journal of Applied Polymer Science*, 12(9), 2117–2128.
- Aou, K., Kang, S., & Hsu, S. L. (2005). Morphological Study on Thermal Shrinkage and Dimensional Stability Associated with Oriented Poly (lactic acid). *Macromolecules*, 38(18), 7730–7735.
- Argyros, S., & Backer, S. (1982). Mechanics of Texturing Thermoplastic Yarns Part VIII: An Experimental Study of Heat Setting. *Textile Research Journal*, 52(5), 295–312. <https://doi.org/10.1177/004051758205200501>
- ASTM D4974 - 04(2016) Standard Test Method for Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven. (2016). <https://doi.org/10.1520/D4974-04R16>
- ASTM F2894 - 12b Standard Test Method for Evaluation of Materials , Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven 1. (2015). <https://doi.org/10.1520/F2894-14.2>
- Batra, S. K. (1976). On the heat setting and thermomechanical behavior of Polyethylene terephthalate and Nylon 66 monofilaments. *Journal of Macromolecular Science, Part B*, 12(3), 405–422. <https://doi.org/10.1080/00222347608019328>
- Batra, S. K. (2006). On the heat setting and thermomechanical behavior of polyethylene terephthalate and nylon 66 monofilaments. *Journal of Macromolecular Science, Part B: Physics*, 12(3), 405–422. <https://doi.org/10.1080/00222347608019328>
- Bhatt, G. M., & Bell, J. P. (1976). Thermal shrinkage of oriented semicrystalline Poly (ethylene Terephthalate). *Journal of Polymer Science: Polymer Physics Edition*, 14(4), 575–590. <https://doi.org/10.1002/pol.1976.180140401>
- Black, D. H. (1974). Shrinkage Control for Cotton and Cotton Blend Knitted Fabrics. *Textile Research Journal*, 44(8), 606–611. <https://doi.org/10.1177/004051757404400810>

Blaine, R. (2010). Determination of Polymer Crystallinity by DSC. *Thermal Analysis*, 1–3. [https://doi.org/10.1016/0040-6031\(70\)80008-9](https://doi.org/10.1016/0040-6031(70)80008-9)

Bosley, D. E., & Du, E. I. (1967). Fiber Length Changes and Their Relation to Fiber Structure. *Journal of Polymer Science Part C: Polymer Symposia*, 107(20), 77–107. <https://doi.org/10.1002/polc.5070200110>

Brown, R. (1999). *Handbook of Polymer Testing: Physical Methods*. Retrieved from <https://books.google.com/books?id=44ilOV1F3HwC&pgis=1>

Caihong, L., Shuqiu, W., Qi, C., Ruijie, X., Bing, H., & Wenqiang, S. (2014). Influence of heat-setting temperature on the properties of a stretched polypropylene microporous membrane. *Polymer International*, 63, 584–588. <https://doi.org/10.1002/pi.4548>

Carmichael, A. (2015). Man-made fibers continue to grow. Retrieved from Textile World website: <https://www.textileworld.com/textile-world/fiber-world/2015/02/man-made-fibers-continue-to-grow/%0AMan-Made>

Cayuela, D., & Gacén, J. (1994). Contribution of the secondary crystallization to the overall crystallinity of heatset polyester. *Journal of Thermal Analysis*, 41(6), 1599–1605.

Chamberlain F.T.I, J. (1934). Modern knitting stitches. *Textile Institute Proceedings*, 25(6), P197–P206. <https://doi.org/10.1080/19447013408663441>

Chen, Q. H., Au, K. ., Yuen, C. W. M., & Yeung, K. W. (2004). An analysis of the felting shrinkage of plain knitted Wool fabric. *Textile Research Journal*, 74(5), 399–404.

Choi, K. F., & Lo, T. Y. (2003). An Energy Model of Plain Knitted Fabric. *Textile Research Journal*, 73(8), 739–748. <https://doi.org/10.1177/004051750307300813>

Choi, K. F., & Lo, T. Y. (2006). The Shape and Dimensions of Plain Knitted Fabric : A Fabric Mechanical Model. *Textile Research Journal*, 76(10), 777–786. <https://doi.org/10.1177/0040517507069030>

Choy, C. L., Chen, F. C., & Young, K. (1981). Negative thermal expansion in oriented crystalline polymers. *Journal of Polymer Science: Polymer Physics Edition*, 19(2), 335–352. <https://doi.org/10.1002/pol.1981.180190213>

Choy, C. L., Masayoshi, I., & Porter, R. . (1983). Thermal Expansivity of Oriented Poly(ethylene Terephthalate). *Journal of Polymer Science: Polymer Physics Edition*, 21(2), 1427–1438.

Clarke, W. (1974). *An Introduction to Textile Printing A Practical Manual for Use in Laboratories, Colleges and Schools of Art*.

Cullerton, D. L., Ellison, M. S., & Aspland, J. R. (1990). Effects of commercial heat

setting on the structure and properties of polyester carpet yarn. *Textile Research Journal*, 60(10), 594–606. <https://doi.org/10.1177/004051759006001007>

De Boos, A. G., Harrigan, F. J., & Wemyss, A. M. (1986). Hydrothermal Setting of Wool-Polyester Blend Fabrics. *Textile Research Journal*, 56(4), 261–269. <https://doi.org/10.1177/004051758605600406>

Dennis, L. A., & Buchanan, D. R. (1987). Thermomechanical analysis of the stress history in heat set Nylon-6 carpet yarns. *Textile Research Journal*, 57(11), 625–639.

Dismore, P. F., & Statton, W. O. (1966). Chain folding in oriented nylon 66 fibers. *Journal of Polymer Science Part C: Polymer Symposia*, 13, 133–148. <https://doi.org/10.1063/1.356245>

Drobny, J. G. (2003). *Technology Library of Congress Cataloging-in-Publication Data*.

Dumbleton, J. H. (1969). Chain Folding in Oriented Poly(ethylene Terephthalate). *JOURNAL OF POLYMER SCIENCE: PART A-2*, 7, 667–674.

Dumbleton, J. H. (1970a). Spin Orientation Measurement in Polyethylene Terephthalate. *Textile Research Journal*, 40(11), 1035–1041. <https://doi.org/10.1177/004051757004001111>

Dumbleton, J. H. (1970b). Spin Orientation Measurment in Polyethylene Terephthalate. *Textile Research Journal*, 40(11), 1035–1041. <https://doi.org/10.1177/004051757004001111>

Dumbleton, J. H., Bell, J. P., & Murayama, T. (1968). The Effect of Structural Changes on Dye Diffusion in Poly(ethylene Terephthalate). *Journal of Applied Polymer Science*, 12(11), 2491–2508. <https://doi.org/10.1002/app.1968.070121109>

Dumbleton, J. H., & Buchanan, D. R. (1968). Annealing Experiments on Drawn Nylon 66 Fibers. *JOURNAL OF POLYMER SCIENCE: PART A-2-2*, 6, 1527–1533.

Fakirov, S., Fischer, E. W., Hoffmann, R., & Schmidt, G. F. (1977). Structure and properties of poly (ethylene terephthalate) crystallized by annealing in the highly oriented state : 2 . Melting behavior and the mosaic block structure of the crystalline layers. *Polymer*, 18(11), 1121–1129. [https://doi.org/10.1016/0032-3861\(77\)90105-7](https://doi.org/10.1016/0032-3861(77)90105-7)

Fischer, E. W., & Fakirov, S. (1976). Structure and properties of polyethyleneterephthalate crystallized by annealing in the highly oriented state Part 1 Morphological structure as revealed by small-angle X-ray scattering. *Journal of Material Science*, 11(6), 1041–1065.

Ghosh, P. (2006). POLYMER SCIENCE FUNDAMENTALS OF POLYMER SCIENCE Thermal Transitions in Polymers CONTENTS Introduction Glass transition and Melting Transition Melting Point or First Order Transition Glass Transition or Second Order Transition Brittle Point Development of. In *polymer*

science.

Greener, J., Tsou, A. H., & Blanton, N. (1999). Physical and Microstructural Effects of Heat Setting in Polyester Films. *Polymer Engineering & Science*, 39(12), 2403–2418.

Groeninckx, G., & Reynaers, H. (1980). Morphology and melting behavior of semicrystalline poly(ethylene terephthalate). II. Annealed PET. *Journal of Polymer Science: Polymer Physics Edition*, 18, 1325–1341. <https://doi.org/10.1002/pol.1980.180180613>

Gschel, U. (1996). Thermally stimulated structural changes in highly oriented glassy poly (ethylene terephthalate). *Polymer*, 37(18), 4049–4059.

Gulrajani, M. L., & Saxena, R. K. (1979). Studies of the Glass Transition Temperature of Polyester Fibre by a Dyeing Method. *Journal of the Society of Dyers and Colourists*, 95(9), 330–333. <https://doi.org/10.1111/j.1478-4408.1979.tb03489.x>

Gupta, V. B. (1995). The Nature of Coupling Between the Crystalline and Amorphous Phases and its Effect on the Properties of Heat-set Poly(ethylene terephthalate) Fibres. *The Journal of The Textile Institute*, 86(2), 299–313. <https://doi.org/10.1080/00405009508631335>

Gupta, V. B., Jain, A. K., Chidambareswaran, K., & Radhakrishnan, J. (1994). Crystal perfection in axially oriented poly (ethylene terephthalate) fibers and films and its dependence on process variables. *Journal of Macromolecular Science, Part B: Physics*, 33(2), 185–207.

Gupta, V. B., & Kumar, S. (1976). Evaluation of Crystallinity in Polyethylene Terephthalate Fibre by X-Ray Diffraction. *Indian Journal of Textile Research*, 1, 72–76.

Gupta, V. B., & Kumar, S. (1981a). The Effect of Heat Setting on the Structure and Mechanical- Properties of Poly(ethylene Terephthalate) Fiber. III. Anelastic Properties and Their Dependence on Strcture. *Journal of Applied Polymer Science*, 26(6), 1885–1895. <https://doi.org/10.1002/app.1981.070260613>

Gupta, V. B., & Kumar, S. (1981b). The Effect of Heat Setting on the Structure and Mechanical Properties of Poly (ethylene Terephthalate) Fiber . I . Structural Changes. *Journal of Applied Polymer Science*, 26(6), 1865–1876.

Gupta, V. B., Majumdar, A., & Seth, K. K. (1974). Structural Changes in Nylon 6 Yarn on Heat-Setting and Friction-Twisted Texturing. *Textile Research Journal*, 44(7), 539–544. <https://doi.org/10.1177/004051757404400713>

Gupta, V. B., Radhakrishnan, J., & Sett, S. K. (1993). Interaction between thermal shrinkage and crystallization in axially oriented poly(ethylene terephthalate) fibres and films. *Polymer*, 34(18), 3814–3822. [https://doi.org/10.1016/0032-3861\(93\)90505-5](https://doi.org/10.1016/0032-3861(93)90505-5)

- Gupta, V. B., Ramesh, C., & Gupta, A. K. (1984). Structure–property relationship in heat-set poly(ethylene terephthalate) fibers. I. Structure and morphology. *Journal of Applied Polymer Science*, 29, 3115–3129. <https://doi.org/10.1002/app.1984.070291015>
- Haar, S. J. (2011). Studio practices for shaping and heat-setting synthetic fabrics. *International Journal of Fashion Design, Technology and Education*, 4(1), 31–41. <https://doi.org/10.1080/17543266.2010.517569>
- Haghi, A. . (2011). Heat & Mass Transfer in Textiles. In *WSEAS Press*.
- Han, C. ., Sarathchandran, & Thomas, S. (2012). Poly (trimethylene terephthalate) – The New Generation of Engineering Thermoplastic Polyester. In H. E. M. Saleh (Ed.), *Polyester* (pp. 20–51). Janeza Trdine 9,51000 Rijeka, Croatia.
- Heap, S. A., Greenwood, P. F., Leah, R. D., Eaton, J. T., Stevens, J. C., & Keher, P. (1985). Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project: Part II: Shrinkage and the Reference State. *Textile Research Journal*, 55(4), 109–119. <https://doi.org/10.1177/004051758505500403>
- Hearle, J. W. S., Hollick, L., & Wilson, D. K. (2001). *Yarn texturing technology*. <https://doi.org/10.1533/9781855737655>
- Heat Setting Stenter (Stenter Machine). (2017). Retrieved from Shandong Finestart Imp.& Exp. Co.,Ltd website: <http://www.finestart.com.cn/index.php?m=content&c=index&a=show&catid=54&id=61>
- Hegde, R. R., Kamath, M. G., & Dahiya, A. (2010). Polymer Crystallinity. *Change*, 1–6. Retrieved from <http://www.engr.utk.edu/mse/Textiles/Polymer Crystallinity.htm>
- Heuvel, H. M., & Huisman, R. (1978). Effect of Winding Speed on the Physical Structure of Including Orientation-Induced Crystallization. *Journal of Applied Polymer Science*, 22, 2229–2243.
- Heuvel, H. M., & Huisman, R. (1981). Effects of winding speed, drawing and heating on the crystalline structure of nylon 6 yarns. *Journal of Applied Polymer Science*, 26(2), 713–732. <https://doi.org/10.1002/app.1981.070260229>
- Hsiue, G.-H., Yeh, T.-S., & Chang, S. (1989). The thermal shrinkage of the drawing poly(ethylene isophthalate terephthalate) copolyester films. *Journal of Applied Polymer Science*, 37(10), 2803–2816. <https://doi.org/10.1002/app.1989.070371002>
- Huisman, R., & Heuvel, H. M. (1989). The effect of spinning speed and drawing temperature on structure and properties of poly(ethylene terephthalate) yarns. *Journal of Applied Polymer Science*, 37(3), 595–616. <https://doi.org/10.1002/app.1989.070370302>

Ibrahim, S. M. (1966). Mechanisms of Stretch Development in Containing 1 Spandex Yarns. *Textile Research Journal*, 36(8), 696–706.

Ibrahim, S. M. (1968). The Stretch and Recovery Behavior of Elastomeric Yarns. *The Journal of The Textile Institute*, 59(6), 296–298. <https://doi.org/10.1080/00405006808659990>

Kajiwara, K., & Ohta, Y. (2009). Synthetic textile fibers: structure, characteristics and identification. In *Identification of Textile Fibers* (pp. 68–87). <https://doi.org/10.1533/9781845695651.1.68>

Karaka, H. C., & Dayloglu, H. (2005). Influence of false-twist texturing parameters on the structural properties of polyester yam. *Indian Journal of Fibre and Textile Research*, 30(March), 37–41.

Karmakar, S. . (1999a). *Chemical technology in the pre-treatment processes of textiles* (First). Elsevier Science B.V.

Karmakar, S. . (1999b). Heat-setting. In *Chemical technology in the pre-treatment processes of textiles* (pp. 259–278). <https://doi.org/10.1002/app.2260>

Katayama, K., Nakamura, K., & Amano, T. (1968). Structural formation during melt spinning process. *Kolloid-Zeitschrift & Zeitschrift Für Polymere*, 125–134. <https://doi.org/10.1007/BF02086256>

Keum, J. K., & Song, H. H. (2005). Thermal deformations of oriented noncrystalline poly (ethylene terephthalate) fibers in the presence of mesophase structure. *Polymer*, 46, 939–945. <https://doi.org/10.1016/j.polymer.2004.12.004>

Khandaker, S., Bhuiyan, M. A. R., Hannan, M. A., Faruque, M. A. A., Azim, A. Y. M. A., & Rouf, M. A. (2014). Scope of Polyester Cotton blended single jersey knit fabric finishing without heat setting. *International Journal of Scientific Engineering and Technology*, 3(6), 725–729.

Knapton, J. J. F. (1979). The Wet-relaxed Dimensions of Plain-knitted Fabrics. *The Journal of The Textile Institute*, 70(9), 410–410. <https://doi.org/10.1080/00405007908658875>

Knapton, J. J. F., Ahrens, F. J., Ingenthron, W. W., & Fong, W. (1968). The Dimensional Properties of Knitted Wool Fabrics Part I: The Plain-Knitted Structure 1. *Textile Research Journal*, 38(10), 999–1012. <https://doi.org/10.1177/004051756803801004>

Knapton, J. J. F., Truter, E. V., & Aziz, A. K. M. A. (1975). 46—the Geometry, Dimensional Properties, and Stabilization of the Cotton Plain-Jersey Structure. *The Journal of The Textile Institute*, 66(12), 413–419. <https://doi.org/10.1080/00405007508630536>

Kobayashi, Y., & Keller, A. (1970). The temperature coefficient of the c lattice

parameter of polyethylene; an example of thermal shrinkage along the chain direction. *Notes and Communications*, 11(2), 114–117. [https://doi.org/10.1016/0032-3861\(70\)90030-3](https://doi.org/10.1016/0032-3861(70)90030-3)

Laycock, G., Leung, R. S. ., & Singewald, E. . (2004). Patent No. US 6,776,014 B1. United States.

Liu, Y., Yin, L., Zhao, H., Song, G., Tang, F., Wang, L., ... Zhang, Y. (2016). Lamellar and fibrillar structure evolution of poly(ethylene terephthalate) fiber in thermal annealing. *Polymer*, 105, 157–166. <https://doi.org/10.1016/j.polymer.2016.10.031>

Long, S. D., & Ward, I. M. (1991). Shrinkage force studies of oriented polyethylene terephthalate. *Journal of Applied Polymer Science*, 42(7), 1921–1929. <https://doi.org/10.1002/app.1991.070420715>

Lyons, D. W., & Olson, E. S. (1972). Effect of Drying and Heat-Setting Temperatures on the Removal Characteristics of Polyvinyl Alcohol Size. *Textile Research Journal*, 42(4), 199–202. <https://doi.org/10.1177/004051757204200401>

Mani, S. (2014). Dynamic Elastic Behavior of Cotton and Cotton/Spandex Knitted Fabrics. *Journal of Engineered Fibers and Fabrics*, 9(1), 93–100.

Manich, A. M., Carilla, J., Miguel, R. A. L., Lucas, J. M., Franco, F. G. F., Montero, L. A., & Cayuela, D. (2010). Thermal transitions of polylactide false-twist textured multifilaments determined by DSC and TMA. *Journal of Thermal Analysis and Calorimetry*, 99(3), 723–731. <https://doi.org/10.1007/s10973-009-0616-0>

Marmarali, A. B. (2003). Dimensional and Physical Properties of Cotton/Spandex Single Jersey Fabrics. *Textile Research Journal*, 73(11), 11–14. <https://doi.org/10.1177/004051750307300102>

Maruhashi, Y., & Tadahro, A. (1996). Structure and Properties of Biaxially Stretched Poly(Ethylene Terephthalate) Sheets. *Polymer Engineering and Science*, 36(4), 483–494.

Marvin, D. N. (1954). The heat setting of Terylene Polyester filament fabrics in relation to dyeing and finishing. *Journal of the Society of Dyers and Colourists*, 70(1), 16–21. <https://doi.org/10.1111/j.1478-4408.1954.tb01999.x>

Matlin, N. A., & Nuessle, A. C. (1955). Dimensional stabilization of textile fabrics. *Industrial and Engineering Chemistry Research*, 47(9), 1729–1739.

Maurer, M. (n.d.). Heat Transfer Paper vs. Sublimation Printing. Retrieved from <https://www.coastalbusiness.com/blog/heat-transfer-paper-vs-sublimation.html>

Mecklenburgh, G. K. (1950). the Setting of Nylon Fabrics. *Journal of the Textile Institute Proceedings*, 41(4), P161–P175. <https://doi.org/10.1080/19447015008664819>

Miller, R. W., & Murayama, T. (1984). Dynamic mechanical properties of partially oriented polyester (POY) and draw-textured polyester (PTY) yarns. *Journal of Applied Polymer Science*, 29(3), 933–939. <https://doi.org/10.1002/app.1984.070290321>

Miller, R. W., Southern, J. H., & Ballman, R. L. (1983). Investigations of Polyester Fiber Process/Structure/Property Relationships Part I. *Textile Research Journal*, 53, 670–677. <https://doi.org/10.1177/004051758305301106>

Misra, A., & Stein, R. . (1979). Stress-Induced Crystallization of Poly(ethylene Terephthalate) *. *Journal of Polymer Science: Polymer Physics Edition*, 17(2), 235–257.

Mitsuishi, Y., & Tonami, H. (1963). *CHANGES IN STRUCTURE AND PROPERTIES OF POLYETHYLENE TEREPHTHALATE FIBERS BY HEAT TREATMENT*. September, 140–148.

Mody, R., Lofgren, E. A., & Jabarin, S. A. (2001). Shrinkage behavior of oriented poly(ethylene terephthalate). *Journal of Plastic Film & Sheeting*, 17(2), 152–163. <https://doi.org/10.1106/Y0FP-L790-0KEE-YV6J>

Mukhopadhyay, A., Sharma, I. ., & Mohanty, A. (2003). Impact of lycra filament on extension and recovery characteristics of cotton knitted fabric. *Indian Journal of Fibre and Textile Research*, 28(4), 423–430.

Munden, D. L. (1959). 26—The geometry and dimensional properties of plain-knit fabrics. *Journal of the Textile Institute Transactions*, 50(7), T448–T471. <https://doi.org/10.1080/19447025908659923>

Munden, D. L. (1960). Dimensional stability of plain-knit fabrics. *Textile Institute Proceedings*, 51(4), 200–209. <https://doi.org/10.1080/19447016008664427>

Murthy, N. S. (2004). Recent developments in polymer characterization using X-ray. *The Rigaku Journal*, 21(1), 15–24.

Nazir, A., Hussain, T., Rehman, A., & Abid, A. (2015). Modelling Heat - Setting of Cotton / Elastane Knitted Fabrics for Optimum Dimensional Stability. *JTATM*, 9(2).

NFPA 1975 Standard on Emergency Services Work Apparel. (2019). Retrieved from NFPA website: <https://www.nfpa.org/codes-and-standards/all-codes-and-standards/list-of-codes-and-standards/detail?code=1975>

NFPA 2112 Pass/Fail Test Series Part 4: The Thermal Shrinkage Test. (2019). Retrieved from <https://tyndaleusa.com/blog/2019/07/17/nfpa-2112-pass-fail-test-series-part-4-the-thermal-shrinkage-test/>

Niu, S., Wakida, T., & Ueda, M. (1992). Effect of Heat-Setting Temperature on the Hydrazine Treatment of Poly (ethylene Terephthalate) Partially Oriented Yarn. *Textile Research Journal*, 62(10), 575–579.

<https://doi.org/10.1177/004051759206201003>

Nobbs, J. H., Bower, D. I., & Ward, I. M. (1976). A study of molecular orientation in drawn and shrunk poly(ethylene terephthalate) by means of birefringence, polarized fluorescence and X-ray diffraction measurements. *Polymer*, 17(1), 25–36. [https://doi.org/10.1016/0032-3861\(76\)90149-X](https://doi.org/10.1016/0032-3861(76)90149-X)

Onal, L., & Candan, C. (2003). Contribution of fabric characteristics and laundering to shrinkage of weft knitted fabrics. *Textile Research Journal*, 73(3), 187–191. <https://doi.org/10.1177/004051750307300301>

Otaigbe, J. U., & Madbouly, S. A. (2009). The processing, structure and properties of elastomeric fibers. *Handbook of Textile Fibre Structure*, 1, 325–351. <https://doi.org/10.1533/9781845696504.2.325>

Oxtoby, D. ., Gillis, H. ., & Campion, A. (2011). *Principles of Modern Chemistry* (7th ed.). Cengage Learning.

Pakhomov, P. M., Shablygin, M. V., Tsaplin, V. A., Baranova, S. A., & Vysotskaya, Z. P. (1983). The molecular mechanism of shrinkage of polyethylene terephthalate. *Polymer Science U.S.S.R.*, 25(3), 672–679. [https://doi.org/10.1016/0032-3950\(83\)90250-2](https://doi.org/10.1016/0032-3950(83)90250-2)

Pakuła, T., & Trznadel, M. (1985). Thermally stimulated shrinkage forces in oriented polymers: 1. Temperature dependence. *Polymer*, 26(7), 1011–1018. [https://doi.org/10.1016/0032-3861\(86\)90297-1](https://doi.org/10.1016/0032-3861(86)90297-1)

Park, S. J., & Seo, M. K. (2011). Types of Composites. In *Interface Science and Technology* (Vol. 18). <https://doi.org/10.1016/B978-0-12-375049-5.00007-4>

Peirce, F. T. (1947). Geometrical Principles Applicable to the Design of Functional Fabrics. *Textile Research Journal*, 17(3), 123–147. <https://doi.org/10.1177/004051754701700301>

Pereira, J. R. C., & Porter, R. S. (1983). Solid-state coextrusion of poly(ethylene terephthalate). I. Drawing of amorphous PET. *J. Polym. Sci.: Polym. Phys. Ed.*, 21, 1133–1145. <https://doi.org/10.1002/pol.1983.180210713>

Peterlin, A. (1977). Plastic Deformation of Crystalline Polymers. *Polymer Engineering and Science*, 17(3), 183–193.

Phillips, D., Suesat, J., Wilding, M., Farrington, D., Sandukas, S., Bone, J., & Dervan, S. (2003). Effect of heat setting on dimensional stability and dyeing properties of poly (lactic acid) fibres. *Coloration Technology*, 119(3), 128–133. <https://doi.org/10.1111/j.1478-4408.2003.tb00162.x>

Pinnock, P. R., & Ward, I. M. (1966). Stress-optical properties of amorphous polyethylene terephthalate fibres. *Transactions of the Faraday Society*, 62, 1308. <https://doi.org/10.1039/tf9666201308>

- Postle, R. (1968). 6—Dimensional Stability of Plain-Knitted Fabrics. *Journal of the Textile Institute*, 59(2), 65–77. <https://doi.org/10.1080/00405006808659967>
- Postle, R. (1974). 17—a geometrical assessment of the thickness and bulk density of weft-knitted fabrics. *The Journal of The Textile Institute*, 65(4), 155–163. <https://doi.org/10.1080/00405007408630442>
- Postle, R., & Munden, D. L. (1967). 24—Analysis of the Dry-Relaxed Knitted-Loop Configuration: Part I: Two-Dimensional Analysis. *The Journal of The Textile Institute*, 58(8), 329–351. <https://doi.org/10.1080/00405006708629880>
- Preston, J. M., Nimkar, M. V., & Gundavda, S. P. (1951a). Some Aspects of the Drying and Heating of Textiles: VI—Modifications produced by Thermal Treatments. *Journal of the Society of Dyers and Colourists*, 67(5), 169–176. <https://doi.org/10.1111/j.1478-4408.1951.tb02717.x>
- Preston, J. M., Nimkar, M. V., & Gundavda, S. P. (1951b). Some Aspects of the Drying and Heating of Textiles VI-Modifications produced by Thermal Treatments. *The Journal of The Society of Dyes and Colourists*, 67(5), 169–176.
- Prevorsek, D. C., & Sibilia, J. P. (2006). Chain folding in highly oriented poly (ethylene terephthalate). *Journal of Macromolecular Science, Part B*, 5(3), 617–627. <https://doi.org/10.1080/00222347108212557>
- Prevorsek, D. C., Tirpak, G. A., Harget, P. J., & Reimschuessel, A. C. (1974). Effects of thermal contraction on structure and properties of PET fibers. *Journal of Macromolecular Science, Part B*, 9(4), 733–759. <https://doi.org/10.1080/00222347408204559>
- Prevorsek, D. C., & Tobolsky, A. V. (1963). Determination of non-flow shrinkage ratio in oriented fibers. *Textile Research Journal*, 33(10), 795–802.
- Quaynor, L., Nakajima, M., & Takahashi, M. (1999). Dimensional Changes in Knitted Silk and Cotton Fabrics with Laundering. *Textile Research Journal*, 69(4), 285–291.
- Quaynor, L., Takahashi, M., & Nakajima, M. (2000). the Surface Properties and Dimensional of Plain Knitted Fabrics. *Textile Research Journal*, 70(1), 28–35.
- Rath, J. P., Chaki, T. K., & Khastgir, D. (2008). Change in Fiber Properties Due to the Heat Treatment of Nylon 6 Tire Cords. *Journal of Applied Polymer Science*, 108(6), 3960–3967. <https://doi.org/10.1002/app>
- Rath, J. P., Chaki, T. K., & Khastgir, D. (2012). Effect of Thermal Treatment on Structure and Properties of Polyester Tire Cords. *Journal of Applied Polymer Science*, 124(1), 266–274. <https://doi.org/10.1002/app>
- Ribnick, A. (1969). The Thermal Shrinkage of an Oriented Polyester Yarn as a Function of Time, Temperature, and Stress. *Textile Research Journal*, 39(8), 742–

748. <https://doi.org/10.1177/004051756903900807>

Ribnick, A., Weigmann, H., & Rebenfeld, L. (1973). Interactions of nonaqueous solvents with textile fibers Part II: Isothermal shrinkage kinetics of Polyester yarn. *Textile Research Journal*, 43(3), 176–183.

Riesen, R., & Schawe, J. E. K. (2000). Expansion and Shrinkage of Fibres Load- and temperature modulated TMA measurements temperature calibration of fiber attachments. *Journal of Thermal Analysis and Calorimetry*, 59(1–2), 337–350.

Rodgers, J. E. (1988). Effects of Various Suessen Heat Setting Variables on Thermal Stress Analysis Measurement. *Textile Research Journal*, 58(1), 7–11. <https://doi.org/10.1177/004051758805800102>

Rodriguez-Cabello, J. C., Santos, J., Merino, J. C., & Pastor, M. J. (1996). Thermally Induced Structural Changes in Low-Shrinkage Poly (ethylene terephthalate) Fibers. *Journal of Polymer Science, Part B: Polymer Physics*, 34(7), 1243–1255.

Rudolf, A., Geršak, J., & Smole, M. S. (2011). The effect of heat treatment conditions using the drawing process on the properties of PET filament sewing thread. *Textile Research Journal*, 82(2), 161–171. <https://doi.org/10.1177/0040517511413318>

Ruland, W. (1961). X-ray determination of crystallinity and diffuse disorder scattering. *Acta Crystallographica*, 14, 1180–1185. <https://doi.org/10.1107/S0365110X61003429>

Samuels, R. J. (1972). Quantitative structural characterization of the mechanical properties of poly(ethylene terephthalate). *Journal of Plymer Science Part A-2: Polymer Physics*, 10(5), 781–810.

Şardağ, S., & Özdemir, Ö. (2012). The effects of tandem and conventional vacuum steaming methods on the properties of yarns. *Textile Research Journal*, 82(2), 183–194. <https://doi.org/10.1177/0040517511424527>

Senthilkumar, M., & Anbumani, N. (2011). Dynamics of elastic knitted fabrics for sports wear. *Journal of Industrial Textiles*, 41(1), 13–24. <https://doi.org/10.1177/1528083710387175>

Sharma, S. K., & Misra, A. (1987). The Effect of Stretching Conditions on Properties of Amorphous Polyethylene Terephthalate Film. *Journal of Applied Polymer Science*, 34(6), 2231–2247.

Sichina, W. J. (2000). *DSC as Problem Solving Tool: Measurement of Percent Crystallinity of Thermoplastics*.

Smith, F. S., & Steward, R. D. (1974). The crystallization of oriented poly(ethylene terephthalate)*. *Polymer*, 15, 283–286.

Spencer, D. (1996). Knitting technology. In *Knitting International* (Vol. 103). <https://doi.org/10.1007/s13398-014-0173-7>

Statton, W. O., Koenig, J. L., & Hannon, M. (1970). Characterization of Chain Folding in Poly(Ethylene Terephthalate) Fibers. *Journal of Applied Physics*, 41(11), 4290–4295. <https://doi.org/10.1122/1.550434>

Stein, R. S., & Misra, A. (1980). Morphological Studies on Polybutylene Terephthalate*. *Journal of Polymer Science: Polymer Physics Edition*, 18(2), 327–342.

Swastik. (2012). Stenter.pdf. Retrieved from <http://www.swastiktextile.com/Download Catalogue/stenter.pdf>

Tezel, S., & Kavusturan, Y. (2008). Experimental Investigation of Effects of Spandex Brand and Tightness Factor o ... *Textile Research Journal*, 78(11), 966–976.

Trznadel, M., & Kryszewski, M. (1988). Shrinkage and related relaxation of internal stresses in oriented glassy polymers. *Polymer*, 29(3), 418–425. [https://doi.org/10.1016/0032-3861\(88\)90358-8](https://doi.org/10.1016/0032-3861(88)90358-8)

Trznadel, M., & Kryszewski, M. (1992). Thermal Shrinkage Of Oriented Polymers. *Journal of Macromolecular Science, Part C*, 32(4), 3–4. <https://doi.org/10.1080/15321799208021428>

Trznadel, M., Pakuła, T., & Kryszewski, M. (1988). The influence of internal stresses on viscoelastic and thermal properties of oriented and aged glassy polymers. *Polymer*, 29(4), 619–625. [https://doi.org/10.1016/0032-3861\(88\)90075-4](https://doi.org/10.1016/0032-3861(88)90075-4)

Ucar, N., & Ertugrul, S. (2002). Predicting Circular Knitting Machine Parameters for Cotton Plain Fabrics Using Conventional and Neuro-Fuzzy Methods. *Textile Research Journal*, 72(4), 361–366. <https://doi.org/10.1177/004051750207200414>

Ulrich, H. (1937). Polyurethanes. In *Encyclopedia of Polymer Science and Technology* (Vol. 4, pp. 26–72). John Wiley & Sons.

Van Amber, R. R., Niven, B. E., & Wilson, C. A. (2010). Effects of Laundering and Water Temperature on the Properties of Silk and Silk-blend Knitted Fabrics. *Textile Research Journal*, 80(15), 1557–1568. <https://doi.org/10.1177/0040517510366019>

Venkatesh, G. M., Bose, P. J., Shah, R. V., & Dweltz, N. E. (1978). Studies on heating and cooling of synthetic fibers, yarns, and fabrics. I. Properties of nylon and polyester filament yarns on heat setting in silicone oil. *Journal of Applied Polymer Science*, 22(8), 2357–2377. <https://doi.org/10.1002/app.1978.070220825>

Vries, H. de. (1980). Orientation, strain measure, and supramolecular structure in fibre drawing. *Colloid and Polymer Science*, 258(1), 1–8.

Wang, H. H., & Hu, Y. J. (1997a). Effects of On-Line Heat Treatment During High

Speed Spinning of Polyester Filaments on Dye Uptake. *Textile Research Journal*, 67(6), 428–435. <https://doi.org/10.1177/004051759706700607>

Wang, H. H., & Hu, Y. J. (1997b). Effects of On-Line Heat Treatment During High Speed Spinning of Polyester Filaments on Dye Uptake. *Textile Research Journal*, 67(6), 428–435. <https://doi.org/10.1177/004051759706700607>

Warwicker, J. O. (1972). The Structural Causes of Variations in Dyeing Properties of Terylene Yarn Subjected to Dry and Wet Heat. *Journal of the Society of Dyers and Colourists*, 88(4), 142–148. <https://doi.org/10.1111/j.1478-4408.1972.tb03072.x>

Wilson, M. P. W. (1974). Shrinkage and chain folding in drawn poly(ethylene terephthalate) fibres. *Polymer*, 15(5), 277–282. [https://doi.org/10.1016/0032-3861\(74\)90124-4](https://doi.org/10.1016/0032-3861(74)90124-4)

Wilson, N. (1967). 42 — The stretch and recovery behavior of elastomeric yarns. *The Journal of The Textile Institute*, 58(12), 611–625. <https://doi.org/10.1080/00405006708659957>

Wu, G., Yoshida, T., & Cuculo, J. A. (1998). Heat induced shrinkage and microstructural changes in PET: as-spun fibres prepared via “controlled threadline dynamics.” *Polymer*, 39(25), 6473–6482. [https://doi.org/10.1016/S0032-3861\(97\)10269-5](https://doi.org/10.1016/S0032-3861(97)10269-5)

Zhang, A., Jiang, H., Wu, C., Zhou, L., & Xuan, L. (1985). Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments. *Textile Research Journal*, 55(7), 387–393.

Zhao, J., Song, R., Zhang, Z., Linghu, X., Zheng, Z., & Fan, Q. (2001). Study of the physical aging in semicrystalline poly(ethylene terephthalate) via differential scanning calorimetry. *Macromolecules*, 34(3), 343–345. <https://doi.org/10.1021/ma000796m>