

REFERENCES

- Abo-Ghander N. S., Rahman S. U.&Zaidi S. M. J. (2008) ‘A Modified Electrodialytic Cell to Recover Heavy Metals from Wastewater’ *PortugaliaeElectrochimicaActa* 24, pp. 367-376
- Agency for Toxic Substances and Disease Registry (ATSDR),(2005), Toxicological profile for Nickel. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service
- Agnihotri, S.,Mota, J.P.B.,Abadi, M.R.& Rood, M.J, (2006), Theoretical and experimental investigation of morphology and temperature effects on adsorption of organic vapors in single-walled carbon nanotubes, *J. Phys. Chem. B* 110, pp. 7640–7647.
- Ajmal M, Rao RAK, Ahmad J, Ahmad R (2006) ‘The Use of Testa of Groundnut Shell (*Arachis hypogea*) for the Adsorption of Ni(II) from the Aqueous System.’ *Journal of Environ Science &Eng*, 48, pp. 221-224.
- Al-Enezi G., Hamoda, M. F. &Fawzi, N. (2004) ‘Ion Exchange Extraction of Heavy Metals from Waste Water Sludges,’ *Journal of Environmental Science and Health, Part A*, 39(2), pp. 455-464
- Amarasinghe, B.M.W.P.K., (2007), ‘Comparison of Adsorption Characteristics of Waste Biomass Materials for the Removal of Pb ions from Industrial Effluents,’ *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 40(4), pp.167–174.
- Amarasinghe, B.M.W.P.K., (2011), ‘Lead and Cadmium Removal from Aqueous Medium Using Coir Pith as Adsorbent: Batch Fixed bed Column Studies,’ *JTFE*, 1(1), pp. 36-47
- Anirudhan, T. S. &Sreekumari, S. S. (2011) Adsorptive removal ofheavy metal ions from industrial effluents using activatedcarbon derived from waste coconut buttons.*JournalofEnvironmental Sciences*,23(12), pp. 1989–1998
- Annadurai G., Juang R.S., Lee D.J. (2002) ‘Adsorption of heavy metals from water using banana and orange peels,’ *Water Science and Technology*. IWA Publishing 47, pp. 185-190
- Babel, S. &Kurniawan, T. A. (2004) Cr (VI) removal from syntheticwastewater using coconut shell charcoal and commercialactivated carbon modified with oxidizing agents and/orchitosan.*Chemosphere*,54(7), pp. 951–967
- Bakalár T., Búgel M., Gajdošová L., (2009) ‘Heavy metal removel using reverse osmosis,’ *ActaMontanisticaSlovaca*, 14(3), pp. pp. 250-253
- Bhattacharyya, S., Lelong, G. &Saboungi, M. L. (2006) Recentprogress in the synthesis and selected applications of MCM-41: a short review.*Journal of Experimental Nanoscience*1(3), pp. 375–395
- Charerntanyarak L. (1999) Heavy Metal Removel by Chemical Coagulation and precipitation, *Water Science and Technology*, 39(10), pp. 135-138
- Cheung WH, Szeto YS, &McKay G (2007) ‘Intraparticle diffusion processes during acid dye adsorption onto chitosan,’ *BioresourTechnol*, 98, pp.2897–2904

- Choi, H. J., Yu, S. W. & Kim, K. H. (2016) Efficient use of Mg-modified zeolite in the treatment of aqueous solution contaminated with heavy metal toxic ions. *Journal of the Taiwan Institute of Chemical Engineers* 63, pp. 482–489.
- Conrad, K., and Hansen, H. C. B., (2007), ‘Sorption of zinc and lead on coir,’ *Bioresource Technology*, 98(1), pp.89-97.
- Conrad, K.; Hansen, H.C.B. (2007) ‘Sorption of zinc and lead on coir.’ *Bioresource Technol.*, 98, pp. 89-97.
- Dąbrowski A., Hubicki Z., Podkościelny P., Robens E. (2004) ‘Selective removal of the heavy metal ions from waters and industrial wastewater by ion exchange method’ *Chemosphere* 56(2), pp. 91-106
- Dai, H., (2002), Carbon nanotubes: opportunities and challenges, *Surf. Sci.* 500, pp. 218–241.
- El Samrani A.G., Lartiges B. S., & Villiéras F., (2008), ‘Chemical Coagulation of combines sewer overflow: Heavy metal removal and treatment optimization,’ *Water Research*, 42(4), pp. 951-960
- Ewecharoen, A., Thiravetyan, P., and Nakbanpote, W. (2008) "Comparison of nickel adsorption from electroplating rinse water by coir pith and modified coir pith," *Chemical engineering journal*, 137, pp. 181-188
- Fernando, A., Monteiro, S., Pinto F., and Mendes B., (2009) ‘Production of Biosorbents from Waste Olive Cake and Its Adsorption Characteristics for Zn²⁺-Ion’ *Sustainability*, 1, pp.277-297
- Freundlich, H.M.F., (1906) ‘Über die adsorption in lösungen (Adsorption in solution),’ *J. ChemPhys*, 57, pp. 384–470
- Friberg L., Norberg G. F.,& Vouk V. B., eds. (1986) *Handbook of the Toxicology of Metals* Vol. II Amsterdam, Elsevier, pp. 130-189
- Gonzalez M. H., Araùjo G. C. L., Pelizaro C. B., Menezes E. A., Lemos S. G., Batista de Sousa G., Nogueira A. R. A., (2008), ‘Coconut coir as biosorbent for Cr(VI) removal from laboratory wastewater,’ *Journal of Hazardous Materials*, 159(2-3), pp. 252-256.
- Gopalakrishnan, A., Krishnan, R., Thangavel, S., Venugopal, G. & Kim, S. J. (2015), Removal of heavy metal ions from pharma-effluents using Tephra-meme-oxide nanosorbents and study of their adsorption kinetics. *Journal of Industrial and Engineering Chemistry* 30, pp.14–19
- Gosset T., Trancart J. L., Thevenot D.R. (1986) ‘Batch metal removal by peat.’ *Water Res* 20, pp. 21-26.
- Halsey G. D. (1952), ‘The role of surface heterogeneity,’ *Adv. Catal*, 4, pp.259-269
- Hawari A.H., Mulligan C.N., (2006), ‘Biosorption of lead(II), cadmium(II), copper(II) and nickel(II) by anaerobic granular biomass,’ *Bioresour. Technol.* 97 (4), pp. 692–700.
- Hidayat, H., and Yoyon S. (2014) ‘Zinc Adsorption Kinetics Using Pseudomonas as Biomass.’ *Biopropal Industri*, 5(1), pp. 37-43

- Ho, Y. S. (1995), ‘Adsorption of heavy metals from waste streams by peat,’ *Ph.D. thesis, University of Birmingham, Birmingham, UK.*
- Ho, Y. S., and McKay, G. (1998) ‘A comparison of chemisorptions kinetic models applied to pollutant removal on various sorbents,’ *Trans IchemE*, 76(B), pp. 332-339
- Ho, Y. S., and McKay, G. (1999) ‘Competitive Sorption of Copper and Nickel Ions from Aqueous Solution Using Peat,’ *Adsorption*, 5, pp. 409-417
- Hui, K. S., Chao, C. Y. H. & Kot, S. C. (2005) Removal of mixedheavy metal ions in wastewater by zeolite 4A and residualproducts from recycled coal Fly ash.Journal of HazardousMaterials127(1), 89–101.
- IUPAC, Compendium of Chemical Terminology, 2nd ed. (the “Gold Book”) (1997).Online corrected version: (2006–) “transition element”.
- Jablonovská K. and Štyriaková, I, (2006) ‘Adsorption of zinc and lead on clay minerals’ *Acta Montanistica Slovaca*, 11(2),pp. 304-308
- Kadirvelu, K., and Namasivayam, C., (2003), ‘Activated carbon from coconut coirpith as metal adsorbent: adsorption of Cd(II) from aqueous solution,’ *Advanced in Environmental Research*, 7(2), pp. 471-478.
- Kalavathy, M.H.; Karthikeyan, T.; Rajgopal, S.;& Miranda, L.R., (2005), Kinetic and isotherm studies of Cu (II) adsorption onto H₃PO₄-activated rubber wood sawdust. *J. Colloid Interface Sci.*, 292, pp.354–362.
- Karthikeyan, T., Rajgopal, S. & Miranda, L. R. (2005) Chromium(VI) adsorption from aqueous solution by HeveaBrasilinesissawdust activated carbon.Journal of Hazardous Materials124(1), pp. 192–199.
- Khalfaoui, M., Knani, S., Hachicha, M. A. & Ben Lamine, A., (2003), ‘New theoretical expressions for the five adsorption type isotherms classified by BET based on statistical physics treatment,’ *J. Colloid Interface Sci.*, 263(1), pp.350-356
- Krikorian, N. & Martin, D. F. (2005) Extraction of selected heavy metals using modified clays. *Journal of Environmental Science and Health* 40 (3), pp. 601–608.
- Kumar, K. V., Ramamurthi, V., &Sivanesan, S., (2005), ‘Modeling the mechanism involved during the sorption of methylene blue onto fly ash,’ *J. Colloid Interface Sci.*, 284(1), pp.14-21
- Lagergren, S., (1898), ‘About the theory of so-called adsorption of soluble substances.’ *Kungliga Svenska Vetenskapsakademiens. Handlingar*, 244, pp. 1–39
- Langmuir, (1916), ‘The constitution and fundamental properties of solids andliquids,’ *J. Am. Chem. Soc.* 38, pp.2221–2295.
- Lo, S. F., Wang, S. Y., Tsai, M. J. & Lin, L. D. (2012) Adsorptioncapacity and removal efficiency of heavy metal ions by Mosoand Ma bamboo activated carbons.ChemicalEngineeringResearch and Design90(9), pp. 1397–1406.
- Malkoc, E., Nuhoglu Y. (2005) ‘Investigations of Nickel (II) Removal from Aqueous Solutions Using Tea Factory Waste.’ *Journal of Hazardous Materials B* 127, pp. 120-128.

- Nasrullah, A., Bhat, A. H., Isa, M. H., (2016) ‘Lignin: A sustainable biosorbent for heavy metal adsorption from wastewater, a review,’ AIP Conference Proceedings 2016
- National Environmental (Protection and Quality) Regulations, No. 1 of 2008.
- Oura, K., Lifshits, V.G., Saranin, A.A., Zotov, A.V., Katayama, M. (2003). Surface Science, An Introduction, Springer.
- Pandey, P.K., Sharma, S.,&Sambi, S., (2010), Kinetics and equilibrium study of chromium adsorption on zeoliteNaX. *Int. J. Environ. Sci. Tech.*, 7(2), pp. 395-404.
- Rahman, I. A., Ismail, J. & Osman, H. (1997) Effect of nitric acid digestion on organic materials and silica in rice husk. *Journal of Materials Chemistry* 7 (8), 1505–1509
- Ramos,S. N. D. C., Xavier,A. L. P., Teodoro, F. S., Elias, F. J., Goncalves, L., Gil,L. F., de Freitas,R. P.,&Gurgel,L. V. A.,(2015) “Modeling mono- and multi-component adsorption of cobalt (II), copper (II), and nickel (II) metal ions from aqueous solution onto new carboxylate sugarcane bagasse. Part I: Batch adsorption study, *Industrial Crops and Products*, Volume 74, pp. 357-371,
- Ratan S, Singh I, Sarkar J, Naik RM (2016) The Removal of Nickel from Waste Water by Modified Coconut Coir Pith. *ChemSci J* 7: 136.
- Reddad, Z. G'erente, C. Andr'es, Y. Ralet, M.C. Thibault, J.-F. Cloirec, P.L. (2002) ‘Ni(II) and Cu(II) binding properties of native and modified sugar beet pulp,’ *Carbohydr. Polym.* 49 (1), pp.23–31.
- Reddad, Z.;Gerente, C.;Andres, Y.;Le-Cloirec P. (2002) ‘Adsorption of Several Metal Ions onto a Low-Cost Biosorbent: Kinetic and Equilibrium Studies.’ *Environ. Sci. Technol.*, 36, pp.2067-2073
- Saeed, A.; Akhter, M.W., Iqba, M., (2005) ‘Removal and recovery of heavy metals from aqueous solution using papaya wood as a new biosorbent.’ *Separation and Purification Technology*, 45, pp.25-31.
- Saha, P., &Chowdhury, S., (2011). *Insight Into Adsorption Thermodynamics, Thermodynamics*, Prof. Mizutani Tadashi (Ed.), ISBN: 978-953-307-544-0, InTech,
- Saleem, M. and Kazi, GH. (1998). ‘Concentration and distribution of heavy metals (lead, cadmium, chromium, copper, nickel, zinc) in Karachi shore and offshore sediments.’ *Pakistan Journal of Marine Sciences*. 7(1), pp.71-79
- Sdiri, A. T., Higashi, T., &Jamoussi, F., ‘Adsorption of copper and zinc onto natural clay in single and binary systems,’ *Int. J. Environ. Sci. Technol.* (2014) 11, pp.1081–1092
- Shaheen, S. M., Derbalah, A. S., &Moghanm F.S., (2012) ‘Removal of Heavy Metals from Aqueous Solution by Zeolite in Competitive Sorption System,’ *IJESD*, 3(4), pp. 362-367
- Sharifipour, F., Hojati, S., Landi, A. &Faz Cano, A. (2015) ‘Kinetics and Thermodynamics of Lead Adsorption from Aqueous Solutions Onto Iranian Sepiolite and Zeolite,’ *Int. J. Environ. Res.*, 9(3), pp.1001-1010.

- Shukla, S.R.; Pai, R.S. (2005) ‘Adsorption of Cu (II), Ni (II) and Zn(II)on dye loaded groundnut shells and sawdust.’ Sep. Purif.Technol., 43, pp.1-8.
- Singh, S. P., Ma, L. Q. & Harris, W. G. (2001) ‘Heavy metal interactions with phosphatic clay.’ Journal of Environmental Quality 30 (6), 1961–1968.
- Singhe, N., &Balomajumder, C., (2017) ‘Equilibrium isotherm and kinetic studies for the simultaneous removal of phenol and cyanide by use of *S. Odorifera* (MTCC 5700) immobilized on coconut shell activated carbon,’ *Appl Water Sci.* 7 pp.3241-3255.
- Suksabye P, Nakajima A, Thiravetyan P, Baba Y, Nakbanpote W. (2009) ‘Mechanism of Cr(VI) adsorption by coir pith studied by ESR and adsorption kinetic.’ Journal of Hazardous Materials, 161(2–3), pp. 1103–1108
- Suksabye P, Thiravetyan P, Nakbanpote W, Chayabutra S. (2007), ‘Chromium removal from electroplating wastewater by coir pith,’ Journal of Hazardous Materials, 141(3), pp.637-644.
- Y. T. Ong, A. L. Ahmad, S. Hussein, S. Zein, and S. H. Tan,(2010), “A review on Carbon Nanotubes in an Environmental Protection and Green Engineering Perspective,” *Brazilian J. Chem. Eng.*, vol. 27, no. 2, pp. 227–242.
- Taha G. M. (2006) ‘Utilization of Low-Cost Waste Material Bagasse Fly Ash in Removing of Cu²⁺, Ni²⁺, Zn²⁺, and Cr³⁺ from Industrial Waste Water.’ *Ground Water Monitoring & Remediation*, 26, pp. 137-141.
- Taylor, P., Lan, Y., Wang, Y.,&Ren,Z. F., (2011) “Physics and applications of aligned carbon nanotubes,” in *Advances in Physics*, 2011, pp. 553–678.
- Thangavel, S. &Venugopal, G. (2014) Understanding the adsorption property of 74rapheme-oxide with different degrees of oxidation levels. *Powder Technology*257, pp. 141–148.
- Villaescusa, I. Fiol, N. Martínez, M. Miralles, N. Poch, J. Serarols, J. (2004) ‘Removal of copper and nickel ions from aqueous solutions by grape stalks wastes,’ *Water Res.* 38 (4), pp. 992–1002.
- Wahyuni E.T, Aprilita N.H., Hatimah H., Wulandari A.M., Mudasir M., (2015) ‘Removal of Toxic Heavy Metal ions in water by Photocatalytic Method, *American Chemical Science Journal*, 5(2), pp. 194-201.
- Wijayawardhana, D., Herath, V. and Weerasinghe, A. (2016) ‘Heavy Metal Pollution in Sri Lanka with Special Reference to Agriculture: A review of current research evidence,’ *Rajarata University Journal*, 4(1) pp. 52-66.
- Wijeyaratne W.M. D. N. (2016) ‘Application of pollution indices to quantify the pollution status of shallow sediments of the Bolgoda Lake, Sri Lanka. *J.Natn.Sci.Foundation Sri Lanka.*’ 44 (3), pp. 279-289
- Wingenfelder U., Hansen C., Furrer G., &Schulin R. (2005) ‘Removal of Heavy Metals from Mine Waters by Natural Zeolites’ *Environ. Sci. Technol.*, 39, pp. 4606-4613
- Wyszkowska J., Borowil A., Kucharski M., Kucharski J, (2012) Effect of cadmium, copper, and zinc on plants, soil microorganisms and soil enzymes. *Journal of Elementology* 18, pp. 769-796.

Zendelska A., Mirjana Golomeova, M, Blazev, K., Krstev B., Golomeov B., and Krstev, A., (2014) ‘Equilibrium Studies of Zinc Ions Removal from Aqueous Solutions by Adsorption on Natural Zeolite’ Journal of Materials Science and Engineering A, 4 (7), pp. 202-208