

REFERENCES

- Alexandratos, N., & Bruinsma, J. (2012). World agriculture towards 2030/2050: the 2012 revision. *WORLD AGRICULTURE*.
<https://doi.org/10.22004/AG.ECON.288998>
- Anokye, M., Abdul-Aziz, A. R., Anokye, M., Kwame, A., Munyakazi, L., & Nsowah-Nuamah, N. N. N. (2013). Modeling and forecasting rainfall pattern in Ghana as a seasonal ARIMA process: The case of Ashanti region. In *Article in International Journal of Humanities and Social Science* (Vol. 3, Issue 3).
<https://www.researchgate.net/publication/306940437>
- Assfaw, A. T. (2020). Modeling Impact of Land Use Dynamics on Hydrology and Sedimentation of Megech Dam Watershed, Ethiopia. *Scientific World Journal*, 2020. <https://doi.org/10.1155/2020/6530278>
- Balany, F. (2011). Different Ways of Calculating Catchment Rainfall: Cases in Indonesia. *Civil Engineering Forum*, XX(September), 1175–1182.
- Bana, S., & Prijono, S. (2013). Evaluation Crop Water Requirement on the Dryland at the West Bangkala Sub District of Jenepono Regency. *Undefined*.
- Bethune, M. G., Selle, B., & Wang, Q. J. (2008). Understanding and predicting deep percolation under surface irrigation. *Water Resources Research*, 44(12), 12430.
<https://doi.org/10.1029/2007WR006380>
- Box, G. E. P., & Jenkins, G. (2015). *Time Series Analysis: Forecasting and Control, 5th Edition* | Wiley. <https://www.wiley.com/en-th/Time+Series+Analysis:+Forecasting+and+Control,+5th+Edition-p-9781118675021>
- Bruinsma, J. (2003). *World agriculture: towards 2015/2030*. www.earthscan.co.uk
- CEA. (2018). *Strategic Environmental Assessment of Development of River Basin Level Flood and Drought Mitigation Investment Plans-Kelani River Basin*.
<http://documents1.worldbank.org/curated/fr/844811547109856952/pdf/Kelani-River-SEA-Study-Final-Report.pdf>
- Chegwin, M. R., & Kumara, S. (2018). Energy, land and water nexus in Sri Lanka's Mahaweli basin. *Proceedings of the Institution of Civil Engineers - Energy*, 171(3), 93–111. <https://doi.org/10.1680/jener.17.00026>
- Cheng, F., & Zhao, J. (2019). A novel process monitoring approach based on Feature Points Distance Dynamic Autoencoder. In *Computer Aided Chemical Engineering* (Vol. 46, pp. 757–762). Elsevier B.V.
<https://doi.org/10.1016/B978-0-12-818634-3.50127-2>
- Cheng, Y., He, H., Cheng, N., & He, W. (2016). The Effects of Climate and Anthropogenic Activity on Hydrologic Features in Yanhe River. *Advances in*

Meteorology, 2016. <https://doi.org/10.1155/2016/5297158>

- Cleveland, R. B., William, S., & Terpenning, I. (1990). *STL: A Seasonal-Trend Decomposition Procedure Based on Loess - ProQuest*. Journal of Official Statistics; Stockholm.
<https://search.proquest.com/openview/cc5001e8a0978a6c029ae9a41af00f21/1?pq-origsite=gscholar&cbl=105444>
- Dastorani, M., Mirzavand, M., Dastorani, M. T., & Sadatinejad, S. J. (2016). Comparative study among different time series models applied to monthly rainfall forecasting in semi-arid climate condition. *Natural Hazards*, 81(3), 1811–1827. <https://doi.org/10.1007/s11069-016-2163-x>
- De Gooijer, J. G., & Hyndman, R. J. (2006). 25 years of time series forecasting. *International Journal of Forecasting*, 22(3), 443–473.
<https://doi.org/10.1016/j.ijforecast.2006.01.001>
- Deines, J. M., Kendall, A. D., & Hyndman, D. W. (2017). Annual Irrigation Dynamics in the U.S. Northern High Plains Derived from Landsat Satellite Data. *Geophysical Research Letters*, 44(18), 9350–9360.
<https://doi.org/10.1002/2017GL074071>
- Doorenbos, J., & Pruitt, W. O. (1977). *Crop Water Requirements*. FAO Irrigation and Drainage Paper 24, FAO, Rome, 144 p. - References - Scientific Research Publishing.
<https://www.scirp.org/%28S%28351jmbntvnsjt1aadkposzje%29%29/reference/ReferencesPapers.aspx?ReferenceID=1342431>
- Droogers, P., Immerzeel, W. W., & Lorite, I. J. (2010). Estimating actual irrigation application by remotely sensed evapotranspiration observations. *Agricultural Water Management*, 97(9), 1351–1359.
<https://doi.org/10.1016/J.AGWAT.2010.03.017>
- Eliasy, A., & Przychodzen, J. (2020). The role of AI in capital structure to enhance corporate funding strategies. *Array*, 6(June 2019), 100017.
<https://doi.org/10.1016/j.array.2020.100017>
- Eriyagama, N., & Smakhtin, V. (2010). Observed and Projected Climatic Changes, Their Impacts and Adaptation Options for Sri Lanka: A Review. *National Conference on Water, Food Security and Climate Change in Sri Lanka*.
<https://doi.org/10.22004/AG.ECON.211313>
- Francis J., M., & David C., L. (2000). *The lowland dry zone of Sri Lanka: site for study of aquaculture development within farmer-managed irrigation systems and methodology for participatory situation appraisal*.
https://www.researchgate.net/publication/277047625_The_lowland_dry_zone_of_Sri_Lanka_site_for_study_of_aquaculture_development_within_farmer-managed_irrigation_systems_and_methodology_for_participatory_situation_appraisal
- García-Mora, T. J., Mas, J. F., & Hinkley, E. A. (2012). Land cover mapping

- applications with MODIS: A literature review. *International Journal of Digital Earth*, 5(1), 63–87. <https://doi.org/10.1080/17538947.2011.565080>
- Gumindoga, W., Makurira, H., Phiri, M., & Nhapi, I. (2016). Estimating runoff from ungauged catchments for reservoir water balance in the Lower Middle Zambezi Basin. *Water SA*, 42(4), 641–649. <https://doi.org/10.4314/wsa.v42i4.15>
- Guruge Thanura Lasantha, B., Mohomad Rasmy, A., Koike, P., & Perera, D. (2016). *Integrated Water Resources Management for Eastern Dry Zone of Sri Lanka Study of Mundani River Basin*. <http://cmip-pcmdi.llnl.gov/cmip5/>
- Harto BR, S., & Soenarjo, I. (1985). *Assessment of the basic characteristics of the hydrographs of rivers in Java for flood prediction*. http://etd.repository.ugm.ac.id/home/detail_pencarian/12669
- Haykin, S. (2009). *Neural Networks and Learning Machines Third Edition*.
- Hewawasam, T. (2010). Effect of land use in the upper Mahaweli catchment area on erosion, landslides and siltation in hydropower reservoirs of Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 38(1), 3–14. <https://doi.org/10.4038/JNSFSR.V38I1.1721>
- Imbulana, N., & Chegwin, M. R. (2016). *Democratic Socialist Republic of Sri Lanka Ministry of Mahaweli Development and Environment Mahaweli Water Security Investment Program PROJECT PERFORMANCE MANAGEMENT EVALUATION SYSTEM-FINAL Program Management, Design and Supervision Consultant*.
- Imbulana, N., Gunawardana, S., Shrestha, S., & Datta, A. (2018a). Projections of extreme precipitation events under climate change scenarios in Mahaweli River Basin of Sri Lanka. *Current Science*, 114(7), 1495–1509. <https://doi.org/10.18520/cs/v114/i07/1495-1509>
- Imbulana, N., Gunawardana, S., Shrestha, S., & Datta, A. (2018b). Projections of extreme precipitation events under climate change scenarios in Mahaweli River Basin of Sri Lanka. *Current Science*, 114(7), 1495–1509. <https://doi.org/10.18520/CS/V114/I07/1495-1509>
- Jain, S. K., & Singh, V. P. (2005). Isohyetal Method. In *Water Encyclopedia* (pp. 290–292). John Wiley & Sons, Inc. <https://doi.org/10.1002/047147844X.me231>
- Jayawardene, H., Sonnadara, D., & Jayewardene, D. (2005). Trends of Rainfall in Sri Lanka over the Last Century. *Sri Lankan Journal of Physics*, 6(0), 7. <https://doi.org/10.4038/sljp.v6i0.197>
- JICA. (2017). *DATA COLLECTION SURVEY ON DISASTER RISK REDUCTION SECTOR IN SRI LANKA FINAL REPORT*.
- Katimon, A., Shahid, S., & Mohsenipour, M. (2018). Modeling water quality and hydrological variables using ARIMA: a case study of Johor River, Malaysia. *Sustainable Water Resources Management*, 4(4), 991–998. <https://doi.org/10.1007/s40899-017-0202-8>

- Kelly, A. M., David, B., & Hawkins, N. (2013). *The Nexus of Food , Energy and Water* (Issue June).
- Khosla, A. (2002). Expectations of the world summit on sustainable development. *Development (Basingstoke)*, 45(3), 6–11.
<https://doi.org/10.1057/palgrave.development.1110370>
- L'vovich, M. I. (Mark I., & Nace, R. L. (Raymond L. (1979). *World water resources and their future*. 415.
- Lawford, R. G. (2019). A Design for a Data and Information Service to Address the Knowledge Needs of the Water-Energy-Food (W-E-F) Nexus and Strategies to Facilitate Its Implementation. *Frontiers in Environmental Science*, 0(APR), 56.
<https://doi.org/10.3389/FENV.S.2019.00056>
- Lin, Z., & Shelton, S. (2020). Interdecadal Change of Drought Characteristics in Mahaweli River Basin of Sri Lanka and the Associated Atmospheric Circulation Difference. *Frontiers in Earth Science*, 0, 306.
<https://doi.org/10.3389/FEART.2020.00306>
- Lütkepohl, H., & Lütkepohl, H. (2005). New Introduction to Multiple Time Series Analysis. In *New Introduction to Multiple Time Series Analysis* (pp. 1–7). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-540-27752-1_1
- McCarl, B. A., Yang, Y., Schwabe, K., Engel, B. A., Mondal, A. H., Ringler, C., & Pistikopoulos, E. N. (2017). Model Use in WEF Nexus Analysis: a Review of Issues. *Current Sustainable/Renewable Energy Reports 2017 4:3*, 4(3), 144–152. <https://doi.org/10.1007/S40518-017-0078-0>
- Ministry of Environment, S. L. (2011). *Climate Change Vulnerability Data Book Maps and Data*.
- Mu, Q., Zhao, M., & Running, S. W. (2011). Improvements to a MODIS global terrestrial evapotranspiration algorithm. *Remote Sensing of Environment*, 115(8), 1781–1800. <https://doi.org/10.1016/J.RSE.2011.02.019>
- Mushtaq, R. (2011). *TESTING TIME SERIES DATA FOR STATIONARITY*.
<http://ssrn.com/abstract=1911068>
- Narmilan, A., & Sugirtharan, M. (2018). *Modelling the Irrigation Scheduling in Batticaloa District, Sri Lanka: FAO-CROPWAT Modelling for Rice*.
www.distancesto.com/coordinates/lk/batticaloa-latitude
- Nino, P. (2013). Irrigation water consumption estimation for protected crops. *INEA*.
https://www.researchgate.net/publication/268504955_Irrigation_water_consumption_estimation_for_protected_crops
- Pahl-Wostl, C. (2007). The implications of complexity for integrated resources management. *Environmental Modelling & Software*, 22(5), 561–569.
<https://doi.org/10.1016/J.ENVSOFT.2005.12.024>
- Ponce, V. M. (1989). *Engineering Hydrology: Principles and Practices, online applications, Victor Miguel Ponce*.

http://ponce.sdsu.edu/textbook_online_applications.html

- Ponnamparuma, N., & Rajapakse, L. (2021). Comparison of Time Series Forecast Models for Rainfall and Drought Prediction. *2021 Moratuwa Engineering Research Conference (MERCon)*, 626–631. <https://doi.org/10.1109/MERCON52712.2021.9525690>
- Rivera, A., Gunda, T., & Hornberger, G. M. (2017). Minimizing irrigation water demand: An evaluation of shifting planting dates in Sri Lanka. *Ambio* 2017 47:4, 47(4), 466–476. <https://doi.org/10.1007/S13280-017-0993-8>
- Schreiner, B., & Baleta, H. (2015). Broadening the Lens: A Regional Perspective on Water, Food and Energy Integration in SADC. *Aquatic Procedia*, 5, 90–103. <https://doi.org/10.1016/J.AQPRO.2015.10.011>
- Sosrodarsono, S., & Takeda, K. (1980). *Hydrology for irrigation. [Indonesian]*. <https://agris.fao.org/agris-search/search.do?recordID=ID19840065571>
- Steduto, P., Hsiao, T. C., Fereres, E., & Raes, D. (2012). Crop yield response to water. *FAO Irrigation and Drainage Paper 66, FAO, Rome, 144 p. - References - Scientific Research Publishing*.
- Teare, I. D., & Peet, M. M. (1983). *CROP-WATER RELATIONS*. JOHN WILEY.
- Thenkabail, P. S., Schull, M., & Turrall, H. (2005). Ganges and Indus river basin land use/land cover (LULC) and irrigated area mapping using continuous streams of MODIS data. *Remote Sensing of Environment*, 95(3), 317–341. <https://doi.org/10.1016/j.rse.2004.12.018>
- Thiessen, H., Editor, D., Alter, J. C., Thiessen, H., Tucker, F., & Cole, H. (1911). *DISTRICT No. 10, GR'EAT BASIN. 10*.
- Tsanis, I. K., & Naoum, S. (2003). The effect of spatially distributed meteorological parameters on irrigation water demand assessment. *Advances in Water Resources*, 26(3), 311–324. [https://doi.org/10.1016/S0309-1708\(02\)00100-8](https://doi.org/10.1016/S0309-1708(02)00100-8)
- Vogels, M. F. A., de Jong, S. M., Sterk, G., Wanders, N., Bierkens, M. F. P., & Addink, E. A. (2020). An object-based image analysis approach to assess irrigation-water consumption from MODIS products in Ethiopia. *International Journal of Applied Earth Observation and Geoinformation*, 88, 102067. <https://doi.org/10.1016/j.jag.2020.102067>
- Wada, Y., Wisser, D., & Bierkens, M. F. P. (2014). Global modeling of withdrawal, allocation and consumptive use of surface water and groundwater resources. *Earth System Dynamics*, 5(1), 15–40. <https://doi.org/10.5194/ESD-5-15-2014>
- Wang, Z., & Lou, Y. (2019). Hydrological time series forecast model based on wavelet de-noising and ARIMA-LSTM. *Proceedings of 2019 IEEE 3rd Information Technology, Networking, Electronic and Automation Control Conference, ITNEC 2019*, 1697–1701. <https://doi.org/10.1109/ITNEC.2019.8729441>
- Wani, S. P., Sreedevi, T. K., Rockström, J., & Ramakrishna, Y. S. (2009). Rainfed

agriculture - past trends and future prospects. *Rainfed Agriculture: Unlocking the Potential*, 1–35. <https://doi.org/10.1079/9781845933890.0001>

Wickramagamage, P. (2016). Spatial and temporal variation of rainfall trends of Sri Lanka. *Theoretical and Applied Climatology*, 125(3–4), 427–438. <https://doi.org/10.1007/s00704-015-1492-0>

Withanachchi, S. S., Köpke, S., Withanachchi, C. R., Pathiranage, R., & Ploeger, A. (2014). *Water Resource Management in Dry Zonal Paddy Cultivation in Mahaweli River Basin, Sri Lanka: An Analysis of Spatial and Temporal Climate Change Impacts and Traditional Knowledge*. 329–354. <https://doi.org/10.3390/cli2040329>

Yang, Y. E., Ringler, C., & Brown, C. (2016). *Modeling the Agricultural Water – Energy – Food Nexus in the Indus River Basin*, . August. [https://doi.org/10.1061/\(ASCE\)WR.1943-5452.0000710](https://doi.org/10.1061/(ASCE)WR.1943-5452.0000710)