

References

- Adhiambo, Dazzline & Kavoo, Agnes & Kebwaro, Jeremiah. (2018). Water Resources and Management under Increasing Urban Demography: A Kenyan Perspective—A Review. *Journal of Water Resource and Protection*. 10. 919-938. 10.4236/jwarp.2018.109054.
- Aerts, J. C. J. H., van Herwijnen, M., Janssen, R., & Stewart, T. J. (2005). Evaluating spatial design techniques for solving land-use allocation problems. *Journal of Environmental Planning and Management*, 48(1), 121–142.
- Alvarado, A., Esteller, M.V., Quentin, E. et al. Multi-Criteria Decision Analysis and GIS Approach for Prioritization of Drinking Water Utilities Protection Based on their Vulnerability to Contamination. *Water Resour Manage* 30, 1549–1566 (2016).
- Angel, S., Sheppard,S.,Civco, D.L., Buckley,R.,Chabaeva,A.,Gitlin,L.,et al.(2005). The dynamics of global urban expansion.New York: Citeseer.
- Bastianssen, G.M.W., Chandrapala, L., 2003. Water balance variability across Sri Lanka for assessing agricultural and environmental water use. *Agric. Water Manage.* 58 (2), 171–192.
- Bernstein, Stan, “Freshwater and Human Population: A Global Perspective,” in Karin Krchnak, ed., *Human Population and Freshwater Resources: U.S. Cases and International Perspectives*, Yale School of Forestry and Environmental Studies Bulletin Series Number 107: New Haven, Connecticut: Yale University, 2002, pp. 149–157.
- Boberg,Jill. How Demographic Changes and Water Management Policies Affect Freshwater Resources. Santa Monica, Publisher RAND Corporation, 2005

Central Environmental Authority.(04 November 2013), Surface Water Quality Monitoring by The Laboratory of Central Environmental Authority. Retrieved from <http://www.cea.lk/web/en/water>

Chadwick, G. F. (1973). A system view of planning. Oxford: Pergamon Press.

Chaurasia, A.K., Pandey, H.K., Tiwari, S.K. et al. Groundwater Quality assessment using Water Quality Index (WQI) in parts of Varanasi District, Uttar Pradesh, India. J Geol Soc India 92, 76–82 (2018).

Chaves, H. M. L., & Alipaz, S. (2006). *An Integrated Indicator Based on Basin Hydrology, Environment, Life, and Policy: The Watershed Sustainability Index. Water Resources Management*, 21(5), 883–895.

Church, R. L., Gerrard, R. A., Gilpin, M., & Stine, P. (2003). Constructing Cell-Based Habitat Patches Useful in Conservation Planning. Annals of the Association of American Geographers, 93(4), 814–827.

Collins, M. G., Steiner, F. R., & Rushman, M. J. (2001). Land-use suitability analysis in the United States: Historical development and promising technological achievements. Environmental Management, 28(5), 611–621.

Cooray.T, Wei.Y, Zhong.H, Zheng.L, Weragoda.S.K, Weerasooriya .A.R.Assessment of Groundwater Quality in CKDu Affected Areas of Sri Lanka: Implications for Drinking Water Treatment. Int. J. Environ. Res. Public Health 2019, 16(10), 1698

COWEN, D., 1988, GIS versus CAD versus DBMS: what are the differences. Photogrammetric Engineering and Remote Sensing, 54, pp. 1551–1555.

Cude C. G. (2001). Oregon water quality index: A tool for evaluating water quality management effectiveness. Water Resource Association 37(1):125–137.

Dunnette D. A. (1979). A geographically variable water quality index used in Oregon. Water Pollution Control Federation 51(1):53–61

De Buck, Emmy & Borra, Vere & De Weerdt, Elfi & Vandecasteele, Axel & Vandekerckhove, Philippe. (2015). A Systematic Review of the Amount of Water per Person per Day Needed to Prevent Morbidity and Mortality in (Post-)Disaster Settings. PLOS ONE. 10. e0126395. 10.1371/journal.pone.0126395.

Eastman, J.R., Jin, W., Kyem, P., and Toledano, J. 1995. "Raster procedure for Multi Criteria/Multi-Objective Decisions," Photogrammetric Engineering and Remote Sensing (61), pp. 539-547

Falkenmark, M. (1997), Meeting water requirements of an expanding world population, Philos. Trans. R. Soc. London, Ser. B, 352, 929–936, doi:10.1098/rstb.1997.00

Falkenmark, Malin. "The Massive Water Scarcity Now Threatening Africa: Why Isn't It Being Addressed?" *Ambio*, vol. 18, no. 2, 1989, pp. 112–118.

Foresman, T. W. (1998). The history of geographic information systems: Perspectives from the pioneers. Upper Saddle River: Prentice Hall Inc.

George, B. A., Malano, H. M., Khan, A. R., Gaur, A., & Davidson, B. (2008). Urban Water Supply Strategies for Hyderabad, India – Future Scenarios. Environmental Modeling & Assessment, 14(6), 691–704

Gleick, Peter H., "An Introduction to Global Fresh Water Issues," in Peter H. Gleick, ed., Water in Crisis: A Guide to the World's Fresh Water Resources, New York: Oxford University Press, 1993, pp. 3–12.

Greene, R., Devillers, R., Luther, J. E., & Eddy, B. G. (2011). GIS-Based Multiple-Criteria Decision Analysis. *Geography Compass*, 5(6), 412–432.

Gunarathna MHJP, Kumari MKN ,“Water Quality Assessment of a Tank Cascade System using CCME Water Quality Index”, International Journal of Research and Innovation in Applied Science (IJRIAS) |Volume I, Issue III, June 2016

Harshan.S, Thusyanthy, Gunatilake, Srivaratharan, Gunaalan, Assessment of water quality index of groundwater quality in Chunnakam and Jaffna Town, Sri Lanka. Ving. Journal of Science, Vol 13, Nos 1&2,2016

Hoekstra, A.Y. Virtual Water Trade: Proceedings of the International Expert Meeting on Virtual Water Trade. Value of Water Research Report Series No. 12, Delft, The Netherlands: UNESCO-IHE, 2003.

Howard, Guy & Bartram, Jamie. (2005). Effective water supply surveillance in urban areas of developing countries. *Journal of water and health*. 3. 31-43. 10.2166/wh.2005.0004.

Hummel, Diana, and Alexandra Lux. “Population Decline and Infrastructure: The Case of the German Water Supply System.” *Vienna Yearbook of Population Research*, vol. 5, 2007, pp. 167–191. JSTOR, www.jstor.org/stable/23025603. Accessed 30 Mar. 2020.

Ichwana, Ichwana & Syahrul, Syahrul & Nelly, Wirda. (2016). Water Quality Index by Using National Sanitation Foundation-Water Quality Index (NSF-WQI) Method at Krueng Tamiang Aceh. 110-117. 10.21063/ICTIS.2016.1019.

Jankowski, P. (1995). Integrating geographical information systems and multiple

criteria decision making methods. International Journal of Geographical Information Systems, 9(3), 251–273

Jeong, J. S., García-Moruno, L., Hernández-Blanco, J., & Sánchez-Ríos, A. (2016). Planning of rural housings in reservoir areas under (mass) tourism based on a fuzzy DEMATEL-GIS/MCDA hybrid and participatory method for Alange, Spain. Habitat International, 57, 143–153. doi:10.1016/j.habitatint.2016.07.008

Jiang, Y. (2009). *China's water scarcity*. Journal of Environmental Management, 90(11), 3185–3196.

Jun, C. (2000). Design of an intelligent geographic information system for multi-criteria site analysis. URISA Journal, 12(3), 5–17.

K. S. Rawat & Sudhir Kumar Singh (2018): Water Quality Indices and GIS based evaluation of a decadal groundwater quality, Geology, Ecology, and Landscapes

Lewis, W. J., Foster, S. S. D., Read, G. H., & Schertenleib, R. (1981). The Need for an Integrated Approach to Water-Supply and Sanitation in Developing Countries. Quality of Groundwater, Proceedings of an International Symposium, Noordwijkerhout, 199–205.

Lumb, A., Sharma, T.C. & Bibeault, J. A Review of Genesis and Evolution of Water Quality Index (WQI) and Some Future Directions. Water Qual Expo Health 3, 11–24 (2011).

Mahagamage, Yohan & Manage, Pathmalal. (2014). Water Quality Index (CCME-WQI) Based Assessment Study of Water Quality in Kelani River Basin, Sri Lanka. Environment and Natural resources Journal. 12. 199-204.

Malczewski, J. (2006). GIS-based multicriteria decision analysis: A survey of the literature. *International Journal of Geographical Information Science*, 20(7), 703–726.

Malczewski, J.; Rinner, C. Multicriteria Decision Analysis in Geographic Information Science; Springer: New York, NY, USA, 2015

Michael Harper, Ben Anderson, Patrick James, AbuBakr Bahaj, Assessing socially acceptable locations for onshore wind energy using a GIS-MCDA approach, *International Journal of Low-Carbon Technologies*, Volume 14, Issue 2, June 2019, Pages 160–169, <https://doi.org/10.1093/ijlct/ctz006>

Mohammadreza Jelokhani-Niaraki (2019) Exploring the effect of group decision on information search behaviour in web-based collaborative GIS-MCDA, *Journal of Decision Systems*, 28:4, 261-285, DOI: 10.1080/12460125.2019.1698898

Ohlsson, L. (2000). *Water conflicts and social resource scarcity. Physics and Chemistry of the Earth, Part B: Hydrology, Oceans and Atmosphere*, 25(3), 213–220.

Piyathamrongchai, Kampanart. Modelling multi-criteria land evaluation using GIS-MCDA (Multi-Criteria Decision Analysis) based on fuzzy logic: Case study for identifying suitable lands for human rehabilitation in Southern Bhutan. Diss. Naresuan University, 2020.

R.K. Horton. "An index number system for rating water quality". *Journal of Water Pollution Control Federation*, vol. 37(3), pp.300-306, 1965

Rahman, A., Kumar, Y., Fazal, S., Bhaskaran, S., 2011. Urbanization and quality of urban environment using remote sensing and GIS techniques in East Delhi-India. *Journal of Geographic Information System* ,3, 62–84.

Rajapaksha, K & Sumanasekara, Vimukthi & Seneviratne, Thushani & Liyanarachchi, P & Wickramasinghe, W.M.s & Dias, S & Dissanayake, S & Opanayake, N. (2016). Determination of Water Quality Status of Polgolla Watershed Using CCME Water Quality Index.

Robert M. Bradley, M.ASCE.(2004). Forecasting Domestic Water Use in Rapidly Urbanizing Areas in Asia. Journal of Environmental Engineering,130:4(465)

Roshan Akther, Mohamed Sameem & Gopalakrishnan, Tharani. (2017). Assessment of Water Quality Parameters and Determination of Water Quality Index of Tube Well Water in Vengalacheddikulam DS Division,Vavuniya District, Sri Lanka. International Journal of Sciences: Basic and Applied Research (IJSBAR). 32. 317-328.

Senanayake, I. P., Welivitiya, W. D. D. P., & Nadeeka, P. M. (2013). Urban green spaces analysis for development planning in Colombo, Sri Lanka, utilizing THEOS satellite imagery – A remote sensing and GIS approach. *Urban Forestry & Urban Greening*, 12(3), 307–314. doi:10.1016/j.ufug.2013.03.011

Seto KC, Fragkias M, Güneralp B, Reilly MK (2011) A Meta-Analysis of Global Urban Land Expansion. *PLoS ONE* 6(8): e23777. doi:10.1371/journal.pone.0023777

Shahrzad Gharabaghi, Emily Stahl and Hossein Bonakdari, Integrated nonlinear daily water demand forecast model (case study: city of Guelph, Canada), *Journal of Hydrology*, 10.1016/j.jhydrol.2019.124182, (124182), (2019).

Singh, L. K., Jha, M. K., & Chowdary, V. M. (2017). Multi-criteria analysis and GIS modeling for identifying prospective water harvesting and artificial recharge sites for sustainable water supply. *Journal of Cleaner Production*, 142, 1436–1456.

Sirisena P, Noordeen F, Kurukulasuriya H, Romesh TA, Fernando L. Effect of Climatic Factors and Population Density on the Distribution of Dengue in Sri Lanka: A GIS Based Evaluation for Prediction of Outbreaks. *PLoS One*. 2017;12(1):e0166806. Published 2017 Jan 9. doi:10.1371/journal.pone.0166806

Sladecek V. (1973). System of water quality from biological point of view. *Advances in Limnology* (7): 218

Snow J. (1854). On the mode of communication of cholera. John Churchill, London, UK. <http://www.ph.ucla.edu/epi/snow.html>, access date: Apr, 2016.

Uchida,H.,& Nelson,A.(2010).Agglomeration index: Towards a new measure of urban concentration.World Insititute for Development Economics Research

United Nations, Department of Economic and Social Affairs, Population Division (2018). World Population Policies 2015: Highlights(ST/ESA/SER.A/373).

Voogd, J. H. (1982). *Multicriteria evaluation for urban and regional planning*. Delft: Delftsche UitgeversMaatschappij.

Wada, Y., L. P. H. van Beek, D. Viviroli, H. H. Dürr, R. Weingartner, and M. F. P. Bierkens (2011), Global monthly water stress: 2. Water demand and severity of water stress, *Water Resour. Res.*, doi:10.1029/2010WR009792, in press

Woodward, A., Hales, S., Litidamu, N., Philips, D. & Martin, J.2000 Protecting human health in a changing world: the role of social and economic development. *Bull. Wld Health Orgn* 78(9), 1148–1155.

World Bank.(2018).World Development Indicators. Retrieved from ://databank.worldbank.org/data/

WWAP (World Water Assessment Programme). 2020. The United Nations World Water Development Report 4: Water and Climate Change. Paris, UNESCO

Yalcin, M. A GIS-Based Multi-Criteria Decision Analysis Model for Determining Glacier Vulnerability. ISPRS Int. J. Geo-Inf. 2020, 9, 180.

Zandbergen, Paul & Hall, Ken. (1998). Analysis of the British Columbia Water Quality Index for Watershed Managers: a Case Study of Two Small Watersheds. Water Quality Research Journal of Canada. 33. 519-549. 10.2166/wqrj.1998.030.