

REFERENCES

- [1] Zhang, Yuanhui, *INDOOR AIR QUALITY ENGINEERING*, Boca Raton London New York Washington, D.C.: CRC PRESS, 2004.
- [2] M. Rajagopal Kannan and C. CMIOSH, "Breathing Rates and Breathing Air Constituents," *International Journal of Innovative Science, Engineering & Technology*, vol. 2, no. 4, 2015.
- [3] "What is the human daily intake of air, water and food?," Air Academy Swegon, 29 January 2021. [Online]. Available: <https://www.swegonairacademy.com/2021/01/29/human-daily-intake-of-air-water-and-food/>. [Accessed 22 March 2021].
- [4] B. S. a. T. L. M. Maroni, Ed., "AIRQUALITYMONOGRAPH vol3," in *INDOORAIRQUALITY A COMPREHENSIVE REFERENCEBOOK*, Elsevier Science B.V, 1995.
- [5] ASHRAE, "Ventilation for Acceptable Indoor Air Quality," *ANSI/ASHRAE Standard 62.1*, 2013.
- [6] K. Vimalanathan and T. R. Babu, "The effect of indoor office environment on the work performance, health and well-being of office workers," *Journal of Environmental Health Science*, vol. 12, no. 113, 2014.
- [7] D. P. Wyon, "The effects of indoor air quality on performance and productivity," *INDOOR AIR*, no. 14, pp. 92-101, 2004.
- [8] Senior Environmental Officer, R.N.R Jayarathna, Ceral Environmental Authority, "Management of Air Pollution in Sri Lanka," *Economic Review: June / July 2008*.

- [9] World Health Organization, "WHO guidelines for indoor air quality: selected pollutants," 2010.
- [10] ASHRAE Fundamentals, "Air Contaminants," 2009.
- [11] V. V. Kadam, L. Wang and R. Padhye, "Electrospun nanofibre materials to filter air pollutants _ A review," *Journal of Industrial Textiles*, pp. 1-28, 2016.
- [12] Spengler, J D; Samet, J M; McCarthy, J F, *Indoor Air Quality Handbook*, McGraw-Hill, 20004.
- [13] "Sri Lanka Labour Force Survey," Colombo, 2017.
- [14] "SHOP AND OFFICE EMPLOYEES ACT," in *Part I :REGULATION OF HOURS OF EMPLOYMENT IN SHOPS AND OFFICES AND HEALTH AND COMFORT OF EMPLOYEES*, 9th August 1954.
- [15] 2019. [Online]. Available: https://www.who.int/occupational_health/topics/workplace/en/index1.html.
- [16] Nandasena.et.al, "Air pollution and health in Sri Lanka: a," 2010.
- [17] ROSENFELD, WILLIAM J. FISK AND ARTHUR H., "Estimates of Improved Productivity and Health from Better Indoor Environments," *Indoor Air*, no. 7, pp. 158-172, 1997.
- [18] Premasiri H.D.S., Jayasinghe C, Rajepakse I., "The Effect of Indoor Air Quality in Office Building on Occupant Illnesses Symptoms (Sick Building Syndrome)," in *Secon National Symposium on Air Resource Management in Sri Lanka*, 2006.
- [19] HDS Premasiri, HD Kumarapeli, "Improvement of Indoor Environmental Quality (IEQ) in Office Buildings by using Mechanical and Phytoremediation Methods," in *8th Annual NBRO Symposium*, Colombo, January 2018.

- [20] Alberts, W. Michael, "Indoor air pollution: NO, NO, CO, and CO₂," *J ALLERGY CLIN IMMUNOL*, vol. 94, no. 2, pp. 289-295, August 1994.
- [21] I. D. o. P. Health, 2020. [Online]. Available: <http://www.dph.illinois.gov/topics-services/environmental-health-protection/toxicology/indoor-air-quality-healthy-homes/idph-guidelines-indoor-air-quality>.
- [22] László Kajtár, Levente Herczeg, "Influence of carbon-dioxide concentration on human well-being and intensity of mental work," *IDŐJÁRÁS - Quarterly Journal of the Hungarian Meteorological Service*, vol. 116, no. 2, pp. 145-169, 2012.
- [23] T. . A. Jacobson, J. S. Kler and M. T. Hernke, "Direct human health risks of increased atmospheric carbon dioxide," *Nature Sustainability*, 2019.
- [24] Kenichi Azuma, Naoki Kagib, U. Yanagi, Haruki Osawa, "Effects of low-level inhalation exposure to carbon dioxide in indoor environments: A short review on human health and psychomotor performance," *Environment International*, vol. 121, pp. 51-56, 2018.
- [25] Usha Satish, Mark J. Mendell, Krishnamurthy Shekhar, Toshifumi Hotchi, Douglas Sullivan, Siegfried Streufert and William J. Fisk, "Is CO₂ an Indoor Pollutant? Direct Effects of Low-to-Moderate CO₂ Concentrations on Human Decision-Making Performance.," 2012.
- [26] Nyuk Hien Wong, Bernard Huang, "Comparative study of the indoor air quality of naturally ventilated and air-conditioned bedrooms of residential buildings in Singapore," *Building and Environment*, vol. 39, pp. 1115-1123, January 2004.
- [27] James T. Milner, Helen M. ApSimon, Ben Croxford, "Spatial variation of CO concentrations within an office building and outdoor influences," *Atmospheric Environment*, no. 40, p. 6338–6348, 2006.

- [28] ISO/DIS 16890-1, Technical specifications, requirements and efficiency classification system based upon Particulate Matter (PM), ISO, 2014.
- [29] W. W. E., "Fine and Coarse Particles: Chemical and Physical Properties Important for the Standard-Setting Process," *Air Pollution in 21st Century – Priority Issues and Policy*, pp. 87-116, 1998.
- [30] Klara Slezakova, Simone Morais, Maria do Carmo Pereira, "Indoor Air Pollutants: Relevant Aspects and Health Impacts," Portugal.
- [31] WHO, "WHO Air quality guidelines on particulate matter, ozone, nitrogen dioxide and sulfur dioxide," *Global update 2005, Summary of risk assessment*, 2005.
- [32] Kotzias, Dr. Dimtrios, "The INDEX project," *Critical appraisal of the setting and implementation of indoor exposure limits in the EU*, no. European Commission Joint Research Centre, 2005.
- [33] "Report No 19_Total Volatile Organic Compounds (TVOC) in Indoor Air Quality Investigations," Luxembourg, 1997.
- [34] Joseph V. Behar, Stephen C. Hern, William H. Engelmann, "The National Human Activity Pattern Survey," 1996.
- [35] "Our World in Data," Oxford Martin School, University of Oxford , [Online]. Available: <https://ourworldindata.org/time-use>. [Accessed 12 February 2021].
- [36] S. A. A. GLANCE:ASIA/PACIFIC, "How do People in the Asia/Pacific Region Spend their Time?," *OECD*, 2011.
- [37] "Sri Lanka Time Use Survey- Final Report," Department of Census and Statistics, Ministry of Finance, Economy and Policy Development, 2017.

- [38] "Report No. 10: Effects of Indoor Air Pollution on Human Health," Luxembourg, 1991.
- [39] Hoskins, John A, "Health Effects due to Indoor Air Pollution," *Indoor and Build Environment*, no. 12, p. 427–433, May 2003.
- [40] W. H. Organization, "Health and Environment in Sustainable Development: Five Years after the Earth Summit," in *Programmes on Health and Environment*, Geneva, 1997.
- [41] B. R. Gurjar, L. T. Molina and C. S. P. Ojha, Eds., Air Pollution: Health and Environmental Impacts, 1st ed., New York: CRC press: Taylor & Francis Group, 2010.
- [42] United States Environmental Protection Agency, "Indoor Air Facts No.4 (revised): Sick Building Syndrome," *Air and Radiation*, 1991.
- [43] HORVATH, EDWARD P., "Building related illness and sick building syndrome: from the specific to the vague," *Cleveland Clinic Journal of Medicine*, vol. 64, no. 6, pp. 303-309, June 1997.
- [44] K. k, "Sick building syndrome and building-related illness," *Environmental and Occupational Medicine*, 2007.
- [45] S. A. Abdul-Wahab, Ed., Sick Building Syndrome in Public Buildings and Workplaces, Springer Heidelberg Dordrecht London New York, 2011.
- [46] R. J. Laumbach, "Sick Building Syndrome," *Elsevier*, 2008.
- [47] Fard, Reza Fouladi; Hosseini, Reza Mohammad; Faraji, Maryam; Oskouei, Alireza Omid, "Building characteristics and sick building syndrome among primary school students," *Sri Lanka Journal of Child Health*, vol. 47, no. 4, pp. 332-337, 2018.

- [48] P. B. R.-B. A.Hedge, "Work-Related Illness in Offices: A Proposed Model of the " Sick Building Syndrome", " *Environmental International*, vol. 15, pp. 143-158, 1989.
- [49] H. A. N. Wijerathne, G. I. Karunasena and B. H. Mallawaarachchi, "STUDY ON SICK BUILDING SYNDROME IN OFFICE ENVIRONMENT," in *World Construction Conference 2012 – Global Challenges in Construction Industry*, Colombo, 2012.
- [50] R.Kosonen, F.Tan, "The effect of perceived indoor air quality on productivity loss," *Energy and Buildings*, vol. 36, p. 981–986, 2004.
- [51] Z.Bako-Biro, P.Wargocki, C.J. Weschler, P.O. Fanger, "Effects of pollution from personal computers on perceived air quality, SBS symptoms and productivity in offices," *Indoor Air*, no. 14, pp. 178-187, 2004.
- [52] J. Park, C. Yoon, "he effects of outdoor air supply rate on work performance during 8-h work period," *Indoor Air*, no. 21, pp. 284-290, 2011.
- [53] PAWEL WARGOCKI, DAVID P. WYON, YONG K. BAIK, GEO CLAUSEN AND P. OLE FANGER, "Perceived Air Quality, Sick Building Syndrome (SBS) Symptoms and Productivity in an Office with Two Different Pollution Loads," *Indoor Air*, no. 9, p. 165–179, 1999.
- [54] Settimo, S. Capolongo and G., "Indoor Air Quality in Healing Environments: Impacts of Physical,Chemical, and Biological Environmental Factors on Users," *Indoor Air Quality in Healthcare Facilities*, 2017.
- [55] L. FANG, G. CLAUSEN AND P. O. FANGER, "Impact of Temperature and Humidity on Chemical and Sensory Emissions from Building Materials," *INDOOR AIR*, vol. 9, p. 193–201, 1999.

- [56] Batagoda J.H, Jayasinghe C, "Effect of Building Ventilation on Indoor Environment," in *International Conference on Sustainable Built Environment (ICSBE)*, Kandy, 2010.
- [57] I. TURIEL, C. D. HOLLOWELL, R. R. MIKSCH, J. V. RUDY, R. A. YOUNG, M. J. COVE, "The Effects of Reduced Ventilation on Indoor Air Quality in an Office Building," *Atmospheric Environment*, vol. 17, no. 1, pp. 51-64, 1983.
- [58] Tianchen Ruan, Donghyun Rim, "Indoor air pollution in office buildings in mega-cities: Effects of filtration efficiency and outdoor air ventilation rates," *Sustainable Cities and Society*, no. 49, 219.
- [59] Goyer, Nicole, "Chemical Contaminants in Office Buildings," *American Industrial Hygiene Association Journal*, vol. 51, no. 12, pp. 615-619, 1990.
- [60] T. S. L. M. Heidi Salonen, "Human exposure to NO₂ in school and office indoor environments," *Environment International*, vol. 130, no. 1044887, 2019.
- [61] Hugo Destailatsa, Randy L, Maddalena, Brett C.Singera, Alfred T. Hodgsona, Thomas E. McKone, "Indoor pollutants emitted by office equipment: A review of reported data and information needs," *Atmospheric Environment*, no. 42, p. 1371–1388, October 2007.
- [62] Ari, Akif, "A comprehensive study on gas and particle emissions from laser printers: Chemical composition and health risk assessment," *Atmospheric Pollution Research*, pp. 1309-1042, 2019.
- [63] D. Saraga , S. Pateraki , A. Papadopoulos , Ch. Vasilakos , Th. Maggos, "Studying the indoor air quality in three non-residential environments of different use: A museum, a printery industry and an office," *Building and Environment*, no. 46, p. 2333e2341, 2011.

- [64] William W. Nazaroff, Charles J. Weschler, "Cleaning products and air fresheners: exposure to primary and secondary air pollutants," *Atmospheric Environment*, no. 38, pp. 2841-2865, 2004.
- [65] Perera T.M, Jayasinghe C, Perera S.A.S, "DISPERSION OF POLLUTANTS IN AN ENCLOSED ROOM: A CASE STUDY ON AIR FRESHENER," in *Special Session on Green Building, 4th International Conference on Structural Engineering and Construction Management 2013*, Kandy, Sri Lanka, 2013.
- [66] P. Alspach, A. Leed and A. Seattle, "ASHRAE 62.1: A review of key requirements and concepts," *Consulting - Specifying Engineer*, 15 July 2013. [Online]. Available: <https://www.csemag.com/articles/ashrae-62-1-a-review-of-key-requirements-and-concepts/>. [Accessed 17 April 2021].
- [67] "ANSI/ASHRAE Standard 62.1: Ventilation for Acceptable Indoor Air Quality," 2016.
- [68] Sabah Ahmed Abdul-Wahab, Stephen Chin Fah En, Ali Elkamel, Lena Ahmadi, Kaan Yetilmezsoy, "A review of standards and guidelines set by international bodies for the parameters of indoor air quality," *Atmospheric Pollution Research*, vol. 6, pp. 751-767, 2015.
- [69] "ASHRAE 55: Thermal Environmental Conditions for Human Occupancy," 2010.
- [70] The Government of the Hong Kong Special Administrative Region, Indoor Air Quality Management Group, "A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places," Hong Kong, 2003.
- [71] "LEED v4.1: Operations and Maintenance," U.S. Green Building Council, 2021.
- [72] U. G. B. Council, "LEED v4.1 INTERIOR DESIGN AND CONSTRUCTION," 2019.

- [73] P. H. K. B. D. N. Samarakkody R.P., "Use of Passive Air Quality Monitoring Techniques for Regional Air Pollution Monitoring : Potential and Limitations," Colombo , 2002.
- [74] "AccuWeather," AccuWeather Inc., [Online]. Available: <https://www.accuweather.com/en/lk/colombo/311399/february-weather/311399?year=2022>. [Accessed 10 March 2022].
- [75] M. Hussin, M. Ismail and M. Ahmad, "Air-conditioned university laboratories: Comparing CO₂ measurement for centralized and split-unit systems," *Journal of King Saud University - Engineering Sciences* , 2014.
- [76] R. L. Corsi, . J. A. Siegel and C. Chiang, "Particle Resuspension During the Use of Vacuum Cleaners on Residential Carpet," *Journal of Occupational and Environmental Hygiene*, vol. 4, no. 5, p. 232–238, 2008.
- [77] C. Cacho, G. V. Silva, A. O.Martins, E. O. Fernandes, D. E. Saraga and C. Dimitroulopoulou, "Air pollutants in office environments and emissions from electronic equipment: A Review," *Fresenius Environmental Bulletin*, vol. 22, no. 9, pp. 2488 - 2497, 2013.
- [78] I. Berrios, J. Zhang, B. Guo, J. Smith and Z. Zhang, "volatile organic compounds (VOCs) emissions from sources in a partitioned office environment and their impact on IAQ," ResearchGate, 29 January 2005. [Online]. Available: <https://www.researchgate.net/publication/237231988>.
- [79] T. Kapwata, B. Language, S. Piketh and C. Y. Wright, "Variation of Indoor Particulate Matter Concentrations and Association with Indoor/Outdoor Temperature: A Case Study in Rural Limpopo, South Africa," *Atmosphere*, vol. 9, no. 124, 2018.

[80] Batterman et al., "Particulate matter concentrations in residences: an intervention study evaluating stand-alone filters and air conditioners," *Indoor Air*, 2014.