

REFERENCES

- [1] PHMSA, “Incident Statistics | PHMSA,” 2017. <https://www.phmsa.dot.gov/hazmat-program-management-data-and-statistics/data-operations/incident-statistics> (accessed Jan. 03, 2018).
- [2] J. Stephens, “Careless Workers Blamed for Explosion,” *Observer Reporter*, p. 122, 1989.
- [3] F. Heinz, “Milford Pipeline Fire May Burn for 36 Hours,” *NBCDFW*, 2013. <http://www.nbcdfw.com/news/>.
- [4] NACE, “Investigation report on San Bruno pipeline rupture cites lax safety approach , inadequate oversight as probable causes of accident,” *Mater. Perform.*, vol. 50, no. August, pp. 18–19, 2011.
- [5] A. Aljaroudi, F. Khan, A. Akinturk, M. Haddara, and P. Thodi, “Risk assessment of offshore crude oil pipeline failure,” *J. Loss Prev. Process Ind.*, vol. 37, pp. 101–109, 2015, doi: 10.1016/j.jlp.2015.07.004.
- [6] C. T. Yeo, J. Bhandari, R. Abbassi, V. Garaniya, S. Chai, and B. Shomali, “Dynamic risk analysis of offloading process in floating liquefied natural gas (FLNG) platform using Bayesian network,” *J. Loss Prev. Process Ind.*, vol. 41, pp. 259–269, 2016, doi: 10.1016/j.jlp.2016.04.002.
- [7] V. Villa, N. Paltrinieri, F. Khan, and V. Cozzani, “Towards dynamic risk analysis: A review of the risk assessment approach and its limitations in the chemical process industry,” *Saf. Sci.*, vol. 89, pp. 77–93, 2016, doi: 10.1016/j.ssci.2016.06.002.
- [8] K. H. Kalantarnia, M, F I Khan, “isk Assessment and Management Using Accident Precursors Modeling in Offshore Process Operation,” in *International Conference on Offshore Mechanics and Arctic Engineering*, 2009, pp. 793– 802.
- [9] M. Kalantarnia, F. Khan, and K. Hawboldt, “Modelling of BP Texas City refinery accident using dynamic risk assessment approach,” *Process Saf. Environ. Prot.*, vol. 88, no. 3, pp. 191–199, 2010, doi: 10.1016/j.psep.2010.01.004.
- [10] N. Paltrinieri, A. Tugnoli, J. Buston, M. Wardman, and V. Cozzani, “Dynamic Procedure for Atypical Scenarios Identification (DyPASI): A new systematic HAZID tool,” *J. Loss Prev. Process Ind.*, vol. 26, no. 4, pp. 683–695, 2013, doi: 10.1016/j.jlp.2013.01.006.
- [11] O. Zadakbar, S. Imtiaz, and F. Khan, “Dynamic Risk Assessment and Fault Detection Using Principal Component Analysis,” *Ind. Eng. Chem. Res.*, vol. 52, no. 2, pp. 809–816, 2013, doi: 10.1021/ie202880w.

- [12] N. Paltrinieri, F. Khan, P. Amyotte, and V. Cozzani, “Dynamic approach to risk management: Application to the Hoeganaes metal dust accidents,” *Process Saf. Environ. Prot.*, vol. 92, no. 6, pp. 669–679, 2014, doi: 10.1016/j.psep.2013.11.008.
- [13] N. Paltrinieri and G. Scarponi, “Addressing Dynamic Risk in the Petroleum Industry by Means of Innovative Analysis Solutions,” *Chem. Eng. Trans.*, vol. 36, pp. 451–456, 2014, doi: 10.3303/CET1436076.
- [14] N. Khakzad, F. Khan, and P. Amyotte, “Dynamic risk analysis using bow-tie approach,” *Reliab. Eng. Syst. Saf.*, vol. 104, pp. 36–44, 2012, doi: 10.1016/j.ress.2012.04.003.
- [15] R. Ferdous, F. Khan, R. Sadiq, P. Amyotte, and B. Veitch, “Analyzing system safety and risks under uncertainty using a bow-tie diagram: An innovative approach,” *Process Saf. Environ. Prot.*, vol. 91, no. 1–2, pp. 1–18, 2013, doi: 10.1016/j.psep.2011.08.010.
- [16] A. Badreddine and N. Ben Amor, “A Bayesian approach to construct bow tie diagrams for risk evaluation,” *Process Saf. Environ. Prot.*, vol. 91, no. 3, pp. 159–171, 2013, doi: 10.1016/j.psep.2012.03.005.
- [17] F. Ruggeri, F. Faltin, and R. Kenett, “Bayesian networks,” *Encycl. Stat. Qual. Reliab.*, vol. 1, no. 1, p. 4, 2007, doi: 10.1002/wics.48.
- [18] R. E. Neapolitan, “Learning Bayesian networks,” *Int. J. Data Min. Bioinform.*, vol. 4, pp. 505–19, 2010, doi: 10.1016/j.jbi.2010.03.005.
- [19] J. Wu, R. Zhou, S. Xu, and Z. Wu, “Probabilistic analysis of natural gas pipeline network accident based on Bayesian network,” *J. Loss Prev. Process Ind.*, vol. 46, pp. 126–136, 2017, doi: 10.1016/j.jlp.2017.01.025.
- [20] D. Husmeier, R. Dybowski, and S. Roberts, *Probabilistic Modeling in Bioinformatics and Medical Informatics*, 1st ed. United States of America: Springer, 2005.
- [21] N. Khakzad, F. Khan, and P. Amyotte, “Dynamic Safety analysis of process systems by mapping bow-tie into Bayesian network Dynamic safety analysis of process systems by mapping,” *Process Saf. Environ. Prot.*, no. January, 2013, doi: 10.1016/j.psep.2012.01.005.
- [22] Gexcon AS, *FLACS v10.5 User’s Manual*. Doxygen, Norway, 2016.
- [23] K. Nilsson, “Preliminary Hazard Analysis of The Natural Gas Delivery Pipeline Between Young And Bomen in NSW,” 2009.
- [24] S. N. Jonkman, “The Use of Individual and Societal Risk Criteria Within the Dutch Flood Safety Policy-Nationwide Estimates of Societal Risk and Policy Applications,” *Risk Anal.*, vol. 31, no. 2, pp. 282–300, 2011, doi:

10.1111/j.1539-6924.2010.01502.x.

- [25] J. M. Schork, "Summary: Societal risk criteria and pipelines," *Process Saf. Prog.*, vol. 31, no. 4, pp. 409–410, Dec. 2012, doi: 10.1002/prs.11522.
- [26] A. Franks, "A Simplified Approach to Estimating Individual Risk A Simplified Approach to Estimating Individual Risk," *Heal. Saf. Exec.*, pp. 3–54, 2004.
- [27] D. Crowl and L. Joseph, *Chemical Process Safety*, 2nd ed. New Jersey: Prentice Hall PTR, 2009.
- [28] RPS, "BowtieXP," 2018. <http://www.bowtiexp.com.au/software/bowtiexp-standard> (accessed Feb. 10, 2018).
- [29] OREDA, *OREDA-Offshore Reliability Data Handbook*, 4th ed. OREDA Participants, 2002.
- [30] C. Yeo, J. Bhandari, R. Abbassi, V. Garaniya, and S. Chai, "Journal of Loss Prevention in the Process Industries Dynamic risk analysis of of fl oating process in fl oating lique fi ed natural gas (FLNG) platform using Bayesian network," vol. 41, pp. 259–269, 2016.
- [31] B. R. T. Hill, B. C. Fimeche, A. D. L. Limited, and C. Cb, "Pipelines risk analysis," pp. 657–670, 1935.
- [32] G. of NSW, "Risk Criteria for Land Use Safety Planning," NSW, 2011. [Online]. Available: www.planning.nsw.gov.au.
- [33] K. Nilsson, "Preliminary Hazard Analysis of the Natural Gas Delivery Pipeline Between Young and Bomen in NSW," Berowra Heights, 2009. [Online]. Available: <https://www.apa.com.au>.