

REFERENCES

- A. Arulampalam, N. M. (2010). Micro-grid control of PV-Wind-Diesel hybrid system with islanded and grid connected operations. *2010 IEEE International Conference on Sustainable Energy Technologies (ICSET)* (pp. 1-6.). Kandy: IEEE.
- A. Florescu, O. S. (2010). The advantages, limitations and disadvantages of Z-source inverter,. *CAS 2010 Proceedings (International Semiconductor Conference)* (pp. 483-486). Sinaia: IEEE.
- A. M. R. Lede, M. G. (2017). Microgrid architectures for distributed generation: A brief review . *2017 IEEE PES Innovative Smart Grid Technologies Conference - Latin America (ISGT Latin America)*, (pp. 1-6.). Quito: IEEE.
- A. Siddiqi and O. L. de Weck. (2008). Modeling Methods and Conceptual Design Principles for Reconfigurable Systems. *J. Mech. Des.*, 130(10).
- A. Siddiqi, .. L. (2008). Modeling Methods and Conceptual Design Principles for Reconfigurable Systems. *Journal of Mechanical Design*, 101-102.
- A.Y. Hatata, E.-H. A.-R. (2016). A Review of Anti-islanding Protection Methods for Renewable Distributed Generation Systems. *Journal of Electrical Engineering*, 1-12.
- Abdalla, I. A. (2013). *Integrated PV and multilevel converter system for maximum power generation under partial shading conditions*. UK: School of Electronic & Electrical Engineering (Leeds).
- Ahmadi, S. S. (2017). Model predictive control of dual-mode operations Z-source inverter: Islanded and grid-connected. *2017 IEEE Energy Conversion Congress and Exposition (ECCE)*, (pp. 4971-4977). Cincinnati, OH: IEEE.
- Ahmed Saidi, B. C. (2017). Simulation and control of Solar Wind hybrid renewable power system. *2017 6th International Conference on Systems and Control (ICSC)*, (pp. 51-56). Batna: IEEE.
- Amit Kumer Podder, N. K. (2018). MPPT methods for solar PV systems: a critical review based on tracking nature. *IET Renewable Power Generation*, 18.
- Andrii Chub, D. V. (2017). Wide Input Voltage Range Photovoltaic Micro converter with Reconfigurable Buck–Boost Switching Stage. *IEEE Transactions on Industrial Electronics* , 5974–5983.
- Bello, E. R. (2017). *Design of a PV-system with batteries for a grid connected building* . Sweden: University of Gavle.
- CEB. (n.d.). *SOURCE: DRAFT FINAL REPORT, FINDINGS OF COMMITTEE APPOINTED TO INVESTIGATE POWER SYSTEM FAILURE ON 27TH SEPTEMBER 2015.*. MINISTRY OF POWER ENERGY AND RENEWABLE.

- Chamana, I. M. (2014). Multi-mode operation of different PV/BESS architectures in a microgrid: Grid-tied and island mode,. *2014 IEEE PES T&D Conference and Exposition* (pp. 1-5). Chicago: IEEE.
- Chapman., N. D. (2007). Boost Converter with a Reconfigurable Inductor. *Power Electronics Specialists Conference* (pp. 1695–1700). Orlando, FL, USA: IEEE.
- Damiano La Manna, V. L. (2014). Reconfigurable electrical interconnection strategies for photovoltaic arrays: A review. *Renewable and Sustainable Energy Reviews*, 412-426.
- Dmitri Vinnikov, A. C. (2016). Multi-Mode Quasi-Z-Source Series Resonant DC / DC Converter for Wide Input Voltage Range Applications. *2016 IEEE Applied Power Electronics Conference and Exposition (APEC)*, 2533-2539.
- E Ghiani, S. M. (2005). Optimal Reconfiguration of Distribution Networks According to the Microgrid Paradigm. *2005 International Conference on Future Power Systems* (pp. 1–6). Amsterdam, Netherlands: IEEE.
- E. Rodriguez-Diaz, E. J.-G.-M. (2017). Real-time Energy Management System for a hybrid AC/DC residential microgrid,, . " *2017 IEEE Second International Conference on DC Microgrids (ICDCM)* (pp. 256-261.). Nuremburg,: IEEE.
- Eiríksson, E. (2017). *Distribution grid capacity for reactive power support*. Sweden: KTH Royal Institute of Technology, School of Electrical Engineering.
- Energy, D. o. (2015, September). Quadrennial Technology Review; An Assesment of Energy Technologies and Reserch Oppotunities. USA.
- F. L. Paukner, C. N. (2015). Inductive filter design for three-phase grid connected power converters. *2015 IEEE 13th Brazilian Power Electronics Conference and 1st Southern Power Electronics Conference (COBEP/SPEC)* (pp. 1-5). Fortaleza, Brazil: IEEE.
- Farid Katiraei, J. R. (2011, May-June). Solar PV Integration Challenges. *IEEE Power and Energy Magazine*, 9(3), 62-71.
- Garrett Fitzgerald, J. M. (2015, OCTOBER). *THE ECONOMICS OF BATTERY ENERGY STORAGE HOW MULTI-USE, CUSTOMER-SITED BATTERIES DELIVER THE MOST SERVICES AND VALUE TO CUSTOMERS AND THE GRID*. Retrieved from 2020 Rocky Mountain Institute: <https://rmi.org/wp-content/uploads/2017/03/RMI-TheEconomicsOfBatteryEnergyStorage-FullReport-FINAL.pdf>
- Gerald Cham Kpu, C. W. (2019). Islanding Detection in a Hybrid Renewable Energy System Microgrid by Utility Side Voltage and Current Measurements. *International Journal of Engineering Research and Technology*. , 858-865.

- Ghullam Mustafa Bhutto, C. B. (2017). Controlled Operation of the Islanded Portion of the International Council on Large Electric Systems (CIGRE) Low Voltage Distribution Network. *energies* . doi:10.3390/en10071021
- Hansen, A., Sørensen, P. E., Hansen, L., & Bindner, H. W. (2001). Models for a Stand-Alone PV System. Denmark: DTU library.
- Ho, Y. Z.-M. (2016). A review on Microgrid architectures and control methods. *2016 IEEE 8th International Power Electronics and Motion Control Conference (IPEMC-ECCE Asia)* (pp. 3149-3156). Hefei: IEEE.
- Hongrae Kim, B. P. (2013). Reconfigurable Solar Converter: A Single-Stage Power Conversion PV-Battery System. *IEEE TRANSACTIONS ON POWER ELECTRONICS* , 3788–3797.
- Iman Mazhari, M. C. (2014). Distributed PV-battery architectures with reconfigurable power conversion units. *2014 IEEE Applied Power Electronics Conference and Exposition (APEC)* (pp. 1-8). Fort Worth, TX, USA: IEEE.
- J. M. Guerrero, M. C. (2013, April). Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *IEEE Transactions on Industrial Electronics*, 1254-1262.
- Jayasundara, D., Karunarathne, A., Edirisooriya, H., Jayasiri, L., Hemapala, K., Karunadasa, J., & K.A.H.Lakshika. (2018). Simulation Performance of Grid Connected Z-Source Solar Inverter with Incremental Conductance MPPT. *2018 2nd International Conference On Electrical Engineering (EECon)* (pp. 26-31). Colombo: IEEE.
- K. A. H. Lakshika, M. K. (2020). Z-Source Inverter based reconfigurable architecture for solar photovoltaic microgrid. *2020 IEEE Region 10 Symposium (TENSymp)* (pp. 1523-1546). Dhaka, Bangladesh: IEEE.
- K. Kanchanee Navoda, A. S. (2017). Optimum Use of Solar Inverter by Feeding Reactive Power at the Night. *Annual Sessions of IESL, The Institution of Engineers, Sri Lanka*, 439 - 446.
- K.A.Himali Lakshika, M. S. (2020). Reconfigurable solar photovoltaic systems: A review,. *Heliyon*, 1-18.
- Kroposki, B. (Performer). (2016, August 24). *Prevention of Unintentional Islands in Power Systems with Distributed Resources*. Power Systems Engineering Center- National Renewable Energy Laboratory-NREL/PR-5D00-67185. Retrieved from National Renewable Energy Laboratory: <https://www.nrel.gov/docs/fy16osti/67185.pdf>
- Leonard Mukwekwe, C. V. (2017). A review of the impacts and mitigation strategies of high PV penetration in low voltage networks. *2017 IEEE PES PowerAfrica* (pp. 274-279.). Accra: IEEE.

- Leonics. (n.d.). *How to Design Solar PV System*. Retrieved from Leonics:
http://www.leonics.com/support/article2_12j/articles2_12j_en.php
- Low, H. W. (2013, June). *Control of Grid Connected Active Converter - Design of Control Strategies for Grid Synchronization*. Retrieved from semantic scholar:
<https://pdfs.semanticscholar.org/ba9d/e45b6b37f8d1f100bcdf906e187ebe1fcfb2.pdf>
- Lubna Mariam, M. B. (2013). A Review of Existing Microgrid Architectures. *Journal of Engineering* , 1-8.
- M. Hanif, M. B. (2011). Understanding the operation of a Z-source inverter for photovoltaic application with a design example. *IET Power Electronics*, 4 (3), p. 278,.
- M. Malinowski, J. I.-R. (2017, Nov.). Solar Photovoltaic and Thermal Energy Systems: Current Technology and Future Trends. *Proceedings of the IEEE*, vol. 105, pp. 2132-2146.
- Maknouninejad, A., Kutkut, N., Batarseh, I., & Qu, Z. (2011). Analysis and Control of PV Inverters Operating in VAR Mode at Night. *Innovative Smart Grid Technologies (ISGT) 2011* (pp. 1-5). Anaheim, CA, USA: IEEE.
- Masoud Farhoodnea, A. M. (2012). Power quality impact of grid-connected photovoltaic generation system in distribution networks,. *2012 IEEE Student Conference on Research and Development (SCOReD)* (pp. 1-6). Pulau Pinang: IEEE.
- Mehdi Hosseinzadeh, F. R. (2020). Islanding Fault Detection in Microgrids—A Survey. *Energies*, 1-28. doi:0.3390/en13133479
- Ming-tang Chen, S.-h. L.-B.-Y. (2016). Implementing a Single- Phase Quasi-Z-Source Inverter with the Indirect Current Control Algorithm for a Reconfigurable PV System. *IEEE International Conference on Industrial TechnoTechnology (ICIT)* (pp. 323–328). Taipei, Taiwan: IEEE.
- Min-Sung Kim, R. H.-J.-H.-Y. (2019). Comprehensive Review of Islanding Detection Methods for Distributed Generation Systems. *Energies*, 1-21.
- Mohamed A. Eltawil, Z. Z. (2010). Grid-connected photovoltaic power systems: Technical and potential problems—A review. *Renewable and Sustainable Energy Reviews*, 112-129.
- Most Nahida Akter, M. A. (2017). A hierarchicaltransactive energy management system for energy sharing in residentialmicrogrids. *Energies*, 10(12).
- N. Solanki and J. Patel. (2016). 2016 IEEE 1st International Conference on Power Electronics Intelligent Control and Energy Systems (ICPEICES),. *Utilization of PV solar farm for Grid Voltage regulation during night; analysis & control* (pp. 1-5). Delhi, : IEEE.

- Nikhil Sasidharan, J. G. (2017). A Novel Single-Stage Single-Phase Reconfigurable Inverter Topology for a Solar Powered Hybrid AC/DC Home. *IEEE Transactions on Industrial Electronics*, 2820–2828.
- Orawan Pooori, C. C. (2016). Harmonics Impact of Rooftop Photovoltaic Penetration Level on Low Voltage Distribution System. *International Journal of Electronics and Electrical Engineering*, 221-225.
- P. K. Peter, V. (2012). On the Input Resistance of a Reconfigurable Switched Capacitor DC–DC Converter-Based Maximum Power Point Tracker of a Photovoltaic Source. *IEEE Transactions on Power Electronics*, 4880-4893.
- Paul Denholm, R. M. (2007). Evaluating the limits of solar photovoltaics (PV) in electric power systems utilizing energy storage and other enabling technologies. *Energy Policy*, 4424-4433.
- Peng, F. Z. (2003). Z-source inverter. *IEEE Transactions on Industry Applications*, 39(2), 504-510. doi:10.1109/TIA.2003.808920
- Phillip Oliver Kriett, M. S. (2012, June). Optimal control of a residential microgrid. *Energy*, 42(1), 321-330. Retrieved from <https://doi.org/10.1016/j.energy.2012.03.049>.
- Pushkar Chaudhari, P. R. (2015). Design and Implementation of STATCOM for Reactive Power Compensation and Voltage Fluctuation Mitigation in Microgrid. *2015 IEEE International Conference on Signal Processing, Informatics, Communication and Energy Systems (SPICES)* (pp. 1-5). Kozhikode, India: IEEE.
- R. Gharakhany, M. M. (2009). Reactive power compensation using Z-source based photovoltaic system. *2009 IEEE Power & Energy Society General Meeting* (pp. 1-7). Calgary, AB: IEEE.
- R. K. Varma, S. S. (2011). "Novel application of a PV solar plant as STATCOM during night and day in a distribution utility network. *2011 IEEE/PES Power Systems Conference and Exposition*, (pp. 1-8). Phoenix, AZ, : IEEE.
- R. Rizzo, I. S. (2015). A single input dual buck-boost output reconfigurable converter for distributed generation. *5th International Conference on Clean Electrical Power: Renewable Energy Resources Impact (ICCEP 2015)* (pp. 767–774). Taormina; Italy: IEEE.
- Ravikumar, P. M. (2016). Refined Hybrid Microgrid Architecture for the Improvement of Voltage Profile. *Energy Procedia*, 645–654.
- Ruban Preet Kaur, P. N. (2014). Performance Comparison of VSI Based DSTATCOM and ZSI Based DSTATCOM in A Distribution System Network. *IOSR Journal of Electrical and Electronics Engineering*, 30-35. doi:10.9790/1676-09633035
- S. A. K. Mozafari Niapoor, S. D. (2010). PV power system based MPPT Z-source inverter to supply a sensorless BLDC motor. *2010 1st Power Electronic &*

- Drive Systems & Technologies Conference (PEDSTC)* (pp. 111-116).
Tehran, Iran: IEEE.
- S. Liu, W. Y. (2016). Multi-objective optimization dispatch of PV-MG considering demand response actions. *2016 35th Chinese Control Conference (CCC)*. Chengdu.
- Salehi, F. S. (2018). Robust Design of Microgrids With Reconfigurable Topology Under Severe Uncertainty. *IEEE Transactions on Sustainable Energy*, 9(2), 559-569.
- Santiago Grijalva, M. U. (2011). Prosumer-based smart grid architecture enables a flat, sustainable electricity industry. *ISGT 2011* (pp. 1-6). Anaheim, CA, USA: IEEE. doi:0.1109/ISGT.2011.5759167
- Shaw, P. (2015). Modeling and Control of a Battery Connected Standalone Photovoltaic System. In P. Shaw, *Modeling and Control of a Battery Connected Standalone Photovoltaic System* (p. 69). Odish: National Institute of Technology Rourkela .
- Sicong Tan, J. X. (2012). Optimization of Distribution Network Incorporating Microgrid Using Vaccine-AIS H. *IECON 2012 - 38th Annual Conference on IEEE Industrial Electronics Society* (pp. 1381–1386). Montreal, QC, Canada: IEEE.
- Singh, K. M. (2017). Multi-Objective Control Algorithm for Small Hydro and SPV Generation Based Dual Mode Reconfigurable System. *IEEE Transactions on Smart Grid*, 1–16.
- Solar, W. (n.d.). *Off-Grid Battery Bank Sizing*. Retrieved from Wholesale Solar: <https://www.wholesalesolar.com/solar-information/battery-bank-sizing>
- Sushil S. Thale, R. G. (2015). A Novel Reconfigurable Microgrid Architecture with Renewable Energy Sources and Storage. . *IEEE Transactions on Industry Applications*, 1805–1816.
- T. Considine, W. C. (2012). “Understanding Microgrids as the Essential Architecture of Smart Energy. *Grid-Interop Forum*.
- Ung, A. A. (2011). Design and Simulation of V2G Bidirectional Inverter and DC-DC Converter. San Luis Obispo : California Polytechnic State University.
- Villalva, M. &. (2009). Modeling and circuit-based simulation of photovoltaic arrays. *Brazilian Power Electronics Conference, COBEP2009. 14*, pp. 1244-1254. Bonito-Mato Grosso do Sul, Brazil: IEEE.
doi:10.1109/COBEP.2009.5347680
- Weck., A. S. (2008). Modeling Methods and Conceptual Design Principles for Reconfigurable Systems,. *Journal of Mechanical Design*, 101-102,.
- Wei Yee Teoh, C. W. (2011). An Overview of Islanding Detection Methods in Photovoltaic Systems . *International Journal of Electrical and Computer*

Engineering, World Academy of Science, Engineering and Technology, 1336
- 1344 .

- Xiongfei Wang, J. M. (2010). Distributed Energy Resources in Grid Interactive AC Microgrids . *2010 2nd IEEE International Symposium on Power Electronics for Distributed Generation Systems* (pp. 806-812). Hefei, China: IEEE.
- Yam P. Siwakoti, F. Z. (2015). Impedance-Source Networks for Electric Power Conversion Part II: Review of Control and Modulation Techniques. *IEEE TRANSACTIONS ON POWER ELECTRONICS*, 1887-1904.
- Yi Huang, M. S. (2006). Z -Source Inverter for Residential Photovoltaic Systems. . *1776 IEEE TRANSACTIONS ON POWER ELECTRONICS*, 1776–1782.
- Zhou Yang, C. N.-M. (2016). A Review on Microgrid Architectures and Control Methods. *International Power Electronics and Motion Control Conference (IPEMC-ECCE Asia)*. IEEE.