
BIBLIOGRAPHY

- Alazzy, A. A., Lü, H., Chen, R., Ali, A. B., Zhu, Y., & Su, J. (2017). Evaluation of Satellite Precipitation Products and Their Potential Influence on Hydrological Modeling over the Ganzi River Basin of the Tibetan Plateau. *Advances in Meteorology*, 2017. <https://doi.org/10.1155/2017/3695285>
- Arnold, J. G., & Fohrer, N. (2005). SWAT2000: current capabilities and research opportunities in applied watershed modelling. *Hydrological Processes*, 19(3), 563–572. <https://doi.org/10.1002/hyp.5611>
- Azari, M., Moradi, H. R., Saghafian, B., & Faramarzi, M. (2016). Climate change impacts on streamflow and sediment yield in the North of Iran. *Hydrological Sciences Journal*, 61(1), 123–133. <https://doi.org/10.1080/02626667.2014.967695>
- Bennett, T. H., & Peters, J. C. (2004). Continuous soil moisture accounting in the Hydrologic Engineering Center Hydrologic Modeling System (HEC-HMS). *Joint Conference on Water Resource Engineering and Water Resources Planning and Management 2000: Building Partnerships*, 104, 1–10. [https://doi.org/10.1061/40517\(2000\)149](https://doi.org/10.1061/40517(2000)149)
- Beven, K. (2001). How far can we go in distributed hydrological modelling? *Hydrology and Earth System Sciences*, 5(1), 1–12. <https://doi.org/10.5194/hess-5-1-2001>
- Bhatta, B., Shrestha, S., Shrestha, P. K., & Talchabhadel, R. (2019). Evaluation and application of a SWAT model to assess the climate change impact on the hydrology of the Himalayan River Basin. *CATENA*, 181, 104082. <https://doi.org/10.1016/J.CATENA.2019.104082>
- Chow, V. T., Maidment, D. R., & Mays, L. W. (1988). *Applied hydrogeology*. Tata McGraw-Hill Education.

- Cunderlik, J. (2003). Hydrologic Model Selection for the CFCAS Project: Assessment of Water Resources Risk and Vulnerability to Changing Climatic Conditions. *Water Resources Research Report*. <https://ir.lib.uwo.ca/wrrr/9>
- De Silva, G., & SB, W. (2015). Event Based Flood Inundation Mapping Under the Impact of Climate Change: A Case Study in Lower Kelani River Basin, Sri Lanka. *Journal of Waste Water Treatment & Analysis*, 07(01), 7–10. <https://doi.org/10.4172/2157-7587.1000228>
- Devkota, L. P., & Gyawali, D. R. (2015). Impacts of climate change on hydrological regime and water resources management of the Koshi River Basin, Nepal. *Journal of Hydrology: Regional Studies*, 4, 502–515. <https://doi.org/10.1016/j.ejrh.2015.06.023>
- Dissanayaka, K. D. C. R., & Rajapakse, R. L. H. L. (2019). Long-term precipitation trends and climate extremes in the Kelani River basin, Sri Lanka, and their impact on streamflow variability under climate change. *Paddy and Water Environment*, February. <https://doi.org/10.1007/s10333-019-00721-6>
- Döscher, R., Acosta, M., Alessandri, A., Anthoni, P., Arneth, A., Arsouze, T., Bergmann, T., Bernadello, R., Bousetta, S., Caron, L.-P., Carver, G., Castrillo, M., Catalano, F., Cvijanovic, I., Davini, P., Dekker, E., Doblas-Reyes, F., Docquier, D., Echevarria, P., ... Zhang, Q. (2021). The EC-Earth3 Earth System Model for the Climate Model Intercomparison Project 6. *Geoscientific Model Development Discussions*, 1–90. <https://doi.org/10.5194/GMD-2020-446>
- Eyring, V., Bony, S., Meehl, G. A., Senior, C. A., Stevens, B., Stouffer, R. J., & Taylor, K. E. (2016). Overview of the Coupled Model Intercomparison Project Phase 6 (CMIP6) experimental design and organization. *Geoscientific Model Development*, 9(5), 1937–1958. <https://doi.org/10.5194/gmd-9-1937-2016>
- Fang, G. H., Yang, J., Chen, Y. N., & Zammit, C. (2015). Comparing bias correction methods in downscaling meteorological variables for a hydrologic impact study in an arid area in China. *Hydrology and Earth System Sciences*, 19(6), 2547–2559. <https://doi.org/10.5194/hess-19-2547-2015>
- Gebre, S. L. (2015). *Application of the HEC-HMS Model for Runoff Simulation of*

- Upper Blue Nile River Basin*. <https://doi.org/10.4172/2157-7587.1000199>
- Ghaffari, G. (2011). The Impact of DEM Resolution on Runoff and Sediment Modelling Results. *Research Journal of Environmental Sciences*, 5(8), 691–702. <https://doi.org/10.3923/rjes.2011.691.702>
- Givati, A., Thirel, G., Rosenfeld, D., & Paz, D. (2019). Climate change impacts on streamflow at the upper Jordan River based on an ensemble of regional climate models. *Journal of Hydrology: Regional Studies*, 21(December 2018), 92–109. <https://doi.org/10.1016/j.ejrh.2018.12.004>
- Gunathilake, G., Panditharathne, P., Gunathilake, A. S., & Warakagoda, N. D. (2019). Application of HEC-HMS Model on Event-Based Simulations in the Seethawaka Ganga River, Sri Lanka. *Sch J Appl Sci Res*, 2(9), 32–40. www.innovationinfo.org
- Gunathilake, M. B., Amaratunga, Y. V., Perera, A., Chathuranika, I. M., Gunathilake, A. S., & Rathnayake, U. (2020). Evaluation of Future Climate and Potential Impact on Streamflow in the Upper Nan River Basin of Northern Thailand. *Advances in Meteorology*, 2020. <https://doi.org/10.1155/2020/8881118>
- Gunathilake, M. B., Karunanayake, C., Gunathilake, A. S., Marasingha, N., Samarasinghe, J. T., Bandara, I. M., & Rathnayake, U. (2021). Hydrological Models and Artificial Neural Networks (ANNs) to Simulate Streamflow in a Tropical Catchment of Sri Lanka. *Applied Computational Intelligence and Soft Computing*, 2021. <https://doi.org/10.1155/2021/6683389>
- Gutmann, E. D., Rasmussen, R. M., Liu, C., Ikeda, K., Gochis, D. J., Clark, M. P., Dudhia, J., & Thompson, G. (2012). A comparison of statistical and dynamical downscaling of winter precipitation over complex terrain. *Journal of Climate*, 25(1), 262–281. <https://doi.org/10.1175/2011JCLI4109.1>
- Hargreaves, G. H., & Allen, R. G. (2003). History and Evaluation of Hargreaves Evapotranspiration Equation. *Journal of Irrigation and Drainage Engineering*, 129(1), 53–63. [https://doi.org/10.1061/\(asce\)0733-9437\(2003\)129:1\(53\)](https://doi.org/10.1061/(asce)0733-9437(2003)129:1(53))
- HMS, H. (2000). Hydrologic Modeling System HEC-HMS Technical Reference

- Manual. *US Army Corps of Engineers, March*, 155. <https://doi.org/CDP-74B>
- Jajarmizadeh, M., Harun, S., & Salarpour, M. (2012). A review on theoretical consideration and types of models in hydrology. *Journal of Environmental Science and Technology*, 5(5), 249–261. <https://doi.org/10.3923/jest.2012.249.261>
- James, K. S., & Clayton, H. H. (1960). *Double-mass Curves*. U.S. Government Printing Office Washington 25,DC. [https://books.google.lk/books?hl=en&lr=&id=Ob7SKSraqXwC&oi=fnd&pg=PA37&dq=double+mass+curve+consistency+rainfall&ots=WkcOm9hYWd&sig=ZH2eQEVxABhYP4juuT4k-XIQo2g&redir_esc=y#v=onepage&q=double mass curve consistency rainfall&f=false](https://books.google.lk/books?hl=en&lr=&id=Ob7SKSraqXwC&oi=fnd&pg=PA37&dq=double+mass+curve+consistency+rainfall&ots=WkcOm9hYWd&sig=ZH2eQEVxABhYP4juuT4k-XIQo2g&redir_esc=y#v=onepage&q=double+mass+curve+consistency+rainfall&f=false)
- Kundu, P. M., & Olang, L. O. (2011). The impact of land use change on runoff and peak flood discharges for the Nyando River in Lake Victoria drainage basin, Kenya. *WIT Transactions on Ecology and the Environment*, 153, 83–94. <https://doi.org/10.2495/WS110081>
- Luo, M., Liu, T., Meng, F., Duan, Y., Frankl, A., Bao, A., & De Maeyer, P. (2018). Comparing bias correction methods used in downscaling precipitation and temperature from regional climate models: A case study from the Kaidu River Basin in Western China. *Water (Switzerland)*, 10(8). <https://doi.org/10.3390/w10081046>
- Madhushankha, J. M. L., & Wijesekera, N. T. S. (2021). (PDF) Application of HEC-HMS Model to Estimate Daily Streamflow in Badddegama Watershed of Gin Ganga Basin Sri Lanka. *The Inistiute of Engineers, Sri Lanka, LIV(01)*, 89–97. https://www.researchgate.net/publication/350325922_Application_of_HEC-HMS_Model_to_Estimate_Daily_Streamflow_in_Badddegama_Watershed_of_Gin_Ganga_Basin_Sri_Lanka
- Mahmood, R., Jia, S., & Babel, M. (2016). Potential Impacts of Climate Change on Water Resources in the Kunhar River Basin, Pakistan. *Water*, 8(1), 23. <https://doi.org/10.3390/w8010023>
- Mehrad, A. T. (2020). Assessment of climate change impacts on environmental

- sustainability in Afghanistan. *E3S Web of Conferences*, 208. <https://doi.org/10.1051/e3sconf/202020801001>
- Nakicenovic, N., Alcamo, J., Davis, G., De Vries, B., Fenhann, J., Gaffin, S., Gregory, K., Gribbler, A., Jung, T. Y., Kram, T., Lebre, E., Rovere, L., Michaelis, L., Mori, S., Morita, T., Pepper, W., Pitcher, H., Price, L., Riahi, K., ... Dadi, Z. (1990). *Special Report on Emissions Scenarios A Special Report of Working Group III of the Intergovernmental Panel on Climate Change*. <http://pure.iiasa.ac.at/id/eprint/6101/>
- Nasimi, M. N. (2018). *Continuous Hydrological Modeling Using Soil Moisture Accounting for Water Resources Assessment in Kelani River Basin , Sri Lanka Using Soil Moisture Accounting for Water Resources Assessment in Kelani River Basin , Sri Lanka*. May.
- O'Neill, B. C., Tebaldi, C., Van Vuuren, D. P., Eyring, V., Friedlingstein, P., Hurtt, G., Knutti, R., Kriegler, E., Lamarque, J. F., Lowe, J., Meehl, G. A., Moss, R., Riahi, K., & Sanderson, B. M. (2016). The Scenario Model Intercomparison Project (ScenarioMIP) for CMIP6. *Geoscientific Model Development*, 9(9), 3461–3482. <https://doi.org/10.5194/gmd-9-3461-2016>
- Samady, K. (2017). *CONTINUOUS HYDROLOGIC MODELING FOR ANALYZING THE CONTINUOUS HYDROLOGIC MODELING FOR ANALYZING THE EFFECTS OF DROUGHT ON THE LOWER COLORADO RIVER IN EFFECTS OF DROUGHT ON THE LOWER COLORADO RIVER IN TEXAS TEXAS Part of the Civil and Environmental Engineering Commons*. <https://doi.org/10.37099/mtu.dc.etr/460>
- Samady, M. K. (2017). Continuous Hydrologic Modeling for Analyzing the Effects of Drought on the Lower Colorado Texas. *Michigan Technological University*, 70.
- Sampath, D. S., Weerakoon, S. B., & Herath, S. (2015). HEC-HMS model for runoff simulation in a tropical catchment with intra-basin diversions – case study of the Deduru Oya river basin, Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 48(1), 1. <https://doi.org/10.4038/engineer.v48i1.6843>
- Sattari, M. T., Rezazadeh-Joudi, A., & Kusiak, A. (2017). Assessment of different

- methods for estimation of missing data in precipitation studies. *Hydrology Research*, 48(4), 1032–1044. <https://doi.org/10.2166/nh.2016.364>
- Schmidli, J., Frei, C., & Vidale, P. L. (2006). Downscaling from GCM precipitation: a benchmark for dynamical and statistical downscaling methods. *International Journal of Climatology*, 26(5), 679–689. <https://doi.org/10.1002/joc.1287>
- Setegn, S. G., Rayner, D., Melesse, A. M., Dargahi, B., & Srinivasan, R. (2011). Impact of climate change on the hydroclimatology of Lake Tana Basin, Ethiopia. *Water Resources Research*, 47(4), 4511. <https://doi.org/10.1029/2010WR009248>
- Sharifi, M. (2015). *Calibration and verification of a-two parameter monthly water balance model and its application potential for evaluation of water resources -a case study of kalu and mahaweli rivers of sri lanka*. <http://dl.lib.uom.lk/handle/123/12954>
- Shrestha, B., Babel, M. S., Maskey, S., Van Griensven, A., Uhlenbrook, S., Green, A., & Akkharath, I. (2013). Impact of climate change on sediment yield in the Mekong River basin: A case study of the Nam Ou basin, Lao PDR. *Hydrology and Earth System Sciences*, 17(1), 1–20. <https://doi.org/10.5194/hess-17-1-2013>
- Shrestha, S., Bajracharya, A. R., & Babel, M. S. (2016). Assessment of risks due to climate change for the Upper Tamakoshi Hydropower Project in Nepal. *Climate Risk Management*, 14, 27–41. <https://doi.org/10.1016/J.CRM.2016.08.002>
- Shrestha, S., Binod Bhatta, Talchabhadel, R., & Viridis, S. G. P. (2022). Integrated assessment of the landuse change and climate change impacts on the sediment yield in the Songkhram River Basin, Thailand. *CATENA*, 209, 105859. <https://doi.org/10.1016/J.CATENA.2021.105859>
- Shrestha, S., Shrestha, M., & Babel, M. S. (2016). Modelling the potential impacts of climate change on hydrology and water resources in the Indrawati River Basin, Nepal. *Environmental Earth Sciences*, 75(4), 1–13. <https://doi.org/10.1007/s12665-015-5150-8>
- Silva, M. M. G. T. De, Weerakoon, S. B., & Herath, S. (2013). Modeling of Event and Continuous Flow Hydrographs with HEC–HMS: Case Study in the Kelani River

-
- Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800–806. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846)
- Song, X. M., Kong, F. Z., & Zhu, Z. X. (2011). Application of Muskingum routing method with variable parameters in ungauged basin. *Water Science and Engineering*, 4(1), 1–12. <https://doi.org/10.3882/J.ISSN.1674-2370.2011.01.001>
- Stocker, T., Dahe, Q., Plattner, G., Tignor, M., & Midgley, P. (2010). IPCC Expert Meeting on Assessing and Combining Multi Model Climate Projections. *National Center for Atmospheric Research*. https://scenarios-climatiques.canada.ca/documents/IPCC_MME_GoodPracticeGuidance_WeightGCMs.pdf
- Stocker, T. F., Qin, D., Plattner, G. K., Tignor, M. M. B., Allen, S. K., Boschung, J., Nauels, A., Xia, Y., Bex, V., & Midgley, P. M. (2013). Climate change 2013 the physical science basis: Working Group I contribution to the fifth assessment report of the intergovernmental panel on climate change. In *Climate Change 2013 the Physical Science Basis: Working Group I Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (Vol. 9781107057). Cambridge University Press. <https://doi.org/10.1017/CBO9781107415324>
- Tanteliniaina, M. F. R., Rahaman, M. H., & Zhai, J. (2021). Assessment of the future impact of climate change on the hydrology of the mangoky river, madagascar using ann and swat. *Water (Switzerland)*, 13(9). <https://doi.org/10.3390/w13091239>
- Terink, W., Hurkmans, R. T. W. L., Torfs, P. J. J. F., & Uijlenhoet, R. (2010). Evaluation of a bias correction method applied to downscaled precipitation and temperature reanalysis data for the Rhine basin. *Hydrology and Earth System Sciences*, 14(4), 687–703. <https://doi.org/10.5194/hess-14-687-2010>
- Teutschbein, C., & Seibert, J. (2012). Bias correction of regional climate model simulations for hydrological climate-change impact studies: Review and evaluation of different methods. *Journal of Hydrology*, 456–457, 12–29. <https://doi.org/10.1016/j.jhydrol.2012.05.052>

- Thapa, G., & Wijesekera, N. T. S. (2017). *Computation and Optimization of Snyder's Synthetic Unit Hydrograph Parameters*. 83–88. <https://doi.org/10.31705/umcsawm.12>
- Tian, P., Mu, X., Liu, J., Hu, J., & Gu, C. (2016). Impacts of Climate Variability and Human Activities on the Changes of Runoff and Sediment Load in a Catchment of the Loess Plateau, China. *Advances in Meteorology*, 2016. <https://doi.org/10.1155/2016/4724067>
- USACE. (2016). *HEC-HMS Hydrologic Modeling System- User Manual*. US Army Corps of Engineers - Hydrologic Engineering Center. https://www.hec.usace.army.mil/software/hec-hms/documentation/HEC-HMS_Users_Manual_4.2.pdf
- USACE. (2021). *Applying the Deficit and Constant Loss Method*. HEC-HMS Tutorials and Guide. <https://www.hec.usace.army.mil/confluence/hmsdocs/hmsguides/applying-loss-methods-within-hec-hms/applying-the-deficit-and-constant-loss-method>
- Voldoire, A., Saint-Martin, D., S n si, S., Decharme, B., Alias, A., Chevallier, M., Colin, J., Gu r my, J. F., Michou, M., Moine, M. P., Nabat, P., Roehrig, R., Salas y M lia, D., S f rian, R., Valcke, S., Beau, I., Belamari, S., Berthet, S., Cassou, C., ... Waldman, R. (2019). Evaluation of CMIP6 DECK Experiments With CNRM-CM6-1. *Journal of Advances in Modeling Earth Systems*, 11(7), 2177–2213. <https://doi.org/10.1029/2019MS001683>
- Wang, S. W., Munkhnasan, L., & Lee, W. K. (2021). Land use and land cover change detection and prediction in Bhutan's high altitude city of Thimphu, using cellular automata and Markov chain. *Environmental Challenges*, 2, 100017. <https://doi.org/10.1016/J.ENVC.2020.100017>
- Wijesekera, N., & Abeynayake, J. (2003). *Watershed similarity conditions for peakflow transposition - a study of river basins in the wet zone of Sri Lanka*. <http://dl.lib.uom.lk/handle/123/8581>
- Wijesekera, N. T. S. (2010). *Surface Water Resources and Climate Change*. National Science Foundation.

https://www.academia.edu/31298757/Surface_Water_Resources_and_Climate_Change

- Wijesekera, N. T. S., & Rajapakse, R. L. H. L. (2013). Mathematical modelling of watershed wetland crossings for flood mitigation and groundwater enhancement – case of the Attanagalu Oya river basin. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 46(3), 55. <https://doi.org/10.4038/engineer.v46i3.6785>
- World Bank DC., W. (2015). *Water and Climate Adaptation Plan for the Sava River Basin : Final Report*. <https://openknowledge.worldbank.org/handle/10986/22944>
License: CC BY 3.0 IGO.
- Yukimoto, S., Kawai, H., Koshiro, T., Oshima, N., Yoshida, K., Urakawa, S., Tsujino, H., Deushi, M., Tanaka, T., Hosaka, M., Yabu, S., Yoshimura, H., Shindo, E., Mizuta, R., Obata, A., Adachi, Y., & Ishii, M. (2019). The Meteorological Research Institute Earth System Model Version 2.0, MRI-ESM2.0: Description and Basic Evaluation of the Physical Component. *Journal of the Meteorological Society of Japan. Ser. II*, 97(5), 2019–2051. <https://doi.org/10.2151/JMSJ.2019-051>
- Zhang, B., Shrestha, N. K., Daggupati, P., Rudra, R., Shukla, R., Kaur, B., & Hou, J. (2018). Quantifying the impacts of climate change on streamflow dynamics of two major rivers of the Northern Lake Erie basin in Canada. *Sustainability (Switzerland)*, 10(8), 2897. <https://doi.org/10.3390/su10082897>
- Zhou, Y., Xu, Y. J., Xiao, W., Wang, J., Huang, Y., & Yang, H. (2017). Climate change impacts on flow and suspended sediment yield in headwaters of high-latitude regions-A case study in China's far Northeast. *Water (Switzerland)*, 9(12). <https://doi.org/10.3390/w9120966>