References

[1] A. Aldalbahi, M. Rahaim, A. Khreishah, M. Ayyash, and T. D. C. Little, "Visible light communication module: An open source extension to the ns3 network simulator with real system validation," *IEEE Access*, vol. 5, p. 22144–22158, 2017.

[2] G. Pan, P. D. Diamantoulakis, Z. Ma, Z. Ding, and G. K. Karagiannidis, "Simultaneous lightwave information and power transfer: Policies, techniques, and future directions," *IEEE Access*, vol. 7, p. 28250–28257, 2019.

[3] A. T. Hussein, "Visible light communication system," *PhD thesis, School of Electronic and Electrical Engineering, University of Leeds*, 2016.

[4] E. Udvary, "Visible light communication survey," *Infocommunications journal*, no. 2, p. 22–31, 2019.

[5] T. Cevik and S. Yilmaz, "An overview of visible light communication systems," *International journal of Computer Networks Communications*, vol. 7, no. 6, p. 139–150, 2015.

[6] S. Rehman, S. Ullah, P. Chong, S. Yongchareon, and D. Komosny, "Visible light communication: A system perspective—overview and challenges," *Sensors*, vol. 19, no. 5, p. 1153, 2019.

[7] M. Z. Chowdhury, M. T. Hossan, A. Islam, and Y. M. Jang, "A comparative survey of optical wireless technologies: Architectures and applications," *IEEE Access*, vol. 6, p. 9819–9840, 2018.

[8] Z. Ghassemlooy, *Visible light communications: theory and applications*. CRC Press, 2019.

[9] M. A. Khalighi and M. Uysal, "Survey on free space optical communication: A communication theory perspective," *IEEE Communications Surveys Tutorials*, vol. 16, no. 4, pp. 2231–2258, 2014.

[10] M. Z. Chowdhury, M. T. Hossan, A. Islam, and Y. M. Jang, "A comparative survey of optical wireless technologies: Architectures and applications," *IEEE Access*, vol. 6, p. 9819–9840, 2018.

[11] X. Chen, C. Min, and J. Guo, "Visible light communication system using silicon photocell for energy gathering and data receiving," *International Journal of Optics*, vol. 2017, p. 1–5, 2017.

[12] T. D. P. Perera, D. N. K. Jayakody, S. Affes, M. Chidambaranathan, and C. Yury, "Wireless-powered hybrid terrestrial and underwater cooperative communication system," *2019 15th International Conference on Distributed Computing in Sensor Systems (DCOSS)*, 2019.

[13] P. D. Diamantoulakis, K. N. Pappi, Z. Ma, X. Lei, P. C. Sofotasios, and G. K. Karagiannidis, "Airborne radio access networks with simultaneous lightwave information and power transfer (slipt)," *2018 IEEE Global Communications Conference (GLOBECOM)*, 2018.

[14] H. G. Sandalidis, A. Vavoulas, T. A. Tsiftsis, and N. Vaiopoulos, "Illumination, data transmission, and energy harvesting: the threefold advantage of vlc," *Applied Optics*, vol. 56, no. 12, p. 3421, 2017.

[15] M. Ali, T. Perera, S. S. Morapitiya, D. N. Jayakody, S. Panic, and S. Garg, *A Hybrid RF/FSO and Underwater VLC Cooperative Relay Communication System,*. 14th International Forum On Strategic Technology-IFOST, 2019.

[16] J. R. Barry, "Wireless infrared communications," 1994.

[17] T. D. P. Perera, D. N. K. Jayakody, S. K. Sharma, S. Chatzinotas, and J. Li, "Simultaneous wireless information and power transfer (swipt): Recent advances and future challenges," *IEEE Communications Surveys Tutorials*, vol. 20, no. 1, p. 264–302, 2018.

[18] G. Pan, H. Lei, Z. Ding, and Q. Ni, "On 3-d hybrid vlc-rf systems with light energy harvesting and oma scheme over rf links," *GLOBECOM 2017 - 2017 IEEE Global Communications Conference*, 2017.

[19] A. M. Abdelhady, O. Amin, A. Chaaban, and M.-S. Alouini, "Resource allocation for outdoor visible light communications with energy harvesting capabilities," *2017 IEEE Globecom Workshops (GC Wkshps)*, 2017.

[20] P. D. Diamantoulakis, G. K. Karagiannidis, and Z. Ding, "Simultaneous lightwave information and power transfer (slipt)," *IEEE Transactions on Green Communications and Networking*, vol. 2, no. 3, 2018.

[21] A. Rauniyar, P. E. Engelstad, and O. N. Osterbo, "On the performance of bidirectional noma-swipt enabled iot relay networks," *IEEE Sensors Journal*, vol. 21, no. 2, p. 2299–2315, 2021.

[22] M. Z. Chowdhury, M. K. Hasan, M. Shahjalal, M. T. Hossan, and Y. M. Jang, "Optical wireless hybrid networks: Trends, opportunities, challenges, and research directions," *IEEE Communications Surveys Tutorials*, vol. 22, no. 2, pp. 930–966, 2020.

[23] W. Liu, J. Ding, J. Zheng, X. Chen, and C.-L. I, "Relay-assisted technology in optical wireless communications: A survey," *IEEE Access*, vol. 8, pp. 194 384–194 409, 2020.

[24] M. A. Khalighi and M. Uysal, "Survey on free space optical communication: A communication theory perspective," *IEEE Communications Surveys & Tutorials*, vol. 16, no. 4, pp. 2231–2258, 2014.

[25] A. S. Hamza, J. S. Deogun, and D. R. Alexander, "Wireless communication in data centers: A survey," *IEEE Communications Surveys & Tutorials*, vol. 18, no. 3, pp. 1572–1595, 2016.

[26] J. S. A. Hamza, Abdelbaset S. Deogun and D. R., "Classification framework for free space optical communication links and systems," *IEEE Communications Surveys & Tutorials*, vol. 21, no. 2, pp. 1346–1382, 2019.

[27] V. Manea, S. Puscoci, and D. A. Stoichescu, "Considerations on interference between fso systems," *2018 10th International Conference on Electronics, Computers and Artificial Intelligence (ECAI)*, 2018.

[28] D. Pauluzzi, P. Mcconnell, and R. Poulin, "Free-space, undirected infrared (ir) voice and data communications with a comparison to rf systems," *1992 IEEE International Conference on Selected Topics in Wireless Communications.*

[29] S. Kaur and A. Kakati, "Analysis of free space optics link performance considering the effect of different weather conditions and modulation formats

for terrestrial communication," *Journal of Optical Communications*, vol. 41, no. 4, p. 463–468, 2020.

[30] N. Dahiya, A. Ahmed, and S. Kaur, "Optimization of free space optical terrestrial link considering different system parameters," *2020 8th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO)*, 2020.

[31] "Li-fi: Light fidelity-the transmission of data through light," *International Journal of Science and Research (IJSR)*, vol. 6, no. 7, p. 196–200, 2017.

[32] L. U. Khan, "Visible light communication: Applications, architecture, standardization and research challenges," *Digital Communications and Networks*, vol. 3, no. 2, p. 78–88, 2017.

[33] L. E. M. Matheus, A. B. Vieira, L. F. M. Vieira, M. A. M. Vieira, and O. Gnawali, "Visible light communication: Concepts, applications and challenges," *IEEE Communications Surveys Tutorials*, vol. 21, no. 4, p. 3204–3237, 2019.

[34] E. Udvary, "Visible light communication survey," *Infocommunications journal*, no. 2, p. 22–31, 2019.

[35] N. Chi, "Visible light communication receiving technology," *LED-Based Visible Light Communications Signals and Communication Technology*, p. 59–90, 2018.

[36] Z. Song and S. Peng, "A simple implementation of long distance visible light communication system," *Management Information and Optoelectronic Engineering*, pp. 349–355, 2017.

[37] K. S. Thai-Chien Bui, Suwit Kiravittaya and N.-H. Nguyen, "A comprehensive lighting configuration for efficient indoor visible light communication networks," *International Journal of Optics*, 2016.

[38] M. S. a. S. M.V. Bhalerao1, "Line of sight model for visible light communication using lambertian radiation pattern of led," *International Journal of Communication Systems*, December 2016.

[39] D. R. B. Dragomir Radu and P. Brandusa, "Irradiance scenario of a non-lambertian intensity led assembly," *Electrical and Power Engineering - EPE*, 2014.

[40] H. L. M. S. R. M. D. Wu, Z. Ghassemlooy and X. Tang, "Optimisation of lambertian order for indoor non-directed optical wireless communication," *2012 1st IEEE International Conference on Communications in China Workshops (ICCC)*, pp. 43–48, 2012.

[41] S. Mr.B.Vinodhkumar, "Implementation of vlc transceiver for audio and video signal using li-fi technology," *IOSR Journal of Engineering (IOSR JEN)*, pp. 27–30, 2019.

[42] G. B. Fatemeh Madani and Z. Ghassemlooy, "Effect of transmitter and receiver parameters on the output signal to noise ratio in visible light communications," *25th Iranian Conference on Electrical Engineering (ICEE2017)*, 2017.

[43] M. M. J. Faisal A. Dahri, Sajjad Ali, "A review of modulation schemes for visible light communication," *IJCSNS International Journal of Computer Science and Network Security*, vol. VOL.18 No.2, 2018.

[44] U. S. M. Amgad F. Aziz, Omar A. M. Aly and, "High efficiency modulation technique for visible light communication (vlc)," *36th NATIONAL RADIO SCIENCE CONFERENCE (NRSC 2019)*, 2019.

[45] T.-C. Bui and S. Kiravittaya, "High efficient modulation techniques for indoor visible light communication," *International Journal of Optics*, 2016.

[46] X. G. N Bamiedakis and I. H. White, "Wireless visible light communications employing feed-forward pre-equalization and pam-4 modulation," *Journal of Lightwave Technology*, 2016.

[47] F. J. A. M. Zaiton, H. R. A. Rahim, "Performance characterization of phase shift keying modulation techniques for indoor visible light communication system," *The 2nd International Conference on Applied Photonics and Electronics (InCAPE 2019)*, 2019.

[48] Z. G. M. U. A. C. Boucouvalas, Periklis Chatzimisios and K. Yiannopoulos, "Standards for indoor optical wireless communications," *IEEE Communications Magazine*, 2015.

[49] X. B. . J.-Y. W. Sheng-Hong Lin, Cheng Liu, "Indoor visible light communications: performance evaluation and optimization," *EURASIP Journal on Wireless Communications and Networking volume*, 2018.

[50] I. U. Edward Fisher and R. Henderson, "A reconfigurable single-photon-counting integrating receiver for optical communications," *IEEE JOURNAL OF SOLID-STATE CIRCUITS*, vol. VOL. 48, NO. 7, 2013.

[51] T. A. Syifaul Fuada, Angga Pratama Putra, "Analysis of received power characteristics of commercial photodiodes in indoor los channel visible light communication," *(IJACSA) International Journal of Advanced Computer Science and Applications*, vol. Vol. 8, No. 7, 2017.

[52] M. Irshad and M. M. Bilal, "An indoor los non-los propagation analysis using visible light communication," *International Journal of Advanced Research in Computer Engineering Technology (IJARCET)*, vol. Volume 7, Issue 10, October 2018.

[53] H.-H. C. Yang Qiu and W.-X. Meng, "Channel modeling for visible light communications—a survey," *WIRELESS COMMUNICATIONS AND MOBILE COMPUTING*, October 2016.

[54] L. H. Yuan Zhuang and H. Haas, "A survey of positioning systems using visible led lights," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, vol. VOL. 20, NO. 3, THIRD QUARTER 2018.

[55] R. M. N. Mohammad Asif Hossain and S. S. Anjum, "A survey on simultaneous wireless information and power transfer with cooperative relay and future challenges," 2019.

[56] L. W. R. M. Jinglan Ou, Hangchuan Shi and H. Wu, "Analysis of swipt-enabled relay networks with full-duplex destination-aided jamming," 2021.

[57] a. J. G. Xiongbin Chen, ChengyuMin, "Visible light communication system using silicon photocell for energy gathering and data receiving," *International Journal of Optics*, vol. Volume 2017, Article ID 6207123, 5 pages, 2017.

[58] A. C. Amr M. Abdelhady, Osama Amin and M.-S. Alouini, "Resource allocation for outdoor visible light communications with energy harvesting capabilities," *IEEE Proceedings*, 2017.

[59] P. D. Diamantoulakis and G. K. Karagiannidis, "Simultaneous lightwave information and power transfer (slipt) for indoor iot applications," *GLOBECOM 2017 - 2017 IEEE Global Communications Conference*, 2017.

[60] H. L. Z. D. Gaofeng Pan, y and Q. Niy, "On 3-d hybrid vlc-rf systems with light energy harvesting and oma scheme over rf links," *IEEE Proceedings*, 2017.

[61] H. L. Gaofeng Pan and Z. Ding, "3-d hybrid vlc-rf indoor iot systems with light energy harvesting," *IEEE Transactions on Green Communications and Networking*, 2018.

[62] M. J. M. D. Mateo Marceli´c, Branimir Iv˘si´c, "Estimation of energy harvesting capabilities for rf and other environmental sources," *IEEE Proceedings*, 2018.

[63] H. L. F. Z. Y. W. Shuai Ma, Fan Zhang and S. Li, "Simultaneous lightwave information and power transfer in visible light communication systems," *IEEE Transactions on Wireless Communications*, 2019.

[64] Z. M. Z. D. GAOFENG PAN, PANAGIOTIS D. DIAMANTOULAKIS and G. K. KARAGIANNIDIS, "Simultaneous lightwave information and power transfer: Policies, techniques, and future directions," *IEEE access*, 2019.

[65] Krikidis, "Simultaneous wireless information and power transfer in modern communication systems," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, 2014.

[66] D. N. D. I. K. X. Lu, P. Wang and Z. Han, "Wireless networks with rf energy harvesting: A contemporary survey," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, vol. vol. 17, no. 2, pp. 757–789, 2015.

[67] Z. Ding, "Application of smart antenna technologies in simultaneous wireless information and power transfer," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, vol. vol. 53, no. 4, pp. 86–93, 2015.

[68] S. Ulukus, "Energy harvesting wireless communications: A review of recent advances," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, vol. vol. 33, no. 3,pp. 360–381,, 2015.

[69] N. Zhao, "Exploiting interference for energy harvesting: A survey, research issues, and challenges," *IEEE Access*, vol. vol. 33, no. 3,pp. 360–381, 2017.

[70] Y. C. M.-L. Ku, W. Li and K. R. Liu, "Advances in energy harvesting communications: Past, present, and future challenges,," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, 2016.

[71] S. U. O. Ozel, K. Tutuncuoglu and A. Yener, "Fundamental limits of energy harvesting communications," *IEEE COMMUNICATIONS SURVEYS TUTORIALS*, vol. vol. 53, no. 4, pp. 126–132, 2015.

[72] H. J. Visser and R. J. M. Vullers, "Rf energy harvesting and transport for wireless sensor network applications: Principles and requirements„" *IEEE proceedings*, vol. vol. 101, no. 6, pp. 1410–1423, 2013.

[73] F. Akhtar and M. H. Rehmani, "Energy harvesting for self-sustainable wireless body area networks," vol. vol. 19, no. 2, pp. 32–40, 2017.

[74] S. Fuada, A. Pratama, and T. Adiono, "Analysis of received power characteristics of commercial photodiodes in indoor los channel visible light communication," *International Journal of Advanced Computer Science and Applications*, vol. 8, no. 7, 2017.

[75] K. J. R. Liu, A. K. Sadek, W. Su, and A. Kwasinski, "Multi-node cooperative communications," *Cooperative Communications and Networking*, p. 194–237.

[76] T. D. P. Perera, D. N. K. Jayakody, S. Affes, M. Chidambaranathan, and C. Yury, "Wireless-powered hybrid terrestrial and underwater cooperative communication system," *2019 15th International Conference on Distributed Computing in Sensor Systems (DCOSS)*, 2019.

[77] T. M. N. N. Sylvester Aboagye, Ahmed Ibrahim and O. A. Dobre, "Vlc in future heterogeneous networks: Energy–and spectral–efficiency optimization," *IEEE Proceedings*, 2020.

[78] A.-M. Căilean and M. Dimian, "Current challenges for visible light communications usage in vehicle applications: A survey," *IEEE Communications Surveys & Tutorials*, 2016.

[79] M. U. F. I. Z. D. X. E. S. K. A. Q. HISHAM ABUELLA, MOHAMMED ELAMASSIE and S. EKIN, "Hybrid rf/vlc systems: A comprehensive survey on network typologies, performance analyses, applications, and future directions," *IEEE Communications Surveys & Tutorials*, 2017.