References

[1] S. Ahmed, M. N. Huda, S. Rajbhandari, C. Saha, M. Elshaw, and S. Kanarachos, "Pedestrian and Cyclist Detection and Intent Estimation for Autonomous Vehicles: A Survey," Applied Sciences, vol. 9, no. 11, p. 2335, Jun. 2019.

[2] World Health Organisation. Global Status Report on Road Safety 2015—Summary; WHO: Geneva, Switzerland, 2015.

[3] Toroyan, T.; Peden, M.M.; Iaych, K. Supporting a decade of action. World Health Organisation 2013, 1, 318, doi:10.1258/jrsm.2010.090426.

[4] Bieshaar, M.; Reitberger, G.; Zernetsch, S.; Sick, B.; Fuchs, E.; Doll, K. Detecting Intentions of Vulnerable Road Users Based on Collective Intelligence. arXiv 2018, arXiv:1809.03916

[5] Robineau, D. Reported Road Casualties Great Britain, Annual Report 2017; Department for Transport: London, UK, 2017.

[6] A. Masalov, J. Ota, H. Corbet, E. Lee and A. Pelley, "CyDet: Improving Camera-based Cyclist Recognition Accuracy with Known Cycling Jersey Patterns," 2018 IEEE Intelligent Vehicles Symposium (IV), Changshu, 2018, pp. 2143-2149, doi: 10.1109/IVS.2018.8500668.

[7] D. Woods, "Volvo car group reveals world-first cyclist detection with full auto brake in geneva," March 2013, https://www.media.volvocars. com/ca/fr-ca/media/pressreleases/48219.

[8] Y. Gu, Z. Shao, L. Qin, W. Lu and M. Li, "A Deep Learning Framework for Cycling Maneuvers Classification," in IEEE Access, vol. 7, pp. 28799-28809, 2019, doi: 10.1109/ACCESS.2019.2898852.

[9] S. Ahmed, M. N. Huda, S. Rajbhandari, C. Saha, M. Elshaw, and S. Kanarachos, "Pedestrian and Cyclist Detection and Intent Estimation for Autonomous Vehicles: A Survey," Applied Sciences, vol. 9, no. 11, p. 2335, Jun. 2019.

[10] Y. Gu, Z. Shao, L. Qin, W. Lu and M. Li, "A Deep Learning Framework for Cycling Maneuvers Classification," in IEEE Access, vol. 7, pp. 28799-28809, 2019.

[11] Fornaciari, Michele & Prati, Andrea & Cucchiara, Rita. (2014). A fast and effective ellipse detector for embedded vision applications. Pattern Recognition. 47. 3693–3708. 10.1016/j.patcog.2014.05.012.

[12] A. Y. Chia, S. Rahardja, D. Rajan and M. K. Leung, "A Split and Merge Based Ellipse Detector With Self-Correcting Capability," in IEEE Transactions on Image Processing, vol. 20, no. 7, pp. 1991-2006, July 2011, doi: 10.1109/TIP.2010.2099127.

[13] X. Li, F. Flohr, Y. Yang, H. Xiong, M. Braun, S. Pan, K. Li and D. M. Gavrila. A New Benchmark for Vision-Based Cyclist Detection. In Proc. of the IEEE Intelligent Vehicles Symposium (IV), Gothenburg, Sweden, pp.1028-1033, 2016.

[14] Janai, Joel & Guney, Fatma & Behl, Aseem & Geiger, Andreas. (2017). Computer Vision for Autonomous Vehicles: Problems, Datasets and State-of-the-Art. Foundations and Trends® in Computer Graphics and Vision. 12. 10.1561/0600000079.

[15] Montella, Corey. (2011). The Kalman Filter and Related Algorithms: A Literature Review.

[16] Oppenheim, Georges & Philippe, Anne & Rigal, Jean. (2008). The particle filters and their applications. Chemometrics and Intelligent Laboratory Systems. 87-93. 10.1016/j.chemolab.2007.09.010.

[17] D. Bernstein, editor. Special Issue on Active Safety, volume 30. Control Systems Magazine, IEEE, aug. 2010

[18] T. Ardeshiri, F. Larsson, F. Gustafsson, T. B. Schön and M. Felsberg, "Bicycle tracking using ellipse extraction," 14th International Conference on Information Fusion, 2011, pp. 1-8.

[19] N. Dalal and B. Triggs. Histograms of oriented gradients for human detection. In Proceedings of the 18th Conference on Computer Vision and Pattern Recognition (CVPR 2005), San Diego, CA, USA, volume 1 of IEEE, pages 886 –893 vol. 1, 2005

[20] P. Dollar, C. Wojek, B. Schiele, and P. Perona. Pedestrian detection: A benchmark. In Proceedings of the 22nd Conference on Computer Vision and Pattern Recognition (CVPR 2009), Miami, Florida, USA., IEEE, pages 304 –311, 2009

[21] H. K. Yuen, J. Illingworth, and J. Kittler. Detecting partially occluded ellipses using the Hough transform. Image Vision Computing, pages 31–37, 1989.

[22] Dutta, Abhishek and Andrew Zisserman. "The VGG Image Annotator (VIA)." ArXiv abs/1904.10699 (2019): n. pag.

[23] K. He, G. Gkioxari, P. Dollár and R. Girshick, "Mask R-CNN," 2017 IEEE International Conference on Computer Vision (ICCV), 2017, pp. 2980-2988, doi: 10.1109/ICCV.2017.322.

[24] R. Girshick, J. Donahue, T. Darrell and J. Malik, "Region-Based Convolutional Networks for Accurate Object Detection and Segmentation," in IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 38, no. 1, pp. 142-158, 1 Jan. 2016, doi: 10.1109/TPAMI.2015.2437384.

[25] S. Ren, K. He, R. Girshick and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," in IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 39, no. 6, pp. 1137-1149, 1 June 2017, doi: 10.1109/TPAMI.2016.2577031.

[26] Kovesi, P.: Edge linking and line segment fitting

[27] Pu, J., Zheng, B., Leader, J.K., Gur, D.: An ellipse-fitting based method for efficient registration of breast masses on two mammographic views. Med. Phys. 35(2), 487– 494 (2008)

[28] Benali Amjoud A., Amrouch M. (2020) Convolutional Neural Networks Backbones for Object Detection. In: El Moataz A., Mammass D., Mansouri A., Nouboud F. (eds) Image and Signal Processing. ICISP 2020. Lecture Notes in Computer Science, vol 12119. Springer, Cham. https://doi.org/10.1007/978-3-030-51935-3_30

[29] Tong, Yan & Lu, Wei & Deng, Qin-qin & Chen, Changzheng & Shen, Yin. (2020). Automated identification of retinopathy of prematurity by image-based deep learning. Eye and Vision. 7. 40. 10.1186/s40662-020-00206-2..

[30] Lin TY. et al. (2014) Microsoft COCO: Common Objects in Context. In: Fleet D., Pajdla T., Schiele B., Tuytelaars T. (eds) Computer Vision – ECCV 2014. ECCV 2014. Lecture Notes in Computer Science, vol 8693. Springer, Cham. https://doi.org/10.1007/978-3-319-10602-1_48

[31] K. He, X. Zhang, S. Ren and J. Sun, "Deep Residual Learning for Image Recognition," 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016, pp. 770-778, doi: 10.1109/CVPR.2016.90.

[32] T. -Y. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan and S. Belongie, "Feature Pyramid Networks for Object Detection," 2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2017, pp. 936-944, doi: 10.1109/CVPR.2017.106.

[33] S. Ren, K. He, R. Girshick and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," in IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 39, no. 6, pp. 1137-1149, 1 June 2017, doi: 10.1109/TPAMI.2016.2577031.

[34] Prasad, D.K., Leung, M.K., Cho, S.-Y.: Edge curvature and convexity based ellipse detection method. Pattern Recogn. 45(9), 3204–3221 (2012)

[35] X. Li et al., "A Unified Framework for Concurrent Pedestrian and Cyclist Detection," in IEEE Transactions on Intelligent Transportation Systems, vol. 18, no. 2, pp. 269-281, Feb. 2017, doi: 10.1109/TITS.2016.2567418.

[36] Z. Li, W. Wang, P. Liu, J. Bigham and D. Ragland, "Modeling Bicycle Passing Maneuvers on Multilane Separated Bicycle Paths", Journal of Transportation Engineering, vol. 139, no. 1, pp. 57-64, 2013. Available: 10.1061/(asce)te.1943-5436.0000480.

[37] G. Grigoropoulos, N. Khabibulin, A. Keler, P. Malcolm and K. Bogenberger, "Detection and Classification of Bicyclist Group Behavior for Automated Vehicle Applications," 2021 IEEE International Intelligent Transportation Systems Conference (ITSC), 2021, pp. 1883-1889, doi: 10.1109/ITSC48978.2021.9564548.

[38] P.D. Kovesi, MATLAB and Octave Functions for Computer Vision and Image Processing (2000 ed.) (/http://www.csse.uwa.edu.au/pk/Research/MatlabFns/ index.htmlS).