
BIBLIOGRAPHY

- Adib, M. N. M., Rowshon, M. K., Mojid, M. A., & Habibu, I. (2020). Projected Streamflow in the Kurau River Basin of Western Malaysia under Future Climate Scenarios. *Scientific Reports*, *10*(1). <https://doi.org/10.1038/S41598-020-65114-W>
- Ahbari, A., Stour, L., Agoumi, A., & Serhir, N. (2018). Estimation of initial values of the HMS model parameters: Application to the basin of Bin El Ouidane (Azilal, Morocco). *Journal of Materials and Environmental Science*, *9*(1), 305–317. <https://doi.org/10.26872/JMES.2018.9.1.34>
- Alahacoon, N., & Edirisinghe, M. (2021). Spatial variability of rainfall trends in Sri Lanka from 1989 to 2019 as an indication of climate change. *ISPRS International Journal of Geo-Information*, *10*(2). <https://doi.org/10.3390/IJGI10020084>
- Ali, M., Khan, S. J., Aslam, I., & Khan, Z. (2011). Simulation of the impacts of land-use change on surface runoff of Lai Nullah Basin in Islamabad, Pakistan. *Landscape and Urban Planning*, *102*(4), 271–279. <https://doi.org/10.1016/J.LANDURBPLAN.2011.05.006>
- Arnold, J. G., Allen, P. M., Muttiah, R., & Bernhardt, G. (1995). Automated Base Flow Separation and Recession Analysis Techniques. *Groundwater*, *33*(6), 1010–1018. <https://doi.org/10.1111/J.1745-6584.1995.TB00046.X>
- Azmat, M., Choi, M., Kim, T. W., & Liaqat, U. W. (2016). Hydrological modeling to simulate streamflow under changing climate in a scarcely gauged cryosphere catchment. *Environmental Earth Sciences*, *75*(3), 1–16. <https://doi.org/10.1007/S12665-015-5059-2>

- Banerjee, A., Chen, R., Meadows, M. E., Singh, R. B., Mal, S., & Sengupta, D. (2020). An Analysis of Long-Term Rainfall Trends and Variability in the Uttarakhand Himalaya Using Google Earth Engine. *Remote Sensing 2020, Vol. 12, Page 709, 12(4)*, 709. <https://doi.org/10.3390/RS12040709>
- Bao, Z., Liu, J., Zhang, J., Fu, G., Wang, G., Yan, X., Zhang, A., Xu, Q., & Shang, M. (n.d.). Estimation of baseflow parameters of variable infiltration capacity model with soil and topography properties for predictions in ungauged basins. *Hydrology and Earth System Sciences Discussions*, 8(4), 7017–7053. Retrieved September 19, 2021, from https://www.academia.edu/8402815/Estimation_of_baseflow_parameters_of_variable_infiltration_capacity_model_with_soil_and_topography_properties_for_predictions_in_ungauged_basins
- Barnston, & G., A. (1992). Correspondence among the Correlation, RMSE, and Heidke Forecast Verification Measures; Refinement of the Heidke Score. *WtFor*, 7(4), 699–700. [https://doi.org/10.1175/1520-0434\(1992\)007](https://doi.org/10.1175/1520-0434(1992)007)
- Barros, A. P., Joshi, M., Putkonen, J., & Burbank, D. W. (2000). A study of 1999 monsoon rainfall in a mountainous region in central Nepal using TRMM products and rain gauge observations. *Geophysical Research Letters*, 27(22), 3683–3686. <https://doi.org/10.1029/2000GL011827>
- Barua, S., Muttil, N., Ng, A. W. M., & Perera, B. J. C. (2013). *Rainfall trend and its implications for water resource management within the Yarra River catchment, Australia*. 27, 1727–1738. <https://doi.org/10.1002/hyp.9311>
- Beck, H. E., Dijk, A. I. J. M. van, Miralles, D. G., Jeu, R. A. M. de, Bruijnzeel, L. A. (Sampurno), McVicar, T. R., & Schellekens, J. (2013). Global patterns in base flow index and recession based on streamflow observations from 3394 catchments. *Water Resources Research*, 49(12), 7843–7863. <https://doi.org/10.1002/2013WR013918>

- Bennett, T. H., & Peters, J. C. (2004). Continuous Soil Moisture Accounting in the Hydrologic Engineering Center Hydrologic Modeling System (HEC-HMS). *Joint Conference on Water Resource Engineering and Water Resources Planning and Management 2000: Building Partnerships*, 104, 1–10. [https://doi.org/10.1061/40517\(2000\)149](https://doi.org/10.1061/40517(2000)149)
- Bhuiyan, H. A. K. M., McNairn, H., Powers, J., & Merzouki, A. (2017). Application of HEC-HMS in a Cold Region Watershed and Use of RADARSAT-2 Soil Moisture in Initializing the Model. *Hydrology 2017, Vol. 4, Page 9*, 4(1), 9. <https://doi.org/10.3390/HYDROLOGY4010009>
- Bloomfield, J. P., Allen, D. J., & Griffiths, K. J. (2009). Examining geological controls on the baseflow index (BFI) using regression analysis: An illustration from the Thames Basin, UK. *Journal of Hydrology*, 373(1–2), 164–176. <https://doi.org/10.1016/J.JHYDROL.2009.04.025>
- Bormann, H., Breuer, L., Giertz, S., Huisman, J. A., & Viney, N. R. (n.d.). Spatially explicit versus lumped models in catchment hydrology – experiences from two case studies. *NATO Science for Peace and Security Series C: Environmental Security*, 3–26. Retrieved November 1, 2021, from https://www.academia.edu/28521884/Spatially_explicit_versus_lumped_models_in_catchment_hydrology_experiences_from_two_case_studies
- Boyle, D. P., Gupta, H. V., Sorooshian, S., Koren, V., Zhang, Z., & Smith, M. (2001). Toward improved streamflow forecasts: The value of semi-distributed modeling. *Water Resources Research*, 37(11), 2749–2759. <https://doi.org/10.1029/2000WR000207>
- Brandes, D., Hoffmann, J. G., & Mangarillo, J. T. (2005). Baseflow recession rates, low flows, and hydrologic features of small watersheds in Pennsylvania, USA. *JAWRA Journal of the American Water Resources Association*, 41(5), 1177–1186. <https://doi.org/10.1111/J.1752-1688.2005.TB03792.X>
- Caloiero, T. (2015). Analysis of rainfall trend in New Zealand. *Environmental Earth Sciences*, 73(10), 6297–6310. <https://doi.org/10.1007/S12665-014-3852-Y>

- Cameron, D. S., Beven, K. J., Tawn, J., Blazkova, S., & Naden, P. (1999). Flood frequency estimation by continuous simulation for a gauged upland catchment (with uncertainty). *JHyd*, 219(3), 169–187. [https://doi.org/10.1016/S0022-1694\(99\)00057-8](https://doi.org/10.1016/S0022-1694(99)00057-8)
- Chen, J., Del Genio, A. D., Carlson, B. E., & Bosilovich, M. G. (2008). The spatiotemporal structure of twentieth-century climate variations in observations and reanalyses. Part I: Long-term trend. *Journal of Climate*, 21(11), 2611–2633. <https://doi.org/10.1175/2007JCLI2011.1>
- Clift, P. D. (Peter D. ., & Plumb, R. A. (2008). *The Asian monsoon : causes, history and effects*. 270.
- Costa, W. De. (2008). Climate change in Sri Lanka: myth or reality? Evidence from long-term meteorological data. *Journal of the National Science Foundation of Sri Lanka*, 36(0), 63–88. <https://doi.org/10.4038/JNSFSR.V36I0.8048>
- Déqué, M. (2007). Frequency of precipitation and temperature extremes over France in an anthropogenic scenario: model results and statistical correction according to observed values. *Global and Planetary Change*, 57(1–2), 16–26. <https://doi.org/10.1016/J.GLOPLACHA.2006.11.030>
- Dijk, Albert I. J. M. van, Peña-Arancibia, J. L., Wood, E. F., Sheffield, J., & Beck, H. E. (2013). Global analysis of seasonal streamflow predictability using an ensemble prediction system and observations from 6192 small catchments worldwide. *Water Resources Research*, 49(5), 2729–2746. <https://doi.org/10.1002/WRCR.20251>
- Ebert, E. E., Janowiak, J. E., & Kidd, C. (2007). Comparison of near-real-time precipitation estimates from satellite observations and numerical models. *Bulletin of the American Meteorological Society*, 88(1), 47–64. <https://doi.org/10.1175/BAMS-88-1-47>
- Feldman, A. (2000a). *Hydrologic modeling system HEC-HMS : technical reference manual*. US Army Corps of Engineers Hydrologic Engineering Center.

- Feldman, A. (2000b). Hydrologic Modeling System HEC-HMS. *Hydrologic Modeling System HEC-HMS Technical Reference Manual, March*, 148.
- Fleming, M., & Neary, V. (2004). Continuous Hydrologic Modeling Study with the Hydrologic Modeling System. *Journal of Hydrologic Engineering*, 9(3), 175–183. [https://doi.org/10.1061/\(ASCE\)1084-0699\(2004\)9:3\(175\)](https://doi.org/10.1061/(ASCE)1084-0699(2004)9:3(175))
- Gallart, F., Latron, J., Llorens, P., & Beven, K. (2007). Using internal catchment information to reduce the uncertainty of discharge and baseflow predictions. *Advances in Water Resources*, 4(30), 808–823. <https://doi.org/10.1016/J.ADVWATRES.2006.06.005>
- Gebert, W. A., Radloff, M. J., Considine, E. J., & Kennedy, J. L. (2007). Use of Streamflow Data to Estimate Base Flow/Ground-Water Recharge For Wisconsin1. *JAWRA Journal of the American Water Resources Association*, 43(1), 220–236. <https://doi.org/10.1111/J.1752-1688.2007.00018.X>
- Gebre, S. L. (2015). *Application of the HEC-HMS Model for Runoff Simulation of Upper Blue Nile River Basin*. <https://doi.org/10.4172/2157-7587.1000199>
- Gebrechorkos, S. H., Hülsmann, S., & Bernhofer, C. (2019). Long-term trends in rainfall and temperature using high-resolution climate datasets in East Africa. *Scientific Reports 2019 9:1*, 9(1), 1–9. <https://doi.org/10.1038/s41598-019-47933-8>
- Gudmundsson, L., Bremnes, J. B., Haugen, J. E., & Engen-Skaugen, T. (2012). Technical Note: Downscaling RCM precipitation to the station scale using statistical transformations – A comparison of methods. *Hydrology and Earth System Sciences*, 16(9), 3383–3390. <https://doi.org/10.5194/HESS-16-3383-2012>
- Gupta, H. V., Sorooshian, S., & Yapo, P. O. (1999). Status of Automatic Calibration for Hydrologic Models: Comparison with Multilevel Expert Calibration. *Journal of Hydrologic Engineering*, 4(2), 135–143. [https://doi.org/10.1061/\(ASCE\)1084-0699\(1999\)4:2\(135\)](https://doi.org/10.1061/(ASCE)1084-0699(1999)4:2(135))

- Haberlandt, U., Klöcking, B., Krysanova, V., & Becker, A. (2001). Regionalization of the base flow index from dynamically simulated flow components - A case study in the Elbe River Basin. *Journal of Hydrology*, 248(1–4), 35–53. [https://doi.org/10.1016/S0022-1694\(01\)00391-2](https://doi.org/10.1016/S0022-1694(01)00391-2)
- Haddad, Z. S., & Rosenfeld, D. (1997). Optimality of empirical Z-R relations. *Quarterly Journal of the Royal Meteorological Society*, 123(541), 1283–1293. <https://doi.org/10.1002/QJ.49712354107>
- Holberg, J. (2015). *Purdue e-Pubs Downward model development of the soil moisture accounting loss method in HEC-HMS: Revelations concerning the soil profile*. https://docs.lib.purdue.edu/open_access_theses/501
- Hong, Y., Gochis, D., Cheng, J.-T., & Hsu, K.-L. (2007). *Evaluation of PERSIAN-CCS Rainfall Measurement Using the NAME Event Rain Gauge Network*. <https://doi.org/10.1175/JHM574.1>
- Horton, P., Schaefli, B., Mezghani, A., Hingray, B., & Musy, A. (2006). Assessment of climate-change impacts on alpine discharge regimes with climate model uncertainty. *Hydrological Processes*, 20(10), 2091–2109. <https://doi.org/10.1002/HYP.6197>
- Hrachowitz, M., Savenije, H. H. G., Blöschl, G., McDonnell, J. J., Sivapalan, M., Pomeroy, J. W., Arheimer, B., Blume, T., Clark, M. P., Ehret, U., Fenicia, F., Freer, J. E., Gelfan, A., Gupta, H. V., Hughes, D. A., Hut, R. W., Montanari, A., Pande, S., Tetzlaff, D., ... Cudennec, C. (2013). A decade of Predictions in Ungauged Basins (PUB)—a review. *Hydrological Processes*, 27(6), 1198–1255. <https://doi.org/10.1080/02626667.2013.803183>
- Huffman, G. J., Adler, R. F., Bolvin, D. T., Gu, G., Nelkin, E. J., Bowman, K. P., Hong, Y., Stocker, E. F., & Wolff, D. B. (2007). The TRMM Multisatellite Precipitation Analysis (TMPA): Quasi-global, multiyear, combined-sensor precipitation estimates at fine scales. *Journal of Hydrometeorology*, 8(1), 38–55. <https://doi.org/10.1175/JHM560.1>

- Hughes, D. A. (2006). *An evaluation of the potential use of satellite rainfall data for input to water resource estimation models in southern Africa*. 308.
- Ines, A. V. M., & Hansen, J. W. (2006). Bias correction of daily GCM rainfall for crop simulation studies. *Agricultural and Forest Meteorology*, 138(1–4), 44–53. <https://doi.org/10.1016/J.AGRFORMET.2006.03.009>
- Irvem, A., & Ozbuldu, M. (2019a). Evaluation of Satellite and Reanalysis Precipitation Products Using GIS for All Basins in Turkey. *Advances in Meteorology*, 2019. <https://doi.org/10.1155/2019/4820136>
- Irvem, A., & Ozbuldu, M. (2019b). Evaluation of Satellite and Reanalysis Precipitation Products Using GIS for All Basins in Turkey. *Advances in Meteorology*, 2019. <https://doi.org/10.1155/2019/4820136>
- Islam, M. N., & Uyeda, H. (2007). Use of TRMM in determining the climatic characteristics of rainfall over Bangladesh. *Remote Sensing of Environment*, 108(3), 264–276. <https://doi.org/10.1016/J.RSE.2006.11.011>
- Ismael, O., Joseph, S., & Patrick, H. (n.d.). Hec-Hms Model for Runoff Simulation in Ruiru Reservoir Watershed. *American Journal of Engineering Research*. Retrieved December 24, 2021, from www.ajer.org
- Jain, S. K. (Sharad K., & Singh, V. P. (Vijay P. . (2003). *Water resources systems planning and management*. 858.
- Jale, J. da S., Júnior, S. F. A. X., Xavier, É. F. M., Stošić, T., Stošić, B., & Ferreira, T. A. E. (2019). Application of Markov chain on daily rainfall data in Paraíba-Brazil from 1995-2015. *Acta Scientiarum. Technology*, 41(1), e37186. <https://doi.org/10.4025/actascitechnol.v41i1.37186>
- Janardhana Raju, N., Shukla, U. K., & Ram, P. (2010). Hydrogeochemistry for the assessment of groundwater quality in Varanasi: a fast-urbanizing center in Uttar Pradesh, India. *Environmental Monitoring and Assessment* 2010 173:1, 173(1), 279–300. <https://doi.org/10.1007/S10661-010-1387-6>

- Jayadeera, P. M., & Wijesekera, N. T. S. (2019). A Diagnostic Application of HEC–HMS Model to Evaluate the Potential for Water Management in the Ratnapura Watershed of Kalu Ganga Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 52(3), 11. <https://doi.org/10.4038/ENGINEER.V52I3.7361>
- Jiang, Q., Li, W., Wen, J., Fan, Z., Chen, Y., Scaioni, M., & Wang, J. (2019). Evaluation of satellite-based products for extreme rainfall estimations in the eastern coastal areas of China. *China, Journal of Integrative Environmental Sciences*, 16(1), 191–207. <https://doi.org/10.1080/1943815X.2019.1707233>
- K. Ajami, N., Gupta, H., Wagener, T., & Sorooshian, S. (2004). Calibration of a semi-distributed hydrologic model for streamflow estimation along with a river system. *Journal of Hydrology*, 298(1–4), 112–135. <https://doi.org/10.1016/J.JHYDROL.2004.03.033>
- Kamau Muthoni, F., Omondi Odongo, V., Ochieng, J., Mugalavai, E. M., Kajumula Mourice, S., Hoesche-Zeledon, I., Mwila, M., Bekunda, M., Hoesche-Zeledon IHoeschle-Zeledon, I., & Mulundu Mwila, cgiarorg. (2019). Long-term spatial-temporal trends and variability of rainfall over Eastern and Southern Africa. *Theoretical and Applied Climatology*, 137, 1869–1882. <https://doi.org/10.1007/s00704-018-2712-1>
- Karaseva, M. O., Prakash, S., & Gairola, R. M. (2012). Validation of high-resolution TRMM-3B43 precipitation product using rain gauge measurements over Kyrgyzstan. *Theoretical and Applied Climatology*, 108(1–2), 147–157. <https://doi.org/10.1007/S00704-011-0509-6>
- Katsanos, D., Retalis, A., Tymvios, F., & Michaelides, S. (2016). Analysis of precipitation extremes based on satellite (CHIRPS) and in situ dataset over Cyprus. *Natural Hazards 2016* 83:1, 83(1), 53–63. <https://doi.org/10.1007/S11069-016-2335-8>
- Krause, P., Boyle, D. P., & Bäse, F. (2005). Comparison of different efficiency criteria for hydrological model assessment. *Advances in Geosciences*, 5, 89–97. <https://doi.org/10.5194/ADGEO-5-89-2005>

- Krause, Peter. (2002). Quantifying the impact of land- use changes on the water balance of large catchments using the J2000 model. *Physics and Chemistry of the Earth*, 27(9–10), 663–673. [https://doi.org/10.1016/S1474-7065\(02\)00051-7](https://doi.org/10.1016/S1474-7065(02)00051-7)
- Krishnamurti, T. N., Kumar, V., Simon, A., Bhardwaj, A., Ghosh, T., & Ross, R. (2016). A review of multimodel super ensemble forecasting for weather, seasonal climate, and hurricanes. *Reviews of Geophysics*, 54(2), 336–377. <https://doi.org/10.1002/2015RG000513>
- Kundzewicz, Z. W., Mata, L. J., Arnell, N. W., Döll, P., Jimenez, B., Miller, K., Oki, T., Şen, Z., & Shiklomanov, I. (2008). The implications of projected climate change for freshwater resources and their management. *Hydrological Sciences-Journal-Des Sciences Hydrologiques*, 53(1), 3–10. <https://doi.org/10.1623/hysj.53.1.3>
- Leander, R., & Buishand, T. A. (2007). Resampling of regional climate model output for the simulation of extreme river flows. *Journal of Hydrology*, 332(3–4), 487–496. <https://doi.org/10.1016/J.JHYDROL.2006.08.006>
- Levina, Hatmoko, W., Seizarwati, W., & Vernimmen, R. (2016). Comparison of TRMM Satellite Rainfall and APHRODITE for Drought Analysis in the Pemalicomal River Basin. *Procedia Environmental Sciences*, 33, 187–195. <https://doi.org/10.1016/j.proenv.2016.03.069>
- Liang, X., Lettenmaier, D. P., Wood, E. F., & Burges, S. J. (1994). A simple hydrologically based model of land surface water and energy fluxes for general circulation models. *Journal of Geophysical Research*, 99(D7). <https://doi.org/10.1029/94JD00483>
- Lobligeois, F., Andréassian, V., Perrin, C., Tabary, P., & Loumagne, C. (2014). When does higher spatial resolution rainfall information improve streamflow simulation? An evaluation using 3620 flood events. *Hydrology and Earth System Sciences*, 18(2), 575–594. <https://doi.org/10.5194/HESS-18-575-2014>

- Longobardi, A., & Villani, P. (2008). Baseflow index regionalization analysis in a Mediterranean area and data scarcity context: Role of the catchment permeability index. *Journal of Hydrology*, 355(1–4), 63–75. <https://doi.org/10.1016/J.JHYDROL.2008.03.011>
- Madhushankha, J. M. L., & Wijesekera, N. T. S. (2021). Application of HEC-HMS Model to Estimate Daily Streamflow in Badddegama Watershed of Gin Ganga Basin Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 54(1), 89. <https://doi.org/10.4038/ENGINEER.V54I1.7438>
- Mao, Q., Mcnider, R. T., Mueller, S. F., & Juang, H. M. H. (1999). An optimal model output calibration algorithm is suitable for objective temperature forecasting. *Weather and Forecasting*, 14(2), 190–202. [https://doi.org/10.1175/1520-0434\(1999\)014<0190:AOMOCA>2.0.CO;2](https://doi.org/10.1175/1520-0434(1999)014<0190:AOMOCA>2.0.CO;2)
- Mazvimavi, D., Meijerink, A. M. J., Savenije, H. H. G., & Stein, A. (2005). Prediction of flow characteristics using multiple regression and neural networks: A case study in Zimbabwe. *Physics and Chemistry of the Earth*, 30(11-16 SPEC. ISS.), 639–647. <https://doi.org/10.1016/J.PCE.2005.08.003>
- Meenu, R., Rehana, S., & Mujumdar, P. P. (2013). Assessment of hydrologic impacts of climate change in Tunga–Bhadra river basin, India with HEC-HMS and SDSM. *Hydrological Processes*, 27(11), 1572–1589. <https://doi.org/10.1002/HYP.9220>
- Miao, D., Young, S. L., & Golden, C. D. (2015). A meta-analysis of pica and micronutrient status. *American Journal of Human Biology*, 27(1), 84–93. <https://doi.org/10.1002/AJHB.22598>
- Michelson, D. B. (2004). Systematic correction of precipitation gauge observations using analyzed meteorological variables. *Journal of Hydrology*, 290(3–4), 161–177. <https://doi.org/10.1016/J.JHYDROL.2003.10.005>
- Nair, S., & Srinivasan, G. (2009). Evaluation of Multi-Satellite TRMM Derived Rainfall Estimates over a Western State of India. *Journal of the Meteorological Society of Japan*, 87(6), 927–939. <https://doi.org/10.2151/jmsj.87.927>

- Nalaka Gunasekara, D., & Lanka, S. (2018). *Application of “abcd” monthly water balance model for Kalu Ganga and Gin Ganga basins and its application potential for water resources investigation.*
- Nash, J. E., & Sutcliffe, J. V. (1970). River flow forecasting through conceptual models part I — A discussion of principles. *Journal of Hydrology*, *10*(3), 282–290. [https://doi.org/10.1016/0022-1694\(70\)90255-6](https://doi.org/10.1016/0022-1694(70)90255-6)
- Nastos, P. T., Kapsomenakis, J., & Philandras, K. M. (2016). Evaluation of the TRMM 3B43 gridded precipitation estimates over Greece. *Atmospheric Research*, *169*, 497–514. <https://doi.org/10.1016/J.ATMOSRES.2015.08.008>
- National Atlas. (2007). *The National Atlas of Sri Lanka.*
- Naveendrakumar, G., Vithanage, M., Kwon, H. H., Iqbal, M. C. M., Pathmarajah, S., & Obeysekera, J. (2018). Five decadal trends in averages and extremes of rainfall and temperature in Sri Lanka. *Advances in Meteorology*, *2018*. <https://doi.org/10.1155/2018/4217917>
- Nisansala, W. D. S., Abeysingha, N. S., Islam, A., & Bandara, A. M. K. R. (2020). Recent rainfall trend over Sri Lanka (1987–2017). *International Journal of Climatology*, *40*(7), 3417–3435. <https://doi.org/10.1002/JOC.6405>
- Nishat, B., & Rahman, S. M. M. (2009). Water Resources Modeling of the Ganges-Brahmaputra-Meghna River Basins Using Satellite Remote Sensing Data1. *JAWRA Journal of the American Water Resources Association*, *45*(6), 1313–1327. <https://doi.org/10.1111/J.1752-1688.2009.00374.X>
- Panegrossi, G., Casella, D., Dietrich, S., Marra, A. C., Sano, P., Mugnai, A., Baldini, L., Roberto, N., Adirosi, E., Cremonini, R., Bechini, R., Vulpiani, G., Petracca, M., & Porcu, F. (2016). Use of the GPM Constellation for Monitoring Heavy Precipitation Events over the Mediterranean Region. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *9*(6), 2733–2753. <https://doi.org/10.1109/JSTARS.2016.2520660>
- Panofsky, H., and G. B. (1958). (1958). *Some applications of statistics to meteorology.*

- Piani, C., Haerter, J. O., & Coppola, E. (2010). Statistical bias correction for daily precipitation in regional climate models over Europe. *Theoretical and Applied Climatology*, 99(1–2), 187–192. <https://doi.org/10.1007/S00704-009-0134-9/FIGURES/4>
- Ponce, V. M. (1989). *Engineering hydrology : principles and practices*. 640.
- Porcù, F., Milani, L., & Petracca, M. (2014). On the uncertainties in validating satellite instantaneous rainfall estimates with rain gauge operational network. *Atmospheric Research*, 144, 73–81. <https://doi.org/10.1016/j.atmosres.2013.12.007>
- Qian, S. S., Cuffney, T. F., Alameddine, I., McMahon, G., & Reckhow, K. H. (2010). On the application of multilevel modeling in environmental and ecological studies. *Ecology*, 91(2), 355–361. <https://doi.org/10.1890/09-1043.1>
- Ramanarayanan, T. (n.d.). Large Area Hydrologic Modeling and Assessment Part II: Model APPLICATION1. *Jawra Journal of the American Water Resources Association*. Retrieved September 19, 2021, from https://www.academia.edu/22511065/Large_Area_Hydrologic_Modeling_and_Assessment_Part_II_Model_APPLICATION1
- Ratnayake, A. S., & Pitawala, A. (2014). Prediction of the ungauged river basin for hydropower potential and flood risk mitigation: a case study at Gin River, Sri Lanka. *Interdisciplinary Environmental Review*, 15(4), 203. <https://doi.org/10.1504/ier.2014.065015>
- Rawls, W. J., Brakensiek, D. L., & Miller, N. (1983). Greenampt Infiltration Parameters from Soils Data. *Journal of Hydraulic Engineering*, 109(1), 62–70. [https://doi.org/10.1061/\(ASCE\)0733-9429\(1983\)109:1\(62\)](https://doi.org/10.1061/(ASCE)0733-9429(1983)109:1(62))
- Reed, S., Koren, V., Smith, M., Zhang, Z., Moreda, F., & Seo, D. J. (2004). Overall distributed model intercomparison project results. *Journal of Hydrology*, 298(1–4), 27–60. <https://doi.org/10.1016/J.JHYDROL.2004.03.031>

- Refsgaard, J. C., & Knudsen, J. (1996). Operational Validation and Intercomparison of Different Types of Hydrological Models. *Water Resources Research*, 32(7), 2189–2202. <https://doi.org/10.1029/96WR00896>
- Salvadore, E., Bronders, J., & Batelaan, O. (2015). Hydrological modelling of urbanized catchments: A review and future directions. *Journal of Hydrology*, 529(P1), 62–81. <https://doi.org/10.1016/J.JHYDROL.2015.06.028>
- Samady, K. (2017). *Continuous hydrologic modeling for analyzing the continuous hydrologic modeling for analyzing the effects of drought on the lower Colorado river in effects of drought on the lower Colorado river in Texas part of the civil and environmental engineering com.* <https://doi.org/10.37099/mtu.dc.etr/460>
- Sampath, D. S., Weerakoon, S. B., & Herath, S. (2015). HEC-HMS model for runoff simulation in a tropical catchment with intra-basin diversions – case study of the Deduru Oya river basin, Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 48(1), 1. <https://doi.org/10.4038/ENGINEER.V48I1.6843>
- Santos, V. C. dos, Blanco, C., & Oliveira Júnior, J. F. de. (2019). Distribution of rainfall probability in the Tapajos River Basin, Amazonia, Brazil. *Revista Ambiente & Água*, 14(3), 1. <https://doi.org/10.4136/AMBI-AGUA.2284>
- Sayama, T., Tachikawa, Y., & Takara, K. (2011). *Spatial lumping of a distributed rainfall-sediment-runoff model and its effective lumping scale.* <https://doi.org/10.1002/hyp.8300>
- Scharffenberg, W. A. (2016). *Hydrologic Modelling System HEC-HMS User's Manual,* 2016.
- Schmidli, J. " U., Frei, C., & Vidale, P. L. (2006). Downscaling from GCM precipitation: a benchmark for dynamical and statistical downscaling methods. *INTERNATIONAL JOURNAL OF CLIMATOLOGY Int. J. Climatol*, 26, 679–689. <https://doi.org/10.1002/joc.1287>
- Seibert, J. (2005). *HBV light version 2 User's Manual.*

- Shah, S. M. S., O'Connell, P. E., & Hosking, J. R. M. (1996). Modelling the effects of spatial variability in rainfall on catchment response. 2. Experiments with distributed and lumped models. *Journal of Hydrology*, 175(1–4), 89–111. [https://doi.org/10.1016/S0022-1694\(96\)80007-2](https://doi.org/10.1016/S0022-1694(96)80007-2)
- Shrestha, S., Shrestha, M., & Babel, M. S. (2016). Modelling the potential impacts of climate change on hydrology and water resources in the Indrawati River Basin, Nepal. *Environmental Earth Sciences*, 75(4), 1–13. <https://doi.org/10.1007/s12665-015-5150-8>
- Singh, L., & Saravanan, S. (2020). Evaluation of various spatial rainfall datasets for streamflow simulation using SWAT model of Wunna basin, India. <https://doi.org/10.1080/15715124.2020.1776305>
- Singh, W. R., & Jain, M. K. (2015). Continuous Hydrological Modeling using Soil Moisture Accounting Algorithm in Vamsadhara River Basin, India. *Journal of Water Resource and Hydraulic*, 4(4), 398–408. <https://doi.org/10.5963/JWRHE0404011>
- Siriwardana, S. T., & Wijesekera, N. T. S. (2020). Review of Yield Comparison Options for Planning Irrigation Reservoirs in Ungauged Watersheds. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 53(1), 77. <https://doi.org/10.4038/ENGINEER.V53I1.7401>
- Sivapalan, M. (2003). Prediction in ungauged basins: a grand challenge for theoretical hydrology. *Hydrological Processes*, 17(15), 3163–3170. <https://doi.org/10.1002/HYP.5155>
- Smakhtin, V. U. (2001). Low flow hydrology: a review. *Journal of Hydrology*, 240(3–4), 147–186. [https://doi.org/10.1016/S0022-1694\(00\)00340-1](https://doi.org/10.1016/S0022-1694(00)00340-1)
- Smakhtin, V. Y., Hughes, D. A., & Creuse-naudin, E. (1997). Régionalisation des caractéristiques des débits journaliers dans une région du Cap Oriental (Afrique du Sud). *Hydrological Sciences Journal*, 42(6), 919–936. <https://doi.org/10.1080/02626669709492088>

- Smith, M. B., Koren, V., Zhang, Z., Zhang, Y., & Reed, S. M. (2012). *Results of the DMIP 2 Oklahoma experiments*. <https://doi.org/10.1016/j.jhydrol.2011.08.056>
- Soares, A. S. D., da Paz, A. R., & Picilli, D. G. A. (2016). Avaliação das estimativas de chuva do satélite TRMM no Estado da Paraíba. *Revista Brasileira de Recursos Hídricos*, 21(2), 288–299. <https://doi.org/10.21168/RBRH.V21N2.P288-299>
- Sorooshian, S., Aghakouchak, A., Arkin, P., Eylander, J., Foufoula-Georgiou, E., Harmon, R., Hendrickx, J. M. H., Imam, B., Kuligowski, R., Skahill, B., & Skofronick-Jackson, G. (2011). Advancing the remote sensing of precipitation. *Bulletin of the American Meteorological Society*, 92(10), 1271–1272. <https://doi.org/10.1175/BAMS-D-11-00116.1>
- Su, C.-H., Peterson, T. J., Costelloe, J. F., & Western, A. W. (2016). A synthetic study to evaluate the utility of hydrological signatures for calibrating a base flow separation filter. *Water Resources Research*, 52(8), 6526–6540. <https://doi.org/10.1002/2015WR018177>
- Suryantoro, A., Pusat, P., Sains Atmosfer, P., & Iklim, D. (2010). Siklon tropis di selatan dan barat daya indonesia dari pemantauan satelit trmm dan kemungkinan kaitannya dengan gelombang tinggi dan puting beliung. *Majalah Sains Dan Teknologi Dirgantara*, 3(1). http://jurnal.lapan.go.id/index.php/majalah_sains_tekgan/article/view/8
- Tallaksen, L. M. (1995). A review of baseflow recession analysis. *Journal of Hydrology*, 165(1–4), 349–370. [https://doi.org/10.1016/0022-1694\(94\)02540-R](https://doi.org/10.1016/0022-1694(94)02540-R)
- Tan, M. L., & Duan, Z. (2017). Assessment of GPM and TRMM Precipitation Products over Singapore. *Remote Sensing 2017, Vol. 9, Page 720*, 9(7), 720. <https://doi.org/10.3390/RS9070720>
- Tapiador, F. J., Turk, F. J., Petersen, W., Hou, A. Y., García-Ortega, E., Machado, L. A. T., Angelis, C. F., Salio, P., Kidd, C., Huffman, G. J., & de Castro, M. (2012). Global precipitation measurement: Methods, datasets and applications. *Atmospheric Research*, 104–105, 70–97. <https://doi.org/10.1016/j.atmosres.2011.10.021>

- Tramblay, Y., Bouvier, C., Martin, C., Didon-Lescot, J. F., Todorovik, D., & Domergue, J. M. (2010). Assessment of initial soil moisture conditions for event-based rainfall-runoff modelling. *Journal of Hydrology*, 387(3–4), 176–187. <https://doi.org/10.1016/J.JHYDROL.2010.04.006>
- Uhlenbrook, S., Seibert, J., Leibundgut, C., & Rodhe, A. (2009). Prediction uncertainty of conceptual rainfall-runoff models caused by problems in identifying model parameters and structure. *Hydrology and Earth System Sciences*, 14(5), 779–797. <https://doi.org/10.1080/02626669909492273>
- Van Dijk, A. I.J.M. (2010). Climate and terrain factors explaining streamflow response and recession in Australian catchments. *Hydrology and Earth System Sciences*, 14(1), 159–169. <https://doi.org/10.5194/HESS-14-159-2010>
- Vansteenkiste, T., Tavakoli, M., Van Steenberghe, N., De Smedt, F., Batelaan, O., Pereira, F., & Willems, P. (2014). Intercomparison of five lumped and distributed models for catchment runoff and extreme flow simulation. *Journal of Hydrology*, 511, 335–349. <https://doi.org/10.1016/J.JHYDROL.2014.01.050>
- Vogel, R. M., & Fennessey, N. M. (1994). Flow-Duration Curves. I: New Interpretation and Confidence Intervals. *Journal of Water Resources Planning and Management*, 120(4), 485–504. [https://doi.org/10.1061/\(ASCE\)0733-9496\(1994\)120:4\(485\)](https://doi.org/10.1061/(ASCE)0733-9496(1994)120:4(485))
- Wagener, T., Franks, S. W., International Association of Hydrological Sciences., & International Association of Hydrological Sciences. Scientific Assembly (7th : 2005 : Foz do Iguaçu, B. (2005). *Regional hydrological impacts of climatic change*. https://books.google.com/books/about/Regional_Hydrological_Impacts_of_Climatic_Change.html?hl=fr&id=kIV7jReHIPcC
- Willmott, C. J., & Matsuura, K. (2005). Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance. *Climate Research*, 30(1), 79–82. <https://doi.org/10.3354/CR030079>

- Wittenberg, H., & Sivapalan, M. (1999). Watershed groundwater balance estimation using streamflow recession analysis and baseflow separation. *Journal of Hydrology*, 219(1–2), 20–33. [https://doi.org/10.1016/S0022-1694\(99\)00040-2](https://doi.org/10.1016/S0022-1694(99)00040-2)
- W. M. O. (1995). *World Meteorological Organization - Annual Report 1994*. WMO.
- Wood, A. W., Leung, L. R., Sridhar, V., & Lettenmaier, D. P. (2004). Hydrologic Implications of Dynamical and Statistical Approaches to Downscaling Climate Model Outputs. *Climatic Change* 2004 62:1, 62(1), 189–216. <https://doi.org/10.1023/B:CLIM.0000013685.99609.9E>
- Xu, C. Y., & Singh, V. P. (1998). A Review on Monthly Water Balance Models for Water Resources Investigations. *Water Resources Management* 1998 12:1, 12(1), 20–50. <https://doi.org/10.1023/A:1007916816469>
- Xue, X., Hong, Y., Limaye, A. S., Gourley, J. J., Huffman, G. J., Khan, S. I., Dorji, C., & Chen, S. (2013). Statistical and hydrological evaluation of TRMM-based Multi-satellite Precipitation Analysis over the Wangchu Basin of Bhutan: Are the latest satellite precipitation products 3B42V7 ready for use in ungauged basins? *Journal of Hydrology*, 499, 91–99. <https://doi.org/10.1016/J.JHYDROL.2013.06.042>
- Yang, X., & Michel, C. (2000). Flood forecasting with a watershed model: a new method of parameter updating. *Hydrological Sciences-Journal-Des Sciences Hydrologiques*, 45(4), 537.
- Yatagai, A. (n.d.). *Development of a daily grid precipitation data in the East Mediterranean and its application for the ICCAP studies*.
- Yatagai, A., Arakawa, O., Kamiguchi, K., Kawamoto, H., Nodzu, M. I., & Hamada, A. (2009). A 44-year daily gridded precipitation dataset for Asia based on a dense network of rain gauges. *Scientific Online Letters on the Atmosphere*, 5(1), 137–140. <https://doi.org/10.2151/SOLA.2009-035>
- Yatagai, A., Kamiguchi, K., Arakawa, O., Hamada, A., Yasutomi, N., & Kitoh, A. (2012). APHRODITE: Constructing a Long-Term Daily Gridded Precipitation Dataset for Asia Based on a Dense Network of Rain Gauges. *Bulletin of the American Meteorological Society*, 93(9), 1401–1415. <https://doi.org/10.1175/BAMS-D-11-00122.1>

- Yatagai, A., Krishnamurti, T. N., Kumar, V., Mishra, A. K., & Simon, A. (2014). Use of APHRODITE rain gauge-based precipitation and TRMM 3B43 products for improving asian monsoon seasonal precipitation forecasts by the superensemble method. *Journal of Climate*, 27(3), 1062–1069. <https://doi.org/10.1175/JCLI-D-13-00332.1>
- Yong, B., Ren, L.-L., Hong, Y., Wang, J.-H., Gourley, J. J., Jiang, S.-H., Chen, X., & Wang, W. (2010). Hydrologic evaluation of Multisatellite Precipitation Analysis standard precipitation products in basins beyond its inclined latitude band: A case study in Laohahe basin, China. *Water Resources Research*, 46(7), 7542. <https://doi.org/10.1029/2009WR008965>
- Yu, P. S., & Yang, T. C. (2000). Fuzzy multi-objective function for rainfall-runoff model calibration. *Journal of Hydrology*, 238(1–2), 1–14. [https://doi.org/10.1016/S0022-1694\(00\)00317-6](https://doi.org/10.1016/S0022-1694(00)00317-6)
- Zhang, Y., Vaze, J., Chiew, F. H. S., Teng, J., & Li, M. (2014). Predicting hydrological signatures in ungauged catchments using spatial interpolation, index model, and rainfall-runoff modelling. *Journal of Hydrology*, 517, 936–948. <https://doi.org/10.1016/J.JHYDROL.2014.06.032>