

REFERENCES

- [1] P. Polygerinos, N. Correll, S. A. Morin, B. Mosadegh, C. D. Onal, K. Petersen, M. Cianchetti, M. T. Tolley, and R. F. Shepherd, “Soft Robotics: Review of Fluid-Driven Intrinsically Soft Devices; Manufacturing, Sensing, Control, and Applications in Human-Robot Interaction,” *Advanced Engineering Materials*, vol. 19, no. 12, p. 1700016, May 2017. [Online]. Available: <https://doi.org/10.1002/adem.201700016>
- [2] N. Kastor, V. Vikas, E. Cohen, and R. D. White, “A definition of soft materials for use in the design of robots,” *Soft Robotics*, vol. 4, no. 3, pp. 181–182, September 2017. [Online]. Available: <https://doi.org/10.1089/soro.2017.29012.nka>
- [3] D. Chiaradia, M. Xiloyannis, M. Solazzi, L. Masia, and A. Frisoli, “Comparison of a soft exosuit and a rigid exoskeleton in an assistive task,” in *Biosystems and Biorobotics*, M. C. Carrozza, S. Micera, and J. L. Pons, Eds., vol. 22. Pisa, Italy: Springer Nature Switzerland, 2019, pp. 415–419. [Online]. Available: http://link.springer.com/10.1007/978-3-030-01887-0{_}80
- [4] S. Bao, S. Yin, H. Chen, and W. Chen, “A wearable multimode system with soft sensors for lower limb activity evaluation and rehabilitation,” in *2018 IEEE International Instrumentation and Measurement Technology Conference (I2MTC)*. IEEE, May 2018. [Online]. Available: <https://doi.org/10.1109/i2mtc.2018.8409880>
- [5] J. Walker, T. Zidek, C. Harbel, S. Yoon, F. S. Strickland, S. Kumar, and M. Shin, “Soft robotics: A review of recent developments of pneumatic soft actuators,” *Actuators*, vol. 9, no. 1, p. 3, January 2020. [Online]. Available: <https://doi.org/10.3390/act9010003>
- [6] N. El-Atab, R. B. Mishra, F. Al-Modaf, L. Joharji, A. A. Alsharif, H. Alamoudi, M. Diaz, N. Qaiser, and M. M. Hussain, “Soft actuators for soft robotic applications: A review,” *Advanced Intelligent Systems*, vol. 2, no. 10, p. 2000128, aug 2020. [Online]. Available: <https://doi.org/10.1002%2Faisy.202000128>
- [7] V. Bartenbach, K. Schmidt, M. Naef, D. Wyss, and R. Riener, “Concept of a soft exosuit for the support of leg function in rehabilitation,” in *IEEE International Conference on Rehabilitation Robotics*, vol. 2015-September. IEEE, aug 2015, pp. 125–130. [Online]. Available: <http://ieeexplore.ieee.org/document/7281187/>
- [8] H. Herr, “Exoskeletons and orthoses: Classification, design challenges and future directions,” *Journal of NeuroEngineering and Rehabilitation*, vol. 6, no. 1, p. 21, dec 2009. [Online]. Available: <https://jneuroengrehab.biomedcentral.com/articles/10.1186/1743-0003-6-21>

- [9] B. Chen, H. Ma, L. Y. Qin, F. Gao, K. M. Chan, S. W. Law, L. Qin, and W. H. Liao, "Recent developments and challenges of lower extremity exoskeletons," *Journal of Orthopaedic Translation*, vol. 5, pp. 26–37, apr 2016. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S2214031X15000716>
- [10] S. Rossi, A. Colazza, M. Petrarca, E. Castelli, P. Cappa, and H. I. Krebs, "Feasibility Study of a Wearable Exoskeleton for Children: Is the Gait Altered by Adding Masses on Lower Limbs?" *PLoS ONE*, vol. 8, no. 9, p. e73139, sep 2013. [Online]. Available: <https://dx.plos.org/10.1371/journal.pone.0073139>
- [11] A. Schiele, "Ergonomics of exoskeletons: Objective performance metrics," *Proceedings - 3rd Joint EuroHaptics Conference and Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems, World Haptics 2009*, pp. 103–108, 2009. [Online]. Available: <http://ieeexplore.ieee.org/document/4810871/>
- [12] M. Cianchetti, C. Laschi, A. Menciassi, and P. Dario, "Biomedical applications of soft robotics," *Nature Reviews Materials*, vol. 3, no. 6, pp. 143–153, jun 2018. [Online]. Available: <http://www.nature.com/articles/s41578-018-0022-y>
- [13] M. Wehner, B. Quinlivan, P. M. Aubin, E. Martinez-Villalpando, M. Baumann, L. Stirling, K. Holt, R. Wood, and C. Walsh, "A lightweight soft exosuit for gait assistance," in *Proceedings - IEEE International Conference on Robotics and Automation*. IEEE, may 2013, pp. 3362–3369. [Online]. Available: <http://ieeexplore.ieee.org/document/6631046/>
- [14] K. Schmidt, J. E. Duarte, M. Grimmer, A. Sancho-Puchades, H. Wei, C. S. Easthope, and R. Riener, "The myosuit: Bi-articular anti-gravity exosuit that reduces hip extensor activity in sitting transfers," *Frontiers in Neurorobotics*, vol. 11, no. OCT, pp. 1–16, oct 2017. [Online]. Available: <http://journal.frontiersin.org/article/10.3389/fnbot.2017.00057/full>
- [15] W. Awantha, A. Wanasinghe, A. Kavindya, A. Kulasekera, and D. Chathuranga, "A Novel Soft Glove for Hand Tremor Suppression: Evaluation of Layer Jamming Actuator Placement," in *2020 3rd IEEE International Conference on Soft Robotics (RoboSoft)*. IEEE, may 2020, pp. 440–445. [Online]. Available: <https://ieeexplore.ieee.org/document/9115994/>
- [16] S. Kurumaya, H. Nabae, G. Endo, and K. Suzumori, "Design of thin McKibben muscle and multifilament structure," *Sensors and Actuators, A: Physical*, vol. 261, pp. 66–74, jul 2017. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0924424716308792> <http://dx.doi.org/10.1016/j.sna.2017.04.047>
- [17] C. Premarathna, A. Kulasekera, D. Chathuranga, and T. Lalitharatne, "A novel fabrication method for rapid prototyping of soft structures with embedded pneumatic channels," in *2019 Moratuwa Engineering Research Conference (MERCon)*. IEEE, July 2019. [Online]. Available: <https://doi.org/10.1109/mercon.2019.8818891>

- [18] A. Osorio, A. Kulasekera, Y. Sugahara, D. Matsuura, and Y. Takeda, “A novel scalable SMA actuator using thermally conductive fluid : Its concept and basic characterization,” in *37th Annual Meeting of the Robotics Society of Japan*, Waseda Univ., Tokyo, 2019, pp. 2–3.
- [19] C. Laschi, B. Mazzolai, and M. Cianchetti, “Soft robotics: Technologies and systems pushing the boundaries of robot abilities,” *Science Robotics*, vol. 1, no. 1, pp. 1–11, 2016.
- [20] M. Manti, V. Cacucciolo, and M. Cianchetti, “Stiffening in soft robotics: A review of the state of the art,” *IEEE Robotics and Automation Magazine*, vol. 23, no. 3, pp. 93–106, 2016.
- [21] G. Agarwal, N. Besuchet, B. Audergon, and J. Paik, “Stretchable Materials for Robust Soft Actuators towards Assistive Wearable Devices,” *Scientific Reports*, vol. 6, no. September, pp. 1–8, 2016.
- [22] H.-T. Lin, G. G. Leisk, and B. Trimmer, “GoQBot: a caterpillar-inspired soft-bodied rolling robot,” *Bioinspiration and Biomimetics*, vol. 6, no. 2, p. 026007, Apr. 2011. [Online]. Available: <https://doi.org/10.1088/1748-3182/6/2/026007>
- [23] C. Laschi, M. Cianchetti, B. Mazzolai, L. Margheri, M. Follador, and P. Dario, “Soft robot arm inspired by the octopus,” *Advanced Robotics*, vol. 26, no. 7, pp. 709–727, 2012.
- [24] F. Carpi, S. Bauer, and D. De Rossi, “Stretching dielectric elastomer performance,” *Science*, vol. 330, no. 6012, pp. 1759–1761, 2010.
- [25] R. F. Shepherd, A. A. Stokes, J. Freake, J. Barber, P. W. Snyder, A. D. Mazzeo, L. Cademartiri, S. A. Morin, and G. M. Whitesides, “Using explosions to power a soft robot,” *Angewandte Chemie - International Edition*, vol. 52, no. 10, pp. 2892–2896, 2013.
- [26] F. Ilievski, A. D. Mazzeo, R. F. Shepherd, X. Chen, and G. M. Whitesides, “Soft robotics for chemists,” *Angewandte Chemie - International Edition*, vol. 50, no. 8, pp. 1890–1895, 2011.
- [27] P. Polygerinos, K. C. Galloway, S. Sanan, M. Herman, and C. J. Walsh, “EMG controlled soft robotic glove for assistance during activities of daily living,” in *2015 IEEE International Conference on Rehabilitation Robotics (ICORR)*. IEEE, August 2015. [Online]. Available: <https://doi.org/10.1109/icorr.2015.7281175>
- [28] Y.-L. Park, J. Santos, K. G. Galloway, E. C. Goldfield, and R. J. Wood, “A soft wearable robotic device for active knee motions using flat pneumatic artificial muscles,” in *2014 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, May 2014. [Online]. Available: <https://doi.org/10.1109/icra.2014.6907562>

- [29] F. Iida and C. Laschi, “Soft robotics: Challenges and perspectives,” *Procedia Computer Science*, vol. 7, pp. 99–102, 2011.
- [30] R. Pfeifer, M. Lungarella, and F. Iida, “The challenges ahead for bio-inspired ‘soft’ robotics,” *Communications of the ACM*, vol. 55, no. 11, pp. 76–87, 2012.
- [31] S. Kim, C. Laschi, and B. Trimmer, “Soft robotics: A bioinspired evolution in robotics,” *Trends in Biotechnology*, vol. 31, no. 5, pp. 287–294, 2013.
- [32] P. Polygerinos, Z. Wang, J. T. Overvelde, K. C. Galloway, R. J. Wood, K. Bertoldi, and C. J. Walsh, “Modeling of Soft Fiber-Reinforced Bending Actuators,” *IEEE Transactions on Robotics*, vol. 31, no. 3, pp. 778–789, 2015.
- [33] M. Memarian, R. Gorbet, and D. Kulic, “Modelling and experimental analysis of a novel design for soft pneumatic artificial muscles,” *IEEE International Conference on Intelligent Robots and Systems*, vol. 2015-December, pp. 1718–1724, 2015.
- [34] C. P. Chou and B. Hannaford, “Measurement and modeling of McKibben pneumatic artificial muscles,” *IEEE Transactions on Robotics and Automation*, vol. 12, no. 1, pp. 90–102, 1996.
- [35] B. Tondu and P. Lopez, “Modeling and Control of McKibben Artificial Muscle Robot Actuators,” *IEEE Control Systems*, vol. 20, no. 2, pp. 15–38, apr 2000. [Online]. Available: <https://ieeexplore.ieee.org/document/833638/>
- [36] B. Tondu, “Modelling of the McKibben artificial muscle: A review,” *Journal of Intelligent Material Systems and Structures*, vol. 23, no. 3, pp. 225–253, 2012.
- [37] A. A. M. Faudzi, N. H. I. Mat Lazim, and K. Suzumori, “Modeling and force control of thin soft McKibben actuator,” *International Journal of Automation Technology*, vol. 10, no. 4, pp. 487–493, 2016.
- [38] N. Saga, T. Nakamura, and K. Yaegashi, “Mathematical model of pneumatic artificial muscle reinforced by straight fibers,” *Journal of Intelligent Material Systems and Structures*, vol. 18, no. 2, pp. 175–180, 2007.
- [39] T. Nakamura and H. Shinohara, “Position and force control based on mathematical models of pneumatic artificial muscles reinforced by straight glass fibers,” in *Proceedings - IEEE International Conference on Robotics and Automation*. IEEE, apr 2007, pp. 4361–4366. [Online]. Available: <http://ieeexplore.ieee.org/document/4209769/>
- [40] P. Polygerinos, Z. Wang, K. C. Galloway, R. J. Wood, and C. J. Walsh, “Soft robotic glove for combined assistance and at-home rehabilitation,” *Robotics and Autonomous Systems*, vol. 73, pp. 135–143, 2015.
- [41] E. T. Roche, R. Wohlfarth, J. T. Overvelde, N. V. Vasilyev, F. A. Pigula, D. J. Mooney, K. Bertoldi, and C. J. Walsh, “A bioinspired soft actuated material,” *Advanced Materials*, vol. 26, no. 8, pp. 1200–1206, 2014.

- [42] F. Connolly, P. Polygerinos, C. J. Walsh, and K. Bertoldi, “Mechanical programming of soft actuators by varying fiber angle,” *Soft Robotics*, vol. 2, no. 1, pp. 26–32, 2015.
- [43] J. Wirekoh and Y. L. Park, “Design of flat pneumatic artificial muscles,” *Smart Materials and Structures*, vol. 26, no. 3, p. 035009, mar 2017. [Online]. Available: <https://iopscience.iop.org/article/10.1088/1361-665X/aa5496>
- [44] F. Daerden and D. Lefeber, “The concept and design of pleated pneumatic artificial muscles,” *International Journal of Fluid Power*, vol. 2, no. 3, pp. 41–50, jan 2001. [Online]. Available: <http://www.tandfonline.com/doi/abs/10.1080/14399776.2001.10781119>
- [45] B. Mosadegh, P. Polygerinos, C. Keplinger, S. Wennstedt, R. F. Shepherd, U. Gupta, J. Shim, K. Bertoldi, C. J. Walsh, and G. M. Whitesides, “Pneumatic networks for soft robotics that actuate rapidly,” *Advanced Functional Materials*, vol. 24, no. 15, pp. 2163–2170, 2014.
- [46] S. Sanan, P. S. Lynn, and S. T. Griffith, “Pneumatic torsional actuators for inflatable robots,” *Journal of Mechanisms and Robotics*, vol. 6, no. 3, p. 31003, 2014.
- [47] R. Niiyama, X. Sun, C. Sung, B. An, D. Rus, and S. Kim, “Pouch motors: Printable soft actuators integrated with computational design,” *Soft Robotics*, vol. 2, no. 2, pp. 59–70, 2015.
- [48] A. J. Veale, S. Q. Xie, and I. A. Anderson, “Modeling the Peano fluidic muscle and the effects of its material properties on its static and dynamic behavior,” *Smart Materials and Structures*, vol. 25, no. 6, pp. 1–16, 2016.
- [49] N. Kellaris, V. G. Venkata, G. M. Smith, S. K. Mitchell, and C. Keplinger, “Peano-HASEL actuators: Muscle-mimetic, electrohydraulic transducers that linearly contract on activation,” *Science Robotics*, vol. 3, no. 14, pp. 1–11, 2018.
- [50] M. De Volder and D. Reynaerts, “Pneumatic and hydraulic microactuators: A review,” *Journal of Micromechanics and Microengineering*, vol. 20, no. 4, 2010.
- [51] A. V. Coccaro, “Pneumatic Jack,” United States, United States, 2013. [Online]. Available: <https://patents.google.com/patent/US20130187107A1/en>
- [52] B. Gorissen, D. Reynaerts, S. Konishi, K. Yoshida, J. W. Kim, and M. De Volder, “Elastic Inflatable Actuators for Soft Robotic Applications,” *Advanced Materials*, vol. 29, no. 43, pp. 1–14, 2017.
- [53] B. Gorissen, T. Chishiro, S. Shimomura, D. Reynaerts, M. De Volder, and S. Konishi, “Flexible pneumatic twisting actuators and their application to tilting micromirrors,” *Sensors and Actuators, A: Physical*, vol. 216, pp. 426–431, 2014.

- [54] S. Hirai, P. Cusin, H. Tanigawa, T. Masui, S. Konishi, and S. Kawamura, “Qualitative synthesis of deformable cylindrical actuators through constraint topology,” *IEEE International Conference on Intelligent Robots and Systems*, vol. 1, pp. 197–202, 2000.
- [55] S. Hirai, T. Masui, and S. Kawamura, “Prototyping pneumatic group actuators composed of multiple single-motion elastic tubes,” *Proceedings - IEEE International Conference on Robotics and Automation*, vol. 4, no. c, pp. 3807–3812, 2001.
- [56] C. Moraes, Y. Sun, and C. A. Simmons, “Solving the shrinkage-induced PDMS alignment registration issue in multilayer soft lithography,” *Journal of Micromechanics and Microengineering*, vol. 19, no. 6, p. 65015, 2009.
- [57] Y. C. Su, L. Lin, and A. P. Pisano, “A water-powered osmotic microactuator,” *Journal of Microelectromechanical Systems*, vol. 11, no. 6, pp. 736–742, 2002.
- [58] R. V. Martinez, C. R. Fish, X. Chen, and G. M. Whitesides, “Elastomeric origami: Programmable paper-elastomer composites as pneumatic actuators,” *Advanced Functional Materials*, vol. 22, no. 7, pp. 1376–1384, 2012.
- [59] X. Gong, K. Yang, J. Xie, Y. Wang, P. Kulkarni, A. S. Hobbs, and A. D. Mazzeo, “Rotary Actuators Based on Pneumatically Driven Elastomeric Structures,” *Advanced Materials*, vol. 28, no. 34, pp. 7533–7538, 2016.
- [60] M. C. Birch, R. D. Quinn, G. Hahm, S. M. Phillips, B. Drennan, A. Fife, H. Verma, and R. D. Beer, “Design of a cricket microrobot,” in *Proceedings - IEEE International Conference on Robotics and Automation*, vol. 2, 2000, pp. 1109–1114.
- [61] T. Chishiro, T. Ono, and S. Konishi, “Pantograph mechanism for conversion from swelling into contraction motion of pneumatic balloon actuator,” in *Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS)*, 2013, pp. 532–535.
- [62] K. Takemura, S. Yokota, and K. Edamura, “A micro artificial muscle actuator using electro-conjugate fluid,” in *Proceedings - IEEE International Conference on Robotics and Automation*, vol. 2005, 2005, pp. 532–537.
- [63] B. Verrelst, R. Van Ham, B. Vanderborght, F. Daerden, D. Lefeber, and J. Vermeulen, “The pneumatic biped “lucy” actuated with pleated pneumatic artificial muscles,” *Autonomous Robots*, vol. 18, no. 2, pp. 201–213, 2005.
- [64] F. Daerden and D. Lefeber, “Pneumatic artificial muscles: Actuators for robotics and automation,” *European Journal of Mechanical and Environmental Engineering*, vol. 47, no. 1, pp. 11–21, 2002.
- [65] B. Tondu, “What is an artificial muscle? A systemic approach,” *Actuators*, vol. 4, no. 4, pp. 336–352, 2015.

- [66] O. Erin, N. Pol, L. Valle, and Y. L. Park, “Design of a bio-inspired pneumatic artificial muscle with self-contained sensing,” *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, vol. 2016-October, pp. 2115–2119, 2016.
- [67] I. Gaiser, R. Wiegand, O. Ivlev, a. Andres, H. Breitwieser, S. Schulz, and G. Brethauer, “Smart Actuation and Sensing Systems - Recent Advances and Future Challenges,” *Smart Actuation and Sensing Systems - Recent Advances and Future Challenges*, no. February, pp. 567–608, 2012.
- [68] J. E. Takosoglu, P. A. Laski, S. Blasiak, G. Bracha, and D. Pietrala, “Determining the Static Characteristics of Pneumatic Muscles,” *Measurement and Control (United Kingdom)*, vol. 49, no. 2, pp. 62–71, 2016.
- [69] D. Yang, M. S. Verma, J. H. So, B. Mosadegh, C. Keplinger, B. Lee, F. Khashai, E. Lossner, Z. Suo, and G. M. Whitesides, “Buckling Pneumatic Linear Actuators Inspired by Muscle,” *Advanced Materials Technologies*, vol. 1, no. 3, p. 1600055, jun 2016. [Online]. Available: <http://doi.wiley.com/10.1002/admt.201600055>
- [70] M. S. Verma, A. Ainla, D. Yang, D. Harburg, and G. M. Whitesides, “A Soft Tube-Climbing Robot,” *Soft Robotics*, vol. 5, no. 2, pp. 133–137, 2018.
- [71] G. Agarwal, M. A. Robertson, H. Sonar, and J. Paik, “Design and Computational Modeling of a Modular, Compliant Robotic Assembly for Human Lumbar Unit and Spinal Cord Assistance,” *Scientific Reports*, vol. 7, no. 1, pp. 1–11, 2017.
- [72] S. Li, D. M. Vogt, D. Rus, and R. J. Wood, “Fluid-driven origami-inspired artificial muscles,” *Proceedings of the National Academy of Sciences*, vol. 114, no. 50, pp. 13 132–13 137, dec 2017. [Online]. Available: <http://www.pnas.org/lookup/doi/10.1073/pnas.1713450114>
- [73] J.-G. Lee and H. Rodrigue, “Origami-Based Vacuum Pneumatic Artificial Muscles with Large Contraction Ratios,” *Soft Robotics*, vol. 00, no. 00, p. soro.2018.0063, 2018. [Online]. Available: <https://www.liebertpub.com/doi/10.1089/soro.2018.0063>
- [74] J. Miller and N. Wicks, “Vacuum-Actuated Bending for Grasping,” *Robotics*, vol. 7, no. 4, p. 73, 2018. [Online]. Available: <http://www.mdpi.com/2218-6581/7/4/73>
- [75] S. D. Katugampala, K. M. S. Arachchi, S. Asanka, R. B. Arumathanthri, A. L. Kulasekera, and N. D. Jayaweera, “Design and Characterization of a Novel Vacuum Bending Actuator and a Bimorph: for Preliminary Use in a Continuum Robot Arm,” in *2019 IEEE International Conference on Cybernetics and Intelligent Systems (CIS) and IEEE Conference on Robotics, Automation and Mechatronics (RAM)*. Bangkok, Thailand: IEEE, nov 2019, pp. 263–268. [Online]. Available: <https://ieeexplore.ieee.org/document/9095543/>

- [76] H. Al-Fahaam, S. Davis, and S. Nefti-Meziani, “The design and mathematical modelling of novel extensor bending pneumatic artificial muscles (EBPAMs) for soft exoskeletons,” *Robotics and Autonomous Systems*, vol. 99, pp. 63–74, 2018.
- [77] N. Tsagarakis and D. G. Caldwell, “Improved modelling and assessment of pneumatic muscle actuators,” *Proceedings - IEEE International Conference on Robotics and Automation*, vol. 4, pp. 3641–3646, 2000.
- [78] D. G. Caldwell, N. Tsagarakis, and G. A. Medrano-Cerda, “Bio-mimetic actuators: Polymeric Pseudo Muscular Actuators and pneumatic Muscle Actuators for biological emulation,” *Mechatronics*, vol. 10, no. 4, pp. 499–530, 2000.
- [79] J. P. King, L. E. Valle, N. Pol, and Y. L. Park, “Design, modeling, and control of pneumatic artificial muscles with integrated soft sensing,” *Proceedings - IEEE International Conference on Robotics and Automation*, pp. 4985–4990, 2017.
- [80] D. Trivedi, C. D. Rahn, W. M. Kier, and I. D. Walker, “Soft robotics: Biological inspiration, state of the art, and future research,” *Applied Bionics and Biomechanics*, vol. 5, no. 3, pp. 99–117, 2008.
- [81] Z. Jiao, C. Ji, J. Zou, H. Yang, and M. Pan, “Vacuum-Powered Soft Pneumatic Twisting Actuators to Empower New Capabilities for Soft Robots,” *Advanced Materials Technologies*, vol. 4, no. 1, p. 1800429, jan 2019. [Online]. Available: <http://doi.wiley.com/10.1002/admt.201800429>
<https://onlinelibrary.wiley.com/doi/10.1002/admt.201800429>
- [82] M. Yu, W. Yang, Y. Yu, X. Cheng, and Z. Jiao, “A Crawling Soft Robot Driven by Pneumatic Foldable Actuators Based on Miura-Ori,” *Actuators*, vol. 9, no. 2, p. 26, 2020.
- [83] J. Zou, Y. Lin, C. Ji, and H. Yang, “A Reconfigurable Omnidirectional Soft Robot Based on Caterpillar Locomotion,” *Soft Robotics*, vol. 5, no. 2, pp. 164–174, 2018.
- [84] M. A. Robertson, H. Sadeghi, J. M. Florez, and J. Paik, “Soft Pneumatic Actuator Fascicles for High Force and Reliability,” *Soft Robotics*, vol. 4, no. 1, pp. 23–32, 2017. [Online]. Available: <http://online.liebertpub.com/doi/10.1089/soro.2016.0029>
- [85] A. Sadeghi, A. Mondini, and B. Mazzolai, “A Vacuum Powered Soft Textile-Based Clutch,” *Actuators*, vol. 8, no. 2, p. 47, jun 2019. [Online]. Available: <https://www.mdpi.com/2076-0825/8/2/47>
- [86] N. S. Usevitch, A. M. Okamura, and E. W. Hawkes, “APAM: Antagonistic Pneumatic Artificial Muscle,” in *2018 IEEE International Conference on Robotics and Automation (ICRA)*, vol. Accepted. Brisbane, Australia: IEEE, may 2018, pp. 1539–1546. [Online]. Available: <https://ieeexplore.ieee.org/document/8460881/>

- [87] S. Terryn, G. Mathijssen, J. Brancart, D. Lefeber, G. V. Assche, and B. Vanderborght, "Development of a self-healing soft pneumatic actuator: A first concept," *Bioinspiration and Biomimetics*, vol. 10, no. 4, 2015.
- [88] W. Felt, S. Lu, and C. D. Remy, "Modeling and Design of 'Smart Braid' Inductance Sensors for Fiber-Reinforced Elastomeric Enclosures," *IEEE Sensors Journal*, vol. 18, no. 7, pp. 2827–2835, apr 2018. [Online]. Available: <http://ieeexplore.ieee.org/document/8281451/>
- [89] D. Yang, B. Mosadegh, A. Ainla, B. Lee, F. Khashai, Z. Suo, K. Bertoldi, and G. M. Whitesides, "Buckling of Elastomeric Beams Enables Actuation of Soft Machines," *Advanced Materials*, vol. 27, no. 41, pp. 6323–6327, nov 2015. [Online]. Available: <https://onlinelibrary.wiley.com/doi/10.1002/adma.201503188>
- [90] H. M. Herr and R. D. Kornbluh, "New horizons for orthotic and prosthetic technology: artificial muscle for ambulation," in *Proc. SPIE 5385, Smart Structures and Materials 2004: Electroactive Polymer Actuators and Devices (EAPAD)*, Y. Bar-Cohen, Ed., jul 2004, p. 1. [Online]. Available: <http://proceedings.spiedigitallibrary.org/proceeding.aspx?doi=10.1117/12.544510>
- [91] R. Arumathanthri, B. Abeygoonawardana, I. Kumarasinghe, D. Chathuranga, T. D. Lalitharatne, and A. Kulasekera, "A Soft Robotic Gripper with Sensory Feedback Fabricated by Latex using Coagulant Dipping Process," in *2018 IEEE International Conference on Robotics and Biomimetics (ROBIO)*. IEEE, dec 2018, pp. 2082–2087. [Online]. Available: <https://ieeexplore.ieee.org/document/8665091/>
- [92] M. C. Yuen, R. Kramer-Bottiglio, and J. Paik, "Strain sensor-embedded soft pneumatic actuators for extension and bending feedback," in *2018 IEEE International Conference on Soft Robotics (RoboSoft)*. IEEE, apr 2018, pp. 202–207. [Online]. Available: <https://ieeexplore.ieee.org/document/8404920/>
- [93] A. Hildebrandt, O. Sawodny, R. Neumann, and A. Hartmann, "Cascaded control concept of a robot with two degrees of freedom driven by four artificial pneumatic muscle actuators," in *Proceedings of the 2005, American Control Conference, 2005*. IEEE, pp. 680–685. [Online]. Available: <http://ieeexplore.ieee.org/document/1470036/>
- [94] N. Farrow and N. Correll, "A soft pneumatic actuator that can sense grasp and touch," in *2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, sep 2015, pp. 2317–2323. [Online]. Available: <http://ieeexplore.ieee.org/document/7353689/>
- [95] Yong-Lae Park, Bor-Rong Chen, and R. J. Wood, "Design and Fabrication of Soft Artificial Skin Using Embedded Microchannels and Liquid Conductors," *IEEE Sensors Journal*, vol. 12, no. 8, pp. 2711–2718, aug 2012. [Online]. Available: <http://ieeexplore.ieee.org/document/6203551/>

- [96] W. Felt, K. Y. Chin, and C. D. Remy, “Contraction Sensing with Smart Braid McKibben Muscles,” *IEEE/ASME Transactions on Mechatronics*, vol. 21, no. 3, pp. 1201–1209, 2016.
- [97] W. Felt, M. J. Telleria, T. F. Allen, G. Hein, J. B. Pompa, K. Albert, and C. D. Remy, “An inductance-based sensing system for bellows-driven continuum joints in soft robots,” *Autonomous Robots*, vol. 43, no. 2, pp. 435–448, 2019. [Online]. Available: <https://doi.org/10.1007/s10514-018-9769-7>
- [98] C. Dohle, F. Müller, and K. Stephan, “Technical Developments for Rehabilitation of Mobility,” *Neurology International Open*, vol. 01, no. 03, pp. E211–E216, 2017.
- [99] A. S. Niyetkaliyev, S. Hussain, M. H. Ghayesh, and G. Alici, “Review on Design and Control Aspects of Robotic Shoulder Rehabilitation Orthoses,” *IEEE Transactions on Human-Machine Systems*, vol. 47, no. 6, pp. 1134–1145, 2017.
- [100] A. J. Young and D. P. Ferris, “State of the art and future directions for lower limb robotic exoskeletons,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 2, pp. 171–182, feb 2017. [Online]. Available: <http://ieeexplore.ieee.org/document/7393837/>
- [101] T. Kermavnar, V. Power, A. De Eyto, and L. W. O’Sullivan, “Computerized Cuff Pressure Algometry as Guidance for Circumferential Tissue Compression for Wearable Soft Robotic Applications: A Systematic Review,” *Soft Robotics*, vol. 5, no. 1, pp. 1–16, 2018.
- [102] A. T. Asbeck, S. M. De Rossi, K. G. Holt, and C. J. Walsh, “A biologically inspired soft exosuit for walking assistance,” *International Journal of Robotics Research*, vol. 34, no. 6, pp. 744–762, may 2015. [Online]. Available: <http://journals.sagepub.com/doi/10.1177/0278364914562476>
- [103] A. T. Asbeck, R. J. Dyer, A. F. Larusson, and C. J. Walsh, “Biologically-inspired soft exosuit,” *IEEE International Conference on Rehabilitation Robotics*, 2013.
- [104] A. T. Asbeck, S. M. De Rossi, I. Galiana, Y. Ding, and C. J. Walsh, “Stronger, smarter, softer: Next-generation wearable robots,” *IEEE Robotics and Automation Magazine*, vol. 21, no. 4, pp. 22–33, 2014.
- [105] J. Bae, S. M. M. De Rossi, K. O’Donnell, K. L. Hendron, L. N. Awad, T. R. Teles Dos Santos, V. L. De Araujo, Y. Ding, K. G. Holt, T. D. Ellis, and C. J. Walsh, “A soft exosuit for patients with stroke: Feasibility study with a mobile off-board actuation unit,” *IEEE International Conference on Rehabilitation Robotics*, vol. 2015-September, pp. 131–138, 2015.

- [106] F. A. Panizzolo, I. Galiana, A. T. Asbeck, C. Siviy, K. Schmidt, K. G. Holt, and C. J. Walsh, “A biologically-inspired multi-joint soft exosuit that can reduce the energy cost of loaded walking,” *Journal of NeuroEngineering and Rehabilitation*, vol. 13, no. 1, p. 43, dec 2016. [Online]. Available: <http://dx.doi.org/10.1186/s12984-016-0150-9>
<https://jneuroengrehab.biomedcentral.com/articles/10.1186/s12984-016-0150-9>
- [107] G. Lee, J. Kim, F. A. Panizzolo, Y. M. Zhou, L. M. Baker, I. Galiana, P. Malcolm, and C. J. Walsh, “Reducing the metabolic cost of running with a tethered soft exosuit,” *Science Robotics*, vol. 2, no. 6, p. eaan6708, may 2017. [Online]. Available: <http://robotics.sciencemag.org/lookup/doi/10.1126/scirobotics.aan6708>
<https://robotics.sciencemag.org/lookup/doi/10.1126/scirobotics.aan6708>
- [108] L. N. Awad, J. Bae, K. O'Donnell, S. M. De Rossi, K. Hendron, L. H. Sloot, P. Kudzia, S. Allen, K. G. Holt, T. D. Ellis, and C. J. Walsh, “A soft robotic exosuit improves walking in patients after stroke,” *Science Translational Medicine*, vol. 9, no. 400, p. eaai9084, 2017.
- [109] L. N. Awad, J. Bae, P. Kudzia, A. Long, K. Hendron, K. G. Holt, K. O'Donnell, T. D. Ellis, and C. J. Walsh, “Reducing Circumduction and Hip Hiking During Hemiparetic Walking Through Targeted Assistance of the Paretic Limb Using a Soft Robotic Exosuit,” *American journal of physical medicine & rehabilitation*, vol. 96, no. 10, pp. S157–S164, 2017.
- [110] Y. Ding, I. Galiana, A. T. Asbeck, S. M. M. De Rossi, J. Bae, T. R. T. Santos, V. L. De Araujo, S. Lee, K. G. Holt, and C. Walsh, “Biomechanical and physiological evaluation of multi-joint assistance with soft exosuits,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 2, pp. 119–130, 2017.
- [111] J. Bae, L. N. Awad, A. Long, K. O'Donnell, K. Hendron, K. G. Holt, T. D. Ellis, and C. J. Walsh, “Biomechanical mechanisms underlying exosuit-induced improvements in walking economy after stroke,” *Journal of Experimental Biology*, vol. 221, no. 5, p. jeb.168815, 2018.
- [112] D. J. Newman, K. Bethke, C. Carr, J. Hoffman, and G. Trott, “Astronaut bio-suit system to enable planetary exploration,” in *International Astronautical Federation - 55th International Astronautical Congress 2004*, vol. 12. Reston, Virigina: American Institute of Aeronautics and Astronautics, oct 2004, pp. 7708–7718. [Online]. Available: <http://arc.aiaa.org/doi/10.2514/6.IAC-04-U.1.03>
- [113] K. Ohashi, Y. Akiyama, S. Okamoto, and Y. Yamada, “Development of a string-driven walking assist device powered by upper body muscles,” *2017 IEEE International Conference on Systems, Man, and Cybernetics, SMC 2017*, vol. 2017-January, pp. 1411–1416, 2017.

- [114] D. Sasaki, T. Noritsugu, and M. Takaiwa, “Development of pneumatic lower limb power assist wear driven with wearable air supply system,” *IEEE International Conference on Intelligent Robots and Systems*, pp. 4440–4445, 2013.
- [115] S. Jin, N. Iwamoto, K. Hashimoto, and M. Yamamoto, “Experimental Evaluation of Energy Efficiency for a Soft Wearable Robotic Suit,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 8, pp. 1192–1201, 2017.
- [116] S. Jin, S. Guo, K. Hashimoto, and M. Yamamoto, “Effects of a soft wearable robotic suit on metabolic cost and gait characteristics in healthy young subjects,” *International Conference on Control, Automation and Systems*, vol. 2017-October, no. Iccas, pp. 680–684, 2017.
- [117] S. Lessard, P. Pansodtee, A. Robbins, L. B. Baltaxe-Admony, J. M. Trombadore, M. Teodorescu, A. Agogino, and S. Kurniawan, “CRUX: A compliant robotic upper-extremity exosuit for lightweight, portable, multi-joint muscular augmentation,” *IEEE International Conference on Rehabilitation Robotics*, vol. 3, pp. 1633–1638, 2017.
- [118] A. Schiele and F. C. van der Helm, “Influence of attachment pressure and kinematic configuration on pHRI with wearable robots,” *Applied Bionics and Biomechanics*, vol. 6, no. 2, pp. 157–173, 2009.
- [119] N. Aliman, R. Ramli, and S. M. M. Haris, “Design and development of lower limb exoskeletons: A survey,” *Robotics and Autonomous Systems*, vol. 95, pp. 102–116, 2017.
- [120] B. Weinberg, J. Nikitczuk, S. Patel, B. Patritti, C. Mavroidis, P. Bonato, and P. Canavan, “Design, Control and Human Testing of an Active Knee Rehabilitation Orthotic Device,” in *Proceedings 2007 IEEE International Conference on Robotics and Automation*. IEEE, apr 2007, pp. 4126–4133. [Online]. Available: <http://ieeexplore.ieee.org/document/4209731/>
- [121] S. Sridar, P. H. Nguyen, M. Zhu, Q. P. Lam, and P. Polygerinos, “Development of a soft-inflatable exosuit for knee rehabilitation,” in *2017 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, vol. 2017-Septe. IEEE, sep 2017, pp. 3722–3727. [Online]. Available: <http://ieeexplore.ieee.org/document/8206220/>
- [122] T. L. Floyd, *Electronic devices (conventional current version)*, 10th ed. Upper Saddle River, NJ: Pearson, Jan. 2018.
- [123] Texas Instruments, “LDC1612, LDC1614 Multi-Channel 28-Bit Inductance to Digital Converter (LDC) for Inductive Sensing,” p. 67, 2018.

- [124] A. N. Chaudhury and D. Datta, “Analysis of prismatic springs of non-circular coil shape and non-prismatic springs of circular coil shape by analytical and finite element methods,” *Journal of Computational Design and Engineering*, vol. 4, no. 3, pp. 178–191, jul 2017. [Online]. Available: <https://academic.oup.com/jcde/article/4/3/178/5715409http://dx.doi.org/10.1016/j.jcde.2017.02.001>
- [125] S. R. Krishnan and C. S. Seelamantula, “On the selection of optimum Savitzky-Golay filters,” *IEEE Transactions on Signal Processing*, vol. 61, no. 2, pp. 380–391, 2013.
- [126] M. J. Mendoza, S. D. Gollob, D. Lavado, B. H. B. Koo, S. Cruz, E. T. Roche, and E. A. Vela, “A vacuum-powered artificial muscle designed for infant rehabilitation,” *Micromachines*, vol. 12, no. 8, p. 971, August 2021. [Online]. Available: <https://doi.org/10.3390/mi12080971>
- [127] Y. L. Park, B. R. Chen, N. O. Pérez-Arcibia, D. Young, L. Stirling, R. J. Wood, E. C. Goldfield, and R. Nagpal, “Design and control of a bio-inspired soft wearable robotic device for ankle-foot rehabilitation,” *Bioinspiration and Biomimetics*, vol. 9, no. 1, p. 016007, jan 2014. [Online]. Available: <https://iopscience.iop.org/article/10.1088/1748-3182/9/1/016007>
- [128] K. L. Bennell, M. A. Hunt, T. V. Wrigley, B.-W. Lim, and R. S. Hinman, “Muscle and Exercise in the Prevention and Management of Knee Osteoarthritis: an Internal Medicine Specialist’s Guide,” *Medical Clinics of North America*, vol. 93, no. 1, pp. 161–177, jan 2009. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0025712508001259>
- [129] N. C. Clark, “(vii) the role of physiotherapy in rehabilitation of soft tissue injuries of the knee,” *Orthopaedics and Trauma*, vol. 29, no. 1, pp. 48–56, February 2015. [Online]. Available: <https://doi.org/10.1016/j.mporth.2014.11.008>
- [130] M. Cross, E. Smith, D. Hoy, S. Nolte, I. Ackerman, M. Fransen, L. Bridgett, S. Williams, F. Guillemin, C. L. Hill, L. L. Laslett, G. Jones, F. Cicuttini, R. Osborne, T. Vos, R. Buchbinder, A. Woolf, and L. March, “The global burden of hip and knee osteoarthritis: Estimates from the Global Burden of Disease 2010 study,” *Annals of the Rheumatic Diseases*, vol. 73, no. 7, pp. 1323–1330, jul 2014. [Online]. Available: <https://ard.bmjjournals.org/lookup/doi/10.1136/annrheumdis-2013-204763>
- [131] H. D. Atkinson, J. M. Laver, and E. Sharp, “(vi) physiotherapy and rehabilitation following soft-tissue surgery of the knee,” *Orthopaedics and Trauma*, vol. 24, no. 2, pp. 129–138, April 2010. [Online]. Available: <https://doi.org/10.1016/j.mporth.2010.03.006>
- [132] M. G. Mohamed Thariq, H. P. Munasinghe, and J. D. Abeysekara, “Designing chairs with mounted desktop for university students: Ergonomics and comfort,” *International Journal of Industrial Ergonomics*, vol. 40, no. 1, pp. 8–18, 2010.

- [133] J. D. Abeysekera and H. Shahnavaz, “Body size data of Sri Lankan workers and their variability with other populations in the world: its impact on the use of imported goods.” *Journal of human ergology*, vol. 16, no. 2, pp. 193–208, 1987.
- [134] W. Brie, “Consideration of Function & Functional Decline,” in *Current Diagnosis and Treatment: Geriatrics, Second Edition*, 2nd ed., B. A. Williams, A. Chang, C. Ahalt, H. Chen, R. Conant, C. S. Landefeld, C. Ritchie, and M. Yukawa, Eds. New York, NY: McGraw-Hill Education, 2014, pp. 3–4.
- [135] E. T. Yümin, T. T. Şimşek, M. Sertel, A. Öztürk, and M. Yümin, “The effect of functional mobility and balance on health-related quality of life (HRQoL) among elderly people living at home and those living in nursing home,” *Archives of Gerontology and Geriatrics*, vol. 52, no. 3, pp. 180–184, 2011.
- [136] M. Roebroeck, C. Doorenbosch, J. Harlaar, R. Jacobs, and G. Lankhorst, “Biomechanics and muscular activity during sit-to-stand transfer,” *Clinical Biomechanics*, vol. 9, no. 4, pp. 235–244, jul 1994. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/0268003394900043>
- [137] K. Boren, C. Conrey, J. Le Coguic, L. Paprocki, M. Voight, and T. K. Robinson, “Electromyographic analysis of gluteus medius and gluteus maximus during rehabilitation exercises.” *International journal of sports physical therapy*, vol. 6, no. 3, pp. 206–23, 2011. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/22034614> [Online]. Available: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3201064/>
- [138] S. Kurumaya, K. Suzumori, H. Nabae, and S. Wakimoto, “Musculoskeletal lower-limb robot driven by multifilament muscles,” *ROBOMECH Journal*, vol. 3, no. 1, Sep. 2016. [Online]. Available: <https://doi.org/10.1186/s40648-016-0061-3>
- [139] R. A. Gopura, D. S. Bandara, K. Kiguchi, and G. K. Mann, “Developments in hardware systems of active upper-limb exoskeleton robots: A review,” *Robotics and Autonomous Systems*, vol. 75, pp. 203–220, 2016. [Online]. Available: <http://dx.doi.org/10.1016/j.robot.2015.10.001>
- [140] T. Yan, M. Cempini, C. M. Oddo, and N. Vitiello, “Review of assistive strategies in powered lower-limb orthoses and exoskeletons,” *Robotics and Autonomous Systems*, vol. 64, pp. 120–136, 2015. [Online]. Available: <http://dx.doi.org/10.1016/j.robot.2014.09.032>