

## References

- [1] S. J. Jung, S. H. Kim, and I. M. Chung, “Comparison of lignin, cellulose, and hemicellulose contents for biofuels utilization among 4 types of lignocellulosic crops,” *Biomass and Bioenergy*, vol. 83, pp. 322–327, 2015, doi: 10.1016/j.biombioe.2015.10.007.
- [2] J. Hill, E. Nelson, D. Tilman, S. Polasky, and D. Tiffany, “Environmental, economic, and energetic costs and benefits of biodiesel and ethanol biofuels,” *Proc. Natl. Acad. Sci. U. S. A.*, vol. 103, no. 30, pp. 11206–11210, Jul. 2006, doi: 10.1073/pnas.0604600103.
- [3] F. Cherubini and S. Ulgiati, “Crop residues as raw materials for biorefinery systems – A LCA case study,” *Appl. Energy*, vol. 87, no. 1, pp. 47–57, Jan. 2010, doi: 10.1016/J.APENERGY.2009.08.024.
- [4] N. Sarkar, S. K. Ghosh, S. Bannerjee, and K. Aikat, “Bioethanol production from agricultural wastes: An overview,” *Renewable Energy*, vol. 37, no. 1. Pergamon, pp. 19–27, Jan. 01, 2012, doi: 10.1016/j.renene.2011.06.045.
- [5] S. Kumar, N. Singh, and R. Prasad, “Anhydrous ethanol: A renewable source of energy,” *Renew. Sustain. Energy Rev.*, vol. 14, no. 7, pp. 1830–1844, Sep. 2010, doi: 10.1016/j.rser.2010.03.015.
- [6] T. L. T. Nguyen, S. H. Gheewala, and S. Garivait, “Fossil energy savings and GHG mitigation potentials of ethanol as a gasoline substitute in Thailand,” *Energy Policy*, vol. 35, no. 10, pp. 5195–5205, Oct. 2007, doi: 10.1016/J.ENPOL.2007.04.038.
- [7] Y. Hyrchenko, T. Skibina, Y. Us, and R. Veckalne, “World market of liquid biofuels : trends , policy and challenges,” vol. 05005, pp. 1–6, 2021.
- [8] A. Sharma and N. K. Aggarwal, *Water hyacinth: A potential lignocellulosic biomass for bioethanol*. 2020.
- [9] A. Demirbas, “Producing and using bioethanol as an automotive fuel,” *Energy Sources, Part B Econ. Plan. Policy*, vol. 2, no. 4, pp. 391–401, Oct. 2007, doi: 10.1080/15567240600705466.
- [10] B. Sharma, C. Larroche, and C. G. Dussap, “Comprehensive assessment of 2G

- bioethanol production," *Bioresource Technology*, vol. 313. Elsevier Ltd, p. 123630, Oct. 01, 2020, doi: 10.1016/j.biortech.2020.123630.
- [11] S. Karimi, R. R. Karri, M. Tavakkoli Yaraki, and J. R. Koduru, "Processes and separation technologies for the production of fuel-grade bioethanol: a review," *Environ. Chem. Lett.* 2021 194, vol. 19, no. 4, pp. 2873–2890, Mar. 2021, doi: 10.1007/S10311-021-01208-9.
- [12] S. S. Hassan, G. A. Williams, and A. K. Jaiswal, "Emerging technologies for the pretreatment of lignocellulosic biomass," *Bioresour. Technol.*, vol. 262, pp. 310–318, Aug. 2018, doi: 10.1016/J.BIORTECH.2018.04.099.
- [13] C. A. Cardona and Ó. J. Sánchez, "Fuel ethanol production: Process design trends and integration opportunities," *Bioresource Technology*, vol. 98, no. 12. Elsevier, pp. 2415–2457, Sep. 01, 2007, doi: 10.1016/j.biortech.2007.01.002.
- [14] S. Kim and B. E. Dale, "Global potential bioethanol production from wasted crops and crop residues," *Biomass and Bioenergy*, vol. 26, no. 4, pp. 361–375, Apr. 2004, doi: 10.1016/J.BIOMBIOE.2003.08.002.
- [15] A. G. Bayrakci and G. Koçar, "Second-generation bioethanol production from water hyacinth and duckweed in Izmir: A case study," *Renew. Sustain. Energy Rev.*, vol. 30, pp. 306–316, Feb. 2014, doi: 10.1016/J.RSER.2013.10.011.
- [16] M. Morales, J. Quintero, R. Conejeros, and G. Aroca, "Life cycle assessment of lignocellulosic bioethanol: Environmental impacts and energy balance," *Renew. Sustain. Energy Rev.*, vol. 42, pp. 1349–1361, 2015, doi: 10.1016/j.rser.2014.10.097.
- [17] G. Finnveden *et al.*, "Recent developments in Life Cycle Assessment," *J. Environ. Manage.*, vol. 91, no. 1, pp. 1–21, Oct. 2009, doi: 10.1016/J.JENVMAN.2009.06.018.
- [18] M. Rathnayake, T. Chaireongsirikul, A. Svangariyaskul, L. Lawtrakul, and P. Toochinda, "Process simulation based life cycle assessment for bioethanol production from cassava, cane molasses, and rice straw," *J. Clean. Prod.*, vol. 190, pp. 24–35, 2018, doi: 10.1016/j.jclepro.2018.04.152.
- [19] M. J. Burk, "Sustainable production of industrial chemicals from sugars,"

2010. Accessed: Jul. 05, 2021. [Online]. Available: [www.isjbuyersguide.com](http://www.isjbuyersguide.com).
- [20] F. Min, M. Kopke, and S. Dennis, “Gas Fermentation for Commercial Biofuels Production,” in *Liquid, Gaseous and Solid Biofuels - Conversion Techniques*, InTech, 2013.
  - [21] C. Simas-Rodrigues, H. D. M. Villela, A. P. Martins, L. G. Marques, P. Colepicolo, and A. P. Tonon, “Microalgae for economic applications: Advantages and perspectives for bioethanol,” *Journal of Experimental Botany*, vol. 66, no. 14. Oxford University Press, pp. 4097–4108, Jul. 01, 2015, doi: 10.1093/jxb/erv130.
  - [22] A. Demirbas, “Use of algae as biofuel sources,” *Energy Convers. Manag.*, vol. 51, no. 12, pp. 2738–2749, 2010, doi: 10.1016/j.enconman.2010.06.010.
  - [23] S. Rezania *et al.*, “Different pretreatment technologies of lignocellulosic biomass for bioethanol production: An overview,” *Energy*, vol. 199, p. 117457, May 2020, doi: 10.1016/J.ENERGY.2020.117457.
  - [24] M. Rastogi and S. Shrivastava, “Recent advances in second generation bioethanol production: An insight to pretreatment, saccharification and fermentation processes,” *Renew. Sustain. Energy Rev.*, vol. 80, pp. 330–340, Dec. 2017, doi: 10.1016/J.RSER.2017.05.225.
  - [25] G. Brodeur, E. Yau, K. Badal, J. Collier, K. B. Ramachandran, and S. Ramakrishnan, “Chemical and physicochemical pretreatment of lignocellulosic biomass: A review,” *Enzyme Res.*, vol. 2011, no. 1, 2011, doi: 10.4061/2011/787532.
  - [26] A. R. Mankar, A. Pandey, A. Modak, and K. K. Pant, “Pretreatment of lignocellulosic biomass: A review on recent advances,” *Bioresour. Technol.*, vol. 334, no. April, p. 125235, 2021, doi: 10.1016/j.biortech.2021.125235.
  - [27] K. O. Olatunji, N. A. Ahmed, and O. Ogunkunle, “Optimization of biogas yield from lignocellulosic materials with different pretreatment methods: a review,” doi: 10.1186/s13068-021-02012-x.
  - [28] M. Hill, J. Coetzee, M. Julien, and T. Center, “Encyclopedia of biological invasion,” D. Simberloff and M. Rejmanek, Eds. University of California

- Press, 2011, pp. 689–692.
- [29] J. Lu, J. Wu, Z. Fu, and L. Zhu, “Water hyacinth in China: A sustainability science-based management framework,” *Environmental Management*, vol. 40, no. 6. Springer, pp. 823–830, Dec. 02, 2007, doi: 10.1007/s00267-007-9003-4.
  - [30] S. Sarto, R. Hidayati, and I. Syaichurrozi, “Effect of chemical pretreatment using sulfuric acid on biogas production from water hyacinth and kinetics,” *Renew. Energy*, vol. 132, pp. 335–350, Mar. 2019, doi: 10.1016/J.RENENE.2018.07.121.
  - [31] A. M. Villamagna and B. R. Murphy, “Ecological and socio-economic impacts of invasive water hyacinth (*Eichhornia crassipes*): a review,” *Freshw. Biol.*, vol. 55, 2010, doi: 10.1111/j.1365-2427.2009.02294.x.
  - [32] J. Laitinen, K. Molis, and M. Surakka, “Resource efficient wastewater treatment in a developing area—Climate change impacts and economic feasibility,” *Ecol. Eng.*, vol. 103, pp. 217–225, Jun. 2017, doi: 10.1016/J.ECOLENG.2017.04.017.
  - [33] L. Li, W. Zhou, H. Wu, Y. Yu, F. Liu, and D. Zhu, “Relationship between crystallinity index and enzymatic hydrolysis performance of celluloses separated from aquatic and terrestrial plant materials,” *BioResources*, vol. 9, no. 3, pp. 3993–4005, 2014, doi: 10.15376/biores.9.3.3993-4005.
  - [34] F. Li *et al.*, “Water hyacinth for energy and environmental applications: A review,” *Bioresour. Technol.*, vol. 327, no. December 2020, p. 124809, 2021, doi: 10.1016/j.biortech.2021.124809.
  - [35] A. Das, P. Ghosh, T. Paul, U. Ghosh, B. R. Pati, and K. C. Mondal, “Production of bioethanol as useful biofuel through the bioconversion of water hyacinth (*Eichhornia crassipes*),” *3 Biotech*, vol. 6, no. 1, pp. 1–9, 2016, doi: 10.1007/s13205-016-0385-y.
  - [36] A. Bhattacharya and P. Kumar, “WATER HYACINTH AS A POTENTIAL BIOFUEL CROP,” vol. 9, no. 1, 2010.
  - [37] D. Q. Nguyen, T. T. An Tran, T. T. Pham, V. T. Le, and T. P. Mai, “Investigation of water hyacinth as a feedstock for bioethanol production by

- simultaneous saccharification and fermentation process,” *Chem. Eng. Trans.*, vol. 83, pp. 289–294, 2021, doi: 10.3303/CET2183049.
- [38] S. Krishnan *et al.*, “Bioethanol production from lignocellulosic biomass (water hyacinth): a biofuel alternative,” *Bioreactors*, pp. 123–143, 2020, doi: 10.1016/b978-0-12-821264-6.00009-7.
- [39] A. Singh and N. R. Bishnoi, “Comparative study of various pretreatment techniques for ethanol production from water hyacinth,” *Ind. Crops Prod.*, vol. 44, pp. 283–289, 2013, doi: 10.1016/j.indcrop.2012.11.026.
- [40] T. Damartzis and A. Zabaniotou, “Thermochemical conversion of biomass to second generation biofuels through integrated process design-A review,” *Renewable and Sustainable Energy Reviews*, vol. 15, no. 1. pp. 366–378, Jan. 2011, doi: 10.1016/j.rser.2010.08.003.
- [41] C. Ricardo Soccol *et al.*, “Lignocellulosic bioethanol: Current status and future perspectives,” in *Biofuels*, Elsevier Inc., 2011, pp. 101–122.
- [42] R. Ravindran, S. Jaiswal, N. Abu-Ghannam, and A. K. Jaiswal, “A comparative analysis of pretreatment strategies on the properties and hydrolysis of brewers’ spent grain,” *Bioresour. Technol.*, vol. 248, pp. 272–279, Jan. 2018, doi: 10.1016/J.BIORTECH.2017.06.039.
- [43] C. Conde-Mejía, A. Jiménez-Gutiérrez, and M. El-Halwagi, “A comparison of pretreatment methods for bioethanol production from lignocellulosic materials,” *Process Saf. Environ. Prot.*, vol. 90, no. 3, pp. 189–202, 2012, doi: 10.1016/j.psep.2011.08.004.
- [44] A. Boontum and J. Phetsom, “Characterization of Diluted-acid Pretreatment of Water Hyacinth,” vol. 12, no. 4, pp. 253–263, 2019, doi: 10.14416/j.asep.2019.09.003.
- [45] Q. Zhang, C. Weng, H. Huang, V. Achal, and D. Wang, “Optimization of Bioethanol Production Using Whole Plant of Water Hyacinth as Substrate in Simultaneous Saccharification and Fermentation Process,” vol. 6, no. January, pp. 1–9, 2016, doi: 10.3389/fmicb.2015.01411.
- [46] J. N. Nigam, “Bioconversion of water-hyacinth (*Eichhornia crassipes*)

- hemicellulose acid hydrolysate to motor fuel ethanol by xylose-fermenting yeast,” *J. Biotechnol.*, vol. 97, no. 2, pp. 107–116, 2002, doi: 10.1016/S0168-1656(02)00013-5.
- [47] M. Narra *et al.*, “Cellulase production, simultaneous saccharification and fermentation in a single vessel: A new approach for production of bio-ethanol from mild alkali pre-treated water hyacinth,” *Biochem. Pharmacol.*, 2017, doi: 10.1016/j.jece.2017.04.043.
- [48] J. Yan, Z. Wei, Q. Wang, M. He, S. Li, and C. Irbis, “Bioethanol production from sodium hydroxide/hydrogen peroxide-pretreated water hyacinth via simultaneous saccharification and fermentation with a newly isolated thermotolerant *Kluyveromyces marxianu* strain,” *Bioresour. Technol.*, vol. 193, pp. 103–109, Oct. 2015, doi: 10.1016/J.BIORTECH.2015.06.069.
- [49] H. Chen and X. Fu, “Industrial technologies for bioethanol production from lignocellulosic biomass,” *Renew. Sustain. Energy Rev.*, vol. 57, pp. 468–478, May 2016, doi: 10.1016/J.RSER.2015.12.069.
- [50] A. A. Kiss and R. M. Ignat, “Innovative single step bioethanol dehydration in an extractive dividing-wall column,” *Sep. Purif. Technol.*, vol. 98, pp. 290–297, Sep. 2012, doi: 10.1016/J.SEPPUR.2012.06.029.
- [51] A. A. Kiss and D. J. P. C. Suszwalak, “Enhanced bioethanol dehydration by extractive and azeotropic distillation in dividing-wall columns,” *Sep. Purif. Technol.*, vol. 86, pp. 70–78, 2012, doi: 10.1016/j.seppur.2011.10.022.
- [52] A. A. Kiss, R. M. Ignat, and C. S. Bildea, “Optimal Extractive Distillation Process for Bioethanol Dehydration,” *Comput. Aided Chem. Eng.*, vol. 33, pp. 1333–1338, Jan. 2014, doi: 10.1016/B978-0-444-63455-9.50057-X.
- [53] P. Bastidas and I. Gil, “Comparison of the Main Ethanol Dehydration Technologies through Process Comparison of the main ethanol dehydration technologies through process simulation,” no. January, 2010.
- [54] J. J. Mendoza-pedroza and J. G. Segovia-hernandez, “Alternative Schemes for the Purification of Bioethanol: A Comparative Study,” vol. 4, no. 2, 2018, doi: 10.19080/RAPSCI.2018.04.555631.

- [55] S. C. Davis, K. J. Anderson-Teixeira, and E. H. DeLucia, “Life-cycle analysis and the ecology of biofuels,” *Trends Plant Sci.*, vol. 14, no. 3, pp. 140–146, Mar. 2009, doi: 10.1016/J.TPLANTS.2008.12.006.
- [56] M. Guo, J. Littlewood, J. Joyce, and R. Murphy, “The environmental profile of bioethanol produced from current and potential future poplar feedstocks in the EU,” *Green Chem.*, vol. 16, no. 11, pp. 4680–4695, Oct. 2014, doi: 10.1039/C4GC01124D.
- [57] C. Kiwjaroun, C. Tubtimdee, and P. Piumsomboon, “LCA studies comparing biodiesel synthesized by conventional and supercritical methanol methods,” *J. Clean. Prod.*, vol. 17, no. 2, pp. 143–153, Jan. 2009, doi: 10.1016/j.jclepro.2008.03.011.
- [58] T. Silalertruksa and S. H. Gheewala, “Environmental sustainability assessment of bio-ethanol production in Thailand,” *Energy*, vol. 34, no. 11, pp. 1933–1946, Nov. 2009, doi: 10.1016/J.ENERGY.2009.08.002.
- [59] P. J. E. Delina, N. D. K. Dayawansa, and R. P. De Silva, “Biomass Assessment of Floating Aquatic Plant Eichhornia crassipes - A Study in Batticaloa Lagoon , Sri Lanka using Sentinel 2A Satellite Images,” vol. 30, no. 4, pp. 35–49, 2018.
- [60] Z. Wang, F. Zheng, and S. Xue, “The economic feasibility of the valorization of water hyacinth for bioethanol production,” *Sustain.*, vol. 11, no. 3, 2019, doi: 10.3390/su11030905.
- [61] A. Ganguly, P. K. Chatterjee, and A. Dey, “Studies on ethanol production from water hyacinth — A review,” *Renew. Sustain. Energy Rev.*, vol. 16, no. 1, pp. 966–972, 2012, doi: 10.1016/j.rser.2011.09.018.
- [62] S. Spatari, D. M. Bagley, and H. L. MacLean, “Life cycle evaluation of emerging lignocellulosic ethanol conversion technologies,” *Bioresour. Technol.*, vol. 101, no. 2, pp. 654–667, Jan. 2010, doi: 10.1016/J.BIOTECH.2009.08.067.
- [63] Y. Moriizumi, P. Suksri, H. Hondo, and Y. Wake, “Effect of biogas utilization and plant co-location on life-cycle greenhouse gas emissions of cassava

- ethanol production,” *J. Clean. Prod.*, vol. 37, pp. 326–334, Dec. 2012, doi: 10.1016/J.JCLEPRO.2012.07.035.
- [64] M. A. Latif, R. Ghufran, Z. A. Wahid, and A. Ahmad, “Integrated application of upflow anaerobic sludge blanket reactor for the treatment of wastewaters,” *Water Res.*, vol. 45, no. 16, pp. 4683–4699, Oct. 2011, doi: 10.1016/J.WATRES.2011.05.049.
- [65] M. Ewnetu Sahlie, T. S. Zeleke, and F. Aklog Yihun, “Water Hyacinth: A sustainable cellulose source for cellulose nanofiber production and application as recycled paper reinforcement,” *J. Polym. Res.*, vol. 29, no. 6, p. 230, 2022, doi: 10.1007/s10965-022-03089-0.
- [66] S. C. Nakanishi, V. M. Nascimento, S. C. Rabelo, I. L. M. Sampaio, T. L. Junqueira, and G. J. M. Rocha, “Comparative material balances and preliminary technical analysis of the pilot scale sugarcane bagasse alkaline pretreatment to 2G ethanol production,” *Ind. Crops Prod.*, vol. 120, pp. 187–197, Sep. 2018, doi: 10.1016/J.INDCROP.2018.04.064.
- [67] C. N. Hamelinck, G. Van Hooijdonk, and A. P. C. Faaij, “Ethanol from lignocellulosic biomass: techno-economic performance in short-, middle- and long-term,” *Biomass and Bioenergy*, vol. 28, no. 4, pp. 384–410, Apr. 2005, doi: 10.1016/J.BIOMBIOE.2004.09.002.
- [68] O. Jolliet *et al.*, “IMPACT 2002+: A new life cycle impact assessment methodology,” *Int. J. Life Cycle Assess.* 2002 86, vol. 8, no. 6, pp. 324–330, 2003, doi: 10.1007/BF02978505.
- [69] D. I. Abeysuriya, G. S. M. D. P. Sethunga, and M. Rathnayake, “Process simulation-based scenario analysis of scaled-up bioethanol production from water hyacinth,” *Biomass Convers. Biorefinery 2023*, vol. 1, pp. 1–16, Feb. 2023, doi: 10.1007/S13399-023-03891-W.
- [70] S. Soam, M. Kapoor, R. Kumar, P. Borjesson, R. P. Gupta, and D. K. Tuli, “Global warming potential and energy analysis of second generation ethanol production from rice straw in India,” *Appl. Energy*, vol. 184, pp. 353–364, Dec. 2016, doi: 10.1016/J.APENERGY.2016.10.034.

- [71] L. Luo, E. van der Voet, and G. Huppes, “An energy analysis of ethanol from cellulosic feedstock—Corn stover,” *Renew. Sustain. Energy Rev.*, vol. 13, no. 8, pp. 2003–2011, Oct. 2009, doi: 10.1016/J.RSER.2009.01.016.
- [72] A. L. Borrion, M. C. McManus, and G. P. Hammond, “Environmental life cycle assessment of bioethanol production from wheat straw,” *Biomass and Bioenergy*, vol. 47, pp. 9–19, Dec. 2012, doi: 10.1016/J.BIOMBIOE.2012.10.017.
- [73] M. Laser, H. Jin, K. Jayawardhana, and L. R. Lynd, “Coproduction of ethanol and power from switchgrass,” *Biofuels, Bioprod. Biorefining*, vol. 3, no. 2, pp. 195–218, Mar. 2009, doi: 10.1002/BBB.133.
- [74] H. Karlsson, P. Börjesson, P. A. Hansson, and S. Ahlgren, “Ethanol production in biorefineries using lignocellulosic feedstock – GHG performance, energy balance and implications of life cycle calculation methodology,” *J. Clean. Prod.*, vol. 83, pp. 420–427, Nov. 2014, doi: 10.1016/J.JCLEPRO.2014.07.029.
- [75] C. A. Cardona Alzate and O. J. Sánchez Toro, “Energy consumption analysis of integrated flowsheets for production of fuel ethanol from lignocellulosic biomass,” *Energy*, vol. 31, no. 13, pp. 2447–2459, Oct. 2006, doi: 10.1016/J.ENERGY.2005.10.020.
- [76] D. J. Ahn, S. K. Kim, and H. S. Yun, “Optimization of pretreatment and saccharification for the production of bioethanol from water hyacinth by *Saccharomyces cerevisiae*,” *Bioprocess Biosyst. Eng.*, vol. 35, no. 1–2, pp. 35–41, 2012, doi: 10.1007/s00449-011-0600-5.
- [77] D. I. Abeysuriya, K. I. De Silva, N. H. S. Wijesekara, G. S. M. D. P. Sethunga, and M. Rathnayake, “Process Simulation-based Life Cycle Mass Flow Analysis for Fuel-grade Bioethanol Production from Water Hyacinth,” 2021, Accessed: Sep. 16, 2022. [Online]. Available: <http://repository.rjt.ac.lk/handle/123456789/3538>.
- [78] M. Kaur, M. Kumar, D. Singh, S. Sachdeva, and S. K. Puri, “A sustainable biorefinery approach for efficient conversion of aquatic weeds into bioethanol and biomethane,” *Energy Convers. Manag.*, vol. 187, pp. 133–147, May 2019,

doi: 10.1016/J.ENCONMAN.2019.03.018.

- [79] F. Cotana, G. Cavalaglio, A. L. Pisello, M. Gelosia, D. Ingles, and E. Pompili, “Sustainable Ethanol Production from Common Reed (*Phragmites australis*) through Simultaneous Saccharification and Fermentation,” *Sustain. 2015, Vol. 7, Pages 12149-12163*, vol. 7, no. 9, pp. 12149–12163, Sep. 2015, doi: 10.3390/SU70912149.
- [80] R. Gusain and S. Suthar, “Potential of aquatic weeds (*Lemna gibba*, *Lemna minor*, *Pistia stratiotes* and *Eichhornia* sp.) in biofuel production,” *Process Saf. Environ. Prot.*, vol. 109, pp. 233–241, Jul. 2017, doi: 10.1016/J.PSEP.2017.03.030.
- [81] Muryanto, E. Triwahyuni, H. Hendarsyah, and H. Abimanyu, “Reuse Black Liquor of Alkali Pretreatment in Bioethanol Production,” *Energy Procedia*, vol. 68, pp. 236–243, Apr. 2015, doi: 10.1016/J.EGYPRO.2015.03.252.
- [82] J. Zhang, W. Hou, and J. Bao, “Reactors for high solid loading pretreatment of lignocellulosic biomass,” *Adv. Biochem. Eng. Biotechnol.*, vol. 152, pp. 75–90, 2016, doi: 10.1007/10\_2015\_307.
- [83] L. G. Pereira, O. Cavalett, A. Bonomi, Y. Zhang, E. Warner, and H. L. Chum, “Comparison of biofuel life-cycle GHG emissions assessment tools: The case studies of ethanol produced from sugarcane, corn, and wheat,” *Renew. Sustain. Energy Rev.*, vol. 110, no. March, pp. 1–12, 2019, doi: 10.1016/j.rser.2019.04.043.
- [84] Y. Bai, L. Luo, and E. Van Der Voet, “Life cycle assessment of switchgrass-derived ethanol as transport fuel,” doi: 10.1007/s11367-010-0177-2.
- [85] M. Yousefi, A. Mahdavi Damghani, and M. Khoramivafa, “Comparison greenhouse gas (GHG) emissions and global warming potential (GWP) effect of energy use in different wheat agroecosystems in Iran,” *Environ. Sci. Pollut. Res. Int.*, vol. 23, no. 8, pp. 7390–7397, Apr. 2016, doi: 10.1007/S11356-015-5964-7.
- [86] Z. Khounani, F. Nazemi, M. Shafiei, M. Aghbashlo, and M. Tabatabaei, “Techno-economic aspects of a safflower-based biorefinery plant co-

- producing bioethanol and biodiesel,” *Energy Convers. Manag.*, vol. 201, p. 112184, Dec. 2019, doi: 10.1016/J.ENCONMAN.2019.112184.
- [87] S. Amid, M. Aghbashlo, M. Tabatabaei, and K. Karimi, “Exergetic , exergoeconomic , and exergoenvironmental aspects of an industrial-scale molasses-based ethanol production plant,” *Energy Convers. Manag.*, vol. 227, no. November 2020, p. 113637, 2021, doi: 10.1016/j.enconman.2020.113637.