

REFERENCES

- [1] K. T. D. S. De Silva, J. I. Chinthaka, B. P. A. Cooray, P. P. Kumara and S. J. Sooriyaarachchi, "Multi-robot 3D Exploration of Uneven Terrain, Bachelor Thesis," University Of Moratuwa, Sri Lanka, 2018.
- [2] E. Howell, "Curiosity Rover on Mars: Facts and Information," 18 July 2018. [Online]. Available: <https://www.space.com/17963-mars-curiosity.html>. [Accessed 23 07 2021].
- [3] L. Stahl, "Robots come to the rescue after Fukushima Daiichi nuclear disaster," 28 July 2019. [Online]. Available: <https://www.cbsnews.com/news/robots-come-to-the-rescue-after-fukushima-daiichi-nuclear-disaster-60-minutes-2019-07-28/>. [Accessed 23 07 2021].
- [4] iStock, "Robotic Arm Taking A Cardboard Box In The Warehouse stock," [Online]. Available: <https://www.istockphoto.com/photo/robotic-arm-taking-a-cardboard-box-in-the-warehouse-gm1273518964-375369603>. [Accessed 23 07 2021].
- [5] D. Leprince-Ringuet, "For self-driving cars, winter is coming," 05 March 2020. [Online]. Available: <https://www.zdnet.com/article/for-self-driving-cars-winter-is-coming/>. [Accessed 23 07 2021].
- [6] R. Arora, "Autonomous Vehicles: The Mix of Opportunity and Uncertainty," 06 May 2019. [Online]. Available: <https://www.fierceelectronics.com/components/autonomous-vehicles-mix-opportunity-and-uncertainty>. [Accessed 23 07 2021].
- [7] A. Hornung, K. M. Wurm, M. Bennewitz, C. Stachniss and W. Burgard, "A. Hornung, K. M. Wurm, M. Bennewitz, C. Stachniss, and W. Burgard," *Auton. Robots*, p. 189–206, 2013.

- [8] A. Elfes, "Using occupancy grids for mobile robot perception and navigation," *Computer*, vol. 22, no. 6, pp. 46-57, 1989.
- [9] J. Ryde and H. Hu, "3D mapping with multi-resolution occupied voxel lists.," *Auton Robot* , 2010.
- [10] I. Dryanovski, W. Morris and J. Xiao, "Multi-Volume Occupancy Grids: an Efficient Probabilistic 3D Mapping Model for Micro Aerial Vehicles," *2010 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 1553-1559, 2010.
- [11] P. Schmuck, S. A. Scherer and A. Zell, "Hybrid Metric-Topological 3D Occupancy Grid Maps for Large-scale Mapping," *IFAC-PapersOnLine* , no. 49, p. 230–235, 2016.
- [12] J. Poppinga, M. Pfingsthorn, S. Schwertfeger, K. Pathak and A. Birk, "Optimized Octree Datastructure and Access Methods for 3D Mapping," in *2007 IEEE International Workshop on Safety, Security and Rescue Robotics*, 2007.
- [13] H. Moravec and A. Elfes, "High resolution maps from wide angle sonar," in *IEEE International Conference on Robotics & Automation (ICRA)*, St. Louis. New York, 1985.
- [14] M. Yguel, O. Aycard and C. Laugier, "Update policy of dense maps: Efficient algorithms and sparse representation," in *International Conference Field and Service Robotics*, 2007.
- [15] Y. Li and Y. Ruichek, "Building variable resolution occupancy grid map from stereoscopic system — A quadtree based approach," in *2013 IEEE Intelligent Vehicles Symposium*, 2013.
- [16] J. Saarinen, H. Andreasson, T. Stoyanov and A. Lilienthal, "3D normal distributions transform occupancy maps: An efficient representation for

- mapping in dynamic environments," *The International Journal of Robotics Research*, vol. 32, no. 14, pp. 1627-1644, 2013.
- [17] D. Fridovich-Keil, E. Nelson and A. Zakhor, "AtomMap: A probabilistic amorphous 3D map representation for robotics and surface reconstruction," in *2017 IEEE International Conference on Robotics and Automation (ICRA)*, 2017.
- [18] J. Hörner, Automatic Point Clouds Merging, Univerzita Karlova, Matematicko-fyzikální fakulta, 2018.
- [19] A. Nuchter, H. Surmann, K. Lingemann, J. Hertzberg and S. Thrun, "6D SLAM with an application in autonomous mine mapping," in *IEEE International Conference on Robotics and Automation*, 2014.
- [20] F. Rovira-Más, Q. Zhang and J. F. Reid, "Stereo vision three-dimensional terrain maps for precision agriculture," *Computers and Electronics in Agriculture*, vol. 60, no. 2, pp. 133-143, 2008.
- [21] R. Valencia, E. H. Teniente, E. Trulls and J. Andrade-Cetto, "3D mapping for urban service robots," in *2009 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2009.
- [22] P. J. Besl and N. D. McKay, "Method for registration of 3-D shapes," *Sensor Fusion IV: Control Paradigms and Data Structures*, 1992.
- [23] D. Huber, O. Carmichael and M. Hebert, "3D map reconstruction from range data," in *Proceedings 2000 ICRA. Millennium Conference. IEEE International Conference on Robotics and Automation*, 2000.
- [24] S. Thrun, W. Burgard and D. Fox, "A real-time algorithm for mobile robot mapping with applications to multi-robot and 3D mapping," in *Proceedings 2000 ICRA. Millennium Conference. IEEE International Conference on Robotics and Automation.*, 2000.

- [25] C. Früh and A. Zakhor, "Constructing 3D City Models by Merging Aerial and Ground Views," *3D Reconstruction and Visualization*, Vols. November-December 2003, pp. 52-61, 2003.
- [26] A. Howard, D. F. Wolf and G. S. Sukhatme, "Towards 3D mapping in large urban environments," in *2004 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 2004.
- [27] D. Wolf, A. Howard and G. S. Sukhatme, "Towards geometric 3D mapping of outdoor environments using mobile robots," in *2005 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2005.
- [28] J. Xiao, B. Adler, J. Zhang and H. Zhang, " Planar segment based three-dimensional point cloud registration in outdoor environments," *Journal of Field Robotics*, p. 1–31, 2013.
- [29] K. Zhou, M. Gong, X. Huang and B. Guo, "Data-Parallel Octrees for Surface Reconstruction," *IEEE Transactions on Visualization and Computer Graphics*, vol. 17, no. 5, pp. 669-681, 2011.
- [30] K. Pirker, M. Rüther, H. Bischof and G. Schweighofer, "Fast and accurate environment modeling using three-dimensional occupancy grids," in *2011 IEEE International Conference on Computer Vision Workshops (ICCV Workshops)*, 2011.
- [31] C. Crassin, GigaVoxels: a Voxel-Based Rendering Pipeline for Efficient Exploration of large and detailed Scenes, UNIVERSITÉ DE GRENOBLE, 2011.
- [32] M. Zeng, F. Zhao, J. Zheng and X. Liu, "Octree-based fusion for realtime 3D reconstruction," *Graphical Models*, 2012.
- [33] R. A. Newcombe, S. Izadi, O. Hilliges, D. Molyneaux, D. Kim, A. J. Davison, P. Kohli, J. Shotton, S. Hodges and A. Fitzgibbon, "KinectFusion: Real-time

- dense surface mapping and tracking," in *2011 10th IEEE International Symposium on Mixed and Augmented Reality*, 2011.
- [34] M. Nießner, M. Zollhofer, S. Izadi and M. Stamminger, "Real-time 3D Reconstruction at Scale Using Voxel Hashing," *ACM Transactions on graphics*, vol. 32, no. 6, pp. 1-11, Nov. 2013.
- [35] B. Curless and M. Levoy, "A volumetric method for building complex models from range images," *Proc. Computer graphics and interactive techniques, ACM*, p. 303–312, 1996.
- [36] S. Kleinschmidt and B. Wagner, "GPU-accelerated Multi-sensor 3D Mapping for Remote Control of Mobile Robots using Virtual Reality," in *Proceedings of the 13th International Conference on Informatics in Control, Automation and Robotics*, 2016.
- [37] A. Dai, M. Nießner, M. Zollhofer, S. Izadi and C. Theobalt, "Bundlefusion: Real-time globally consistent 3d reconstruction using on-the-fly surface re-integration," *ACM Transactions on Graphics 2017 (TOG)*, 2017.
- [38] S. Agarwa, K. Mierle and e. al., "Ceres Solver," 2010. [Online]. Available: <http://ceres-solver.org>. [Accessed 24 07 2021].
- [39] W. Dong, J. Shi, W. Tang, X. Wang and H. Zha, "An Efficient Volumetric Mesh Representation for Real-Time Scene Reconstruction Using Spatial Hashing," in *018 IEEE International Conference on Robotics and Automation (ICRA)*, 2018.
- [40] W. Dong, J. Park, Y. Yang and M. Kaess, "GPU Accelerated Robust Scene Reconstruction," in *2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 2019.
- [41] O. Kähler, V. A. Prisacariu, C. Y. Ren, X. Sun, P. Torr and D. Murray, "Very High Frame Rate Volumetric Integration of Depth Images on Mobile Devices,"

IEEE Transactions on Visualization and Computer Graphics, vol. 21, no. 11, pp. 1241-1250, 2015.

- [42] J. Wang, "On sign-board based inter-robot communication in distributed robotic systems," in *Proceedings of the 1994 IEEE International Conference on Robotics and Automation*, 1994.
- [43] B. Yamauchi, "Frontier-based exploration using multiple robots," in *Proceedings of the second international conference on Autonomous agents*, 1998.
- [44] R. Alami, S. Fleury, M. Herrb, F. Ingrand and F. Robert, "Multi-robot cooperation in the MARTHA project," *IEEE Robotics & Automation Magazine*, vol. 5, no. 1, pp. 36-47, 1998.
- [45] R. Simmons, D. Apfelbaum, W. Burgard, M. Fox, D. Moors, S. Thrun and H. Younes, "Coordination for multi-robot exploration and mapping," in *Proceedings of the AAAI National Conference on Artificial Intelligence*, Austin, TX, 2000.
- [46] B. P. Gerkey and M. J. Matarić, "Principled Communication for Dynamic Multi-Robot Task Allocation," *Experimental Robotics VII. Lecture Notes in Control and Information Sciences*, vol. 271, pp. 353-362, 2001.
- [47] A. R. Mosteo, L. Montano and M. G. Lagoudakis, "Multi-robot routing under limited communication range," in *2008 IEEE International Conference on Robotics and Automation*, 2008.
- [48] R. Doriya, S. Mishra and S. Gupta, "A brief survey and analysis of multi-robot communication and coordination," in *International Conference on Computing, Communication & Automation*, 2015.

- [49] J. Stephan, J. Fink, V. Kumar and A. Ribeiro, "Concurrent Control of Mobility and Communication in Multirobot Systems," *IEEE Transactions on Robotics*, vol. 33, no. 5, pp. 1248-1254, 2017.
- [50] K. Cesare, R. Skeelee, S.-H. Yoo, Y. Zhang and G. Hollinger, "Multi-UAV exploration with limited communication and battery," in *2015 IEEE International Conference on Robotics and Automation (ICRA)*, 2015.
- [51] Y. Kantaros and M. M. Zavlanos, "Global Planning for Multi-Robot Communication Networks in Complex Environments," *IEEE Transactions on Robotics*, vol. 32, no. 5, pp. 1045-1061, 2016.
- [52] M. Sinay, N. Agmon, O. Maksimov, S. Kraus and D. Peleg, "Maintaining communication in multi-robot tree coverage," in *IJCAI*, 2017.
- [53] S. Kemna, J. G. Rogers, C. Nieto-Granda, S. Young and G. S. Sukhatme, "Multi-robot coordination through dynamic Voronoi partitioning for informative adaptive sampling in communication-constrained environments," in *2017 IEEE International Conference on Robotics and Automation (ICRA)*, 2017.
- [54] J. Banfi, Multi-robot exploration of communication restricted environment, POLITECNICO DI MILANO, 2013.
- [55] F. Amigoni, J. Banfi and N. Basilico, "Multirobot Exploration of Communication-Restricted Environments: A Survey," *IEEE Intelligent Systems*, vol. 32, no. 6, pp. 48-57, 2017.
- [56] B. Yamauchi, "A frontier-based approach for autonomous exploration," in *Proceedings 1997 IEEE International Symposium on Computational Intelligence in Robotics and Automation CIRA'97*, 1997.

- [57] H. González-Baños and J. Latombe, "Navigation Strategies for Exploring Indoor Environments," *The International Journal of Robotics Research*, pp. 829-848, 2002.
- [58] H. Surmann, A. Nüchter and J. Hertzberg, "An autonomous mobile robot with a 3D laser range finder for 3D exploration and digitalization of indoor environments," *Robotics and Autonomous Systems*, vol. 43, no. 3-4, pp. 181-198, 2003.
- [59] C. Zhu, R. Ding, M. Lin and Y. Wu, "A 3D Frontier-Based Exploration Tool for MAVs," in *2015 IEEE 27th International Conference on Tools with Artificial Intelligence (ICTAI)*, 2015.
- [60] A. Bircher, M. Kamel, K. Alexis, H. Oleynikova and R. Siegwart, "Receding Horizon "Next-Best-View" Planner for 3D Exploration," in *2016 IEEE International Conference on Robotics and Automation (ICRA)*, 2016.
- [61] P. G. C. N. Senarathne and D. Wang, "Towards autonomous 3D exploration using surface frontiers," in *016 IEEE International Symposium on Safety, Security, and Rescue Robotics (SSRR)*, 2016.
- [62] C. Papachristos, S. Khattak and K. Alexis, "Uncertainty-aware receding horizon exploration and mapping using aerial robots," in *2017 IEEE International Conference on Robotics and Automation (ICRA)*, 2017.
- [63] H. Umari and S. Mukhopadhyay, "Autonomous robotic exploration based on multiple rapidly-exploring randomized trees," in *2017 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 2017.
- [64] A. Dai, S. Papatheodorou, N. Funk, D. Tzoumanikas and S. Leutenegger, "Fast Frontier-based Information-driven Autonomous Exploration with an MAV," in *2020 IEEE International Conference on Robotics and Automation (ICRA)*, 2020.

- [65] M. Selin, M. Tiger, D. Duberg, F. Heintz and P. Jensfelt, "Efficient Autonomous Exploration Planning of Large-Scale 3-D Environments," *IEEE Robotics and Automation Letters*, vol. 4, no. 2, pp. 1699-1706, 2019.
- [66] Wikipedia, "Dijkstra's algorithm," [Online]. Available: https://en.wikipedia.org/wiki/Dijkstra%27s_algorithm. [Accessed 14 08 2021].
- [67] ROS.org, "teb_local_planner," [Online]. Available: http://wiki.ros.org/teb_local_planner. [Accessed 14 18 2021].
- [68] P. Sermanet, R. Hadsell, M. Scoffier, U. Muller and Y. LeCun, "Mapping and planning under uncertainty in mobile robots with long-range perception," in *2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2008.
- [69] T. Whelan, S. Leutenegger, R. F. Salas-Moreno, B. Glocker and A. J. Davison, "ElasticFusion: Dense SLAM Without A Pose Graph," in *Proceedings of Robotics: Science and Systems Conference (RSS)*, 2015.
- [70] M. G. Ocando, N. Certad, S. Alvarado and Á. Terrones, "Autonomous 2D SLAM and 3D mapping of an environment using a single 2D LIDAR and ROS," in *2017 Latin American Robotics Symposium (LARS) and 2017 Brazilian Symposium on Robotics (SBR)*, 2017.
- [71] S. H. Juan and F. H. Cotarelo, "Multi-master ROS systems," Institut de Robòtica i Informàtica Industrial (IRI), 2015.
- [72] J. Hörner, Map-merging for multi-robot system, Univerzita Karlova, Matematicko-fyzikální fakulta, 2016.
- [73] J. Horner, "m-explore," gitHub , [Online]. Available: <https://github.com/hrnr/m-explore>. [Accessed 24 07 2021].
- [74] "ros-drivers/freenect_stack," gitHub, [Online]. Available: https://github.com/ros-drivers/freenect_stack. [Accessed 24 07 2021].

- [75] "Kobuki's Control System," ROS.org, [Online]. Available: <http://wiki.ros.org/kobuki/Tutorials/Kobuki%27s%20Control%20System>. [Accessed 24 07 2021].
- [76] L. Cruz, D. Lucio and L. Velho, "Kinect and RGBD Images: Challenges and Applications," in *25th SIBGRAPI Conference on Graphics, Patterns and Images Tutorials*, 2012.
- [77] QUANSER QBot 2 for QUARC, Quanser Inc., 2018.
- [78] NVIDIA, "Jetson TX2," [Online]. Available: <https://www.nvidia.com/en-us/autonomous-machines/embedded-systems/jetson-tx2/>. [Accessed 24 07 2021].
- [79] Geeks3D, "(GPU Computing) NVIDIA CUDA Compute Capability Comparative Table," 06 06 2010. [Online]. Available: <https://www.geeks3d.com/20100606/gpu-computing-nvidia-cuda-compute-capability-comparative-table/>. [Accessed 05 10 2021].
- [80] Wikipedia, "Bresenham's line algorithm," [Online]. Available: https://en.wikipedia.org/wiki/Bresenham%27s_line_algorithm. [Accessed 24 07 2021].
- [81] J. Amanatides and A. Woo, "A fast voxel traversal algorithm for ray tracing," in *Proceedings of Eurographics*, Amsterdam, The Netherlands, 1987.
- [82] P. Biber and W. Strasser, "The normal distributions transform: a new approach to laser scan matching," in *Proceedings 2003 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2003)*, 2003.
- [83] H. Men, B. Gebre and K. Pochiraju, "Color point cloud registration with 4D ICP algorithm," in *2011 IEEE International Conference on Robotics and Automation*, 2011.

- [84] K. Pathak, N. Vaskevicius, J. Poppinga, M. Pfingsthorn, S. Schwertfeger and A. Birk, "Fast 3D mapping by matching planes extracted from range sensor point-clouds," in *2009 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2009.
- [85] S. May, D. Droschel, S. Fuchs, D. Holz and A. Nüchter, "Robust 3D-mapping with time-of-flight cameras,," in *2009 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2009.
- [86] P. Henry, M. K. M, E. Herbst, X. Ren and D. Fox, "RGB-D mapping: Using Kinect-style depth cameras for dense 3D modeling of indoor environments," *The International Journal of Robotics Research*, vol. 31, no. 5, pp. 647-663, 2012.
- [87] F. Steinbrücker, J. Sturm and D. Cremers, "Volumetric 3D mapping in real-time on a CPU," in *2014 IEEE International Conference on Robotics and Automation (ICRA)*, 2014.
- [88] J. Yang, H. Li, D. Campbell and Y. Jia, "Go-ICP: A Globally Optimal Solution to 3D ICP Point-Set Registration," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 38, no. 11, pp. 2241-2254, 2015.
- [89] L. Ma, J. Zhu, L. Zhu, S. Du and J. Cui, "Merging grid maps of different resolutions by scaling registration," *Robotica*, vol. 34, no. 11, pp. 2516-2531, 2016.
- [90] S. Saeedi, L. Paull, M. Trentini, M. Seto and H. Li, "Map merging for multiple robots using Hough peak matching," *Robotics and Autonomous Systems*, vol. 62, no. 10, pp. 1408-1424, 2014.
- [91] J. Park, A. J. Sinclair, R. E. Sherrill, E. A. Doucette and J. W. Curtis, "Map Merging of Rotated, Corrupted, and Different Scale Maps using Rectangular Features," in *Proceedings of IEEE/ION PLANS 2016*, Savannah, GA, April 2016.

- [92] C. A. V. Hernández and F. A. P. Ortiz, "A real-time map merging strategy for robust collaborative reconstruction of unknown environments," *Expert Systems with Applications*, vol. 145, 2020.
- [93] E. Hołowko, J. Wojsz, R. Sitnik and M. Karaszewski, "automatic merging of multiview 3D point clouds," *Journal on Computing and Cultural Heritage* , 2014.
- [94] J. Jessup, S. N. Givigi and A. Beaulieu, "Robust and Efficient Multirobot 3-D Mapping Merging With Octree-Based Occupancy Grids," *IEEE Systems Journal*, vol. 11, no. 3, pp. 1723-1732, 2017.
- [95] Y. Yue, D. Wang, P. G. C. N. Senarathne and D. Moratuwage, "A hybrid probabilistic and point set registration approach for fusion of 3D occupancy grid maps," in *2016 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, 2016.
- [96] T. M. Bonanni, B. D. Corte and G. Grisetti, "3-D Map Merging on Pose Graphs," *IEEE Robotics and Automation Letters*, vol. 2, no. 2, pp. 1031-1038, 2017.
- [97] B. Williams, M. Cummins, J. Neira, P. Newman, I. Reid and J. Tardos, "An image-to-map loop closing method for monocular SLAM," in *2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2008.
- [98] A. Nuchter., K. Lingemann, J. Hertzberg and H. Surmann, "6D SLAM – 3D mapping outdoor environments," *J. Field Robot*, vol. 24, p. 699–722, August 2007.
- [99] S. Choudhary, A. J. B. Trevor, H. I. Christensen and F. Dellaert, "SLAM with object discovery, modeling and mapping," in *2014 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2014.

- [100] C. Brand, M. J. Schuster, H. Hirschmüller and M. Suppa, "Submap matching for stereo-vision based indoor/outdoor SLAM," in *2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 2015.
- [101] L. Gallagher and J. B. McDonald, "Collaborative Dense SLAM," *arXiv.org*, 2019.
- [102] H. Zhang, X. Chen, J. Lu and J. Xiao, "Distributed and collaborative monocular simultaneous localization and mapping for multi-robot systems in large-scale environments," *International Journal of Advanced Robotic Systems*, vol. 15, no. 3, 2018.
- [103] X. Chen, T. Läbe, A. Milioto, T. Röhling, O. Vysotska and A. H. J. B. C. Stachniss, "OverlapNet: Loop Closing for LiDAR-based SLAM," *arXiv.org*, 2021.
- [104] A. Memon, . Wang and A. Hussain, "Loop closure detection using supervised and unsupervised deep neural networks for monocular SLAM systems," *Robotics and Autonomous Systems*, 2020.
- [105] R. Aragues, C. Sagues and Y. Mezouar, "Feature-based map merging with dynamic consensus on information increments," *Auton Robot* , vol. 38, p. 243–259, 2015.
- [106] S. Thrun and A. Btlcken, "Integrating grid-based and topological maps for mobile robot navigation," in *Proceedings AAAI-96* , Portland, OR, 1996.
- [107] P. Henry, M. Krainin, E. Herbst, X. Ren and D. Fox, "RGB-D Mapping: Using Depth Cameras for Dense 3D Modeling of Indoor Environments.," *Experimental Robotics. Springer Tracts in Advanced Robotics*, vol. 79, pp. 477-491, 2014.
- [108] J. Park, Q.-Y. Zhou and V. Koltun, "Color point cloud registration revisited," in *ICCV*, 2017.

- [109] Y. Yue, A framework of probabilistic 3D map fusion for collaborative robots. Doctoral thesis, Nanyang Technological University, Singapore, 2019.
- [110] Wikipedia, "Graphics processing unit," [Online]. Available: https://en.wikipedia.org/wiki/Graphics_processing_unit. [Accessed 24 07 2021].
- [111] "CPU vs GPU: What is GPU Computing?," Apps4Rent: premium application hosting , [Online]. Available: <https://www.apps4rent.com/cpu-vs-gpu.html>. [Accessed 24 07 2021].
- [112] A. Cano, "A survey on graphic processing unit computing for large-scale data mining," *Data Min. Knowl. Discov*, vol. 8, no. 1, 2018.
- [113] G. Vosselman and S. Dijkman, "3D building model reconstruction from point clouds and ground plans," *Int. Arch. Photogramm. Remote Sens*, vol. 34, no. 3, p. 37–43, 2001.
- [114] C. Liang-Chien, T. Tee-Ann, K. Chih-Yi and R. Jiann-Yeou, "Shaping Polyhedral Buildings by the Fusion of Vector Maps and Lidar Point Clouds," *Photogrammetric Engineering & Remote Sensing*, vol. 9, pp. 1147-1157, 2008.
- [115] P. Grussenmeyer, E. Alby, T. Landes, M. Koehl, S. Guillemin, J. F. Hullo, P. Assali and E. Smigiel, "Recording approach of heritage sites based on merging point clouds from high resolution photogrammetry and Terrestrial Laser Scanning.," in *Proceedings of the XXII ISPRS Congress* , Melbourne, Australia, 2012.
- [116] R. Zlot and M. Bosse, "Three-dimensional mobile mapping of caves," *Journal of Cave and Karst Studies*, vol. 76, no. 3, pp. 191-206, 2014.
- [117] P. Payeur, P. Hebert, D. Laurendeau and C. M. Gosselin, "Probabilistic octree modeling of a 3D dynamic environment," in *Proceedings of International Conference on Robotics and Automation*, 1997.

- [118] P. Payeur, D. Laurendeau and C. M. Gosselin, "Range data merging for probabilistic octree modeling of 3D workspaces," in *IEEE International Conference on Robotics and Automation*, 1998.
- [119] E. Einhorn, C. Schröter and H. Gross, "Finding the adequate resolution for grid mapping - Cell sizes locally adapting on-the-fly," in *2011 IEEE International Conference on Robotics and Automation*, 2011.
- [120] L. Heng, G. H. Lee, F. Fraundorfer and M. Pollefeys, "Real-time photo-realistic 3D mapping for micro aerial vehicles," in *2011 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2011.
- [121] J. Jessup, S. N. Givigi and A. Beaulieu, "Robust and efficient multi-robot 3D mapping with octree based occupancy grids," in *2014 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, 2014.
- [122] N. Michael and e. al, "Collaborative Mapping of an Earthquake Damaged Building via Ground and Aerial Robots.," *Field and Service Robotics. Springer Tracts in Advanced Robotics*, vol. 92, pp. 33-47, 2013.
- [123] D. Chetverikov, D. Svirko, D. Stepanov and P. Krsek, "The Trimmed Iterative Closest Point algorithm," in *2002 International Conference on Pattern Recognition*, 2002.
- [124] Z. Jiang, J. Zhu, Y. Li, J. Wang, Z. Li and H. Lu, "Simultaneous Merging Multiple Grid Maps Using the Robust Motion Averaging," *J Intell Robot Syst.*, vol. 94, p. 655–668, 2019.
- [125] Y. Chen and G. Medioni, "Object modelling by registration of multiple range images," *Image and Vision Computing*, vol. 10, no. 3, pp. 145-155, 1992.
- [126] Y. Yue, P. G. C. N. Senarathne, C. Yang, J. Zhang, M. Wen and D. Wang, "Hierarchical Probabilistic Fusion Framework for Matching and Merging of 3-

- D Occupancy Maps," *IEEE Sensors Journal*, vol. 18, no. 21, pp. 8933-8949, 2018.
- [127] A. Segal, D. Haehnel and S. Thrun, "Generalized-ICP," in *Proceedings of Robotics: Science and Systems*, Seattle, USA, 2009.
- [128] D. Holz, A. E. Ichim, F. Tombari, R. B. Rusu and S. Behnke, "Registration with the Point Cloud Library: A Modular Framework for Aligning in 3-D," *IEEE Robotics & Automation Magazine*, vol. 22, no. 4, pp. 110-124, 2015.
- [129] D. G. Lowe, "Object recognition from local scale-invariant features," in *Proceedings of the Seventh IEEE International Conference on Computer Vision*, 1999.
- [130] Y. Zhong, "Intrinsic shape signatures: A shape descriptor for 3D object recognition," in *ICCV Workshop on 3D Representation for Recognition (3dRR)*, 2009.
- [131] B. Steder, R. Rusu, K. Konolige and W. Burgard, "NARF: 3D range image features for object recognition," in *IROS Workshop on Defining and Solving Realistic Perception*, 2010.
- [132] A. Johnson and M. Hebert, "Using spin images for efficient object recognition in cluttered 3D scenes," in *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 1999.
- [133] R. B. Rusu, N. Blodow and M. Beetz, "Fast point feature histograms (FPFH) for 3D registration," in *IEEE International Conference on Robotics and Automation (ICRA)*, 2009.
- [134] R. Hansch, T. Weber and O. Hellwich, "Comparison of 3d interest point detectors and descriptors for point cloud fusion," *ISPRS Journal of Photogrammetry, Remote Sensing and Spatial Information Sciences*, p. 57–64, 2014.

- [135] "Efficient RANSAC for Point-Cloud Shape Detection," *Computer Graphics Forum*, vol. 26, no. 2, pp. 214-226, 2007.
- [136] ROS.org, "multimaster_fkie," [Online]. Available: http://wiki.ros.org/multimaster_fkie. [Accessed 24 07 2021].
- [137] Wikipedia, "Motion planning," [Online]. Available: https://en.wikipedia.org/wiki/Motion_planning. [Accessed 24 07 2021].
- [138] P. Corke, "Chapter 5: Navigation," in *Robotics, Vision and Control: Second edition*, Springer, 2017.
- [139] introlab, "RTAB-Map, Real-Time Appearance-Based Mapping," GitHub, [Online]. Available: <http://introlab.github.io/rtabmap/>. [Accessed 14 08 2021].