

References

- Agrawal, A. W., Goldman, T., & Hannaford, N. (2012). *Shared-Use Bus Priority Lanes on City Streets : Case Study*. San José, CA.
- Anwar, A., Fujiwara, A., & Zhang, J. (2011). Newly Developed Link Performance Functions Incorporating the Influence of On-Street Occupancy for Developing Cities: Study on Dhaka City of Bangladesh. *Transportation Research Board 90th Annual Meeting*, (January), 1–21. Retrieved from <https://trid.trb.org/view/1092788>
- Arasan, V. T., & Vedagiri, P. (2010). Microsimulation Study of the Effect of Exclusive Bus Lanes on Heterogeneous Traffic Flow. *JOURNAL OF URBAN PLANNING AND DEVELOPMENT*, 136(1), 50–58. <https://doi.org/10.3917/rfla.221.0103>
- Arasan, Venkatachalam Thamizh, & Vedagiri, P. (2008). Bus Priority on Roads Carrying Heterogeneous Traffic: A Study Using Computer Simulation. *European Journal of Transport and Infrastructure Research*, 8(1), 45–64. <https://doi.org/10.18757/ejtir.2008.8.1.3329>
- Arkatkar, S., Velmurugan, S., Puvvala, R., Ponnu, B., & Narula, S. (2016). Methodology for simulating heterogeneous traffic on expressways in developing countries: A case study in India. *Transportation Letters*, 8(2), 61–76. <https://doi.org/10.1179/1942787515Y.0000000008>
- Basbas, S. (2007a). Examination of the bus lane enforcement system in Thessaloniki. *WIT Transactions on the Built Environment*, 96, 25–34. <https://doi.org/10.2495/UT070031>
- Basbas, S. (2007b). Sustainable urban mobility: The role of bus priority measures. *WIT Transactions on Ecology and the Environment*, 102, 823–834. <https://doi.org/10.2495/SDP070782>
- Change Vehicle State - SUMO Documentation. (n.d.). Retrieved June 21, 2022, from https://sumo.dlr.de/docs/TraCI/Change_Vehicle_State.html
- Destá, R., & Tóth, J. (2021). Simulating the performance of integrated bus priority setups with microscopic traffic mockup experiments. *Scientific African*, 11, e00707.

<https://doi.org/10.1016/j.sciaf.2021.e00707>

- Dhananjaya, D. D., Fernando, W. W. P. M., & Sivakumar, T. (2022). Passenger Car Units for Different Midblock Sections in Sri Lanka using Chandra's Method. *Journal of Applied Engineering Science*, 21, 375-383. DOI: 10.5937/jaes0-36600
- Erdmann, J. (2015). *Lane-Changing Model in SUMO*. https://doi.org/10.1007/978-3-319-15024-6_7
- Gavanas, N., Tsakalidis, A., Aggelakakis, A., & Pitsiava-Latinopoulou, M. (2013). Assessment of bus lane violations in relation to road infrastructure, traffic and land-use features: The case of Thessaloniki, Greece. *European Transport - Trasporti Europei*, (55), 1–20.
- German Aerospace Center (DLR). (2020a). SublaneModel - SUMO Documentation. Retrieved July 13, 2021, from SUMO Documentation website: <https://sumo.dlr.de/docs/Simulation/SublaneModel.html>
- German Aerospace Center (DLR). (2020b). TripInfo - SUMO Documentation. Retrieved August 8, 2022, from SUMO Documentation website: <https://sumo.dlr.de/docs/Simulation/Output/TripInfo.html>
- Greenshield, B. C. (1935). A Study of Traffic Capacity. *Highway Research Board Proceedings*, 14, 448–477.
- Hadi, M., Sinha, P., & Wang, A. (2007). Modeling reductions in freeway capacity due to incidents in microscopic simulation models. *Transportation Research Record*, (1999), 62–68. <https://doi.org/https://doi.org/10.3141/1999-07>
- Hidayati, L. (2012). MODELLING AND ANALYSIS OF THE BUS PRIORITY IMPLEMENTATION. *Journal of the Civil Engineering Forum*, XXI/2(September), 1257–1262. <https://doi.org/https://doi.org/10.22146/jcef.18932>
- Jayasinghe, T., Sivakumar, T., & Kumarage, A. S. (2021). Calibration of SUMO Microscopic Simulator for Sri Lankan Traffic Conditions. *Proceedings of the Eastern Asia Society for Transportation Studies*, Vol. 13. Retrieved from http://www.easts.info/online/proceedings/vol.13/pdf/PP2973_R1F.pdf

- Jayasinghe, T., Munasinghe, A. and Sivakumar, T., (2023). A microscopic traffic simulation framework to evaluate the performance of bus priority lanes. *Journal of South Asian Logistics and Transport*, 3(1), 1-19. DOI: <https://doi.org/10.4038/jsalt.v3i1.57>
- Kepaptsoglou, K., Pyrialakou, D., Milioti, C., Karlaftis, M. G., & Tsamboulas, D. (2011). Bus lane violations: An exploration of causes. *European Transport - Trasporti Europei*, 48(48), 87–98.
- Knoop, V. L., Hoogendoorn, S. P., Shiomi, Y., Buisson, C., Knoop, V. L., Hoogendoorn, S. P., ... Buisson, C. (2016). Quantifying the Number of Lane Changes in Traffic An empirical analysis. *Transportation Research Board 95th Annual Meeting*, 16. Retrieved from <https://hal.archives-ouvertes.fr/hal-01410531>
- Krajzewicz, D., Hertkorn, G., Wagner, P., & Rössel, C. (2003). An Example of Microscopic Car Models Validation using the open source Traffic Simulation SUMO Sumo-netconvert Sumo-router. *14th European Simulation Symposium*.
- Lay-Yee, R., & Cotterell, G. (2015). The Role of Microsimulation in the Development of Public Policy. In M. Janssen, M. A. Wimmer, & A. Deljoo (Eds.), *Policy Practice and Digital Science: Integrating Complex Systems, Social Simulation and Public Administration in Policy Research* (pp. 305–320). https://doi.org/10.1007/978-3-319-12784-2_14
- Litman, T. (2016). *When Are Bus Lanes Warranted ?* Retrieved from <https://www.vtpi.org/blw.pdf>
- Lopez, P. A., Behrisch, M., Bieker-Walz, L., Erdmann, J., Flotterod, Y. P., Hilbrich, R., ... Wiebner, E. (2018). Microscopic Traffic Simulation using SUMO. *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC, 2018-Novem*, 2575–2582. <https://doi.org/10.1109/ITSC.2018.8569938>
- Mackie, P. ., Jara-Diaz, S., & Fowkes, A. . (2001). The value of travel time savings in evaluation. *Transportation Research Part E: Logistics and Transportation Review*, 37(2–3), 91–106. [https://doi.org/https://doi.org/10.1016/S1366-5545\(00\)00013-2](https://doi.org/https://doi.org/10.1016/S1366-5545(00)00013-2)
- Mahmud, S. M. S., Ferreira, L., Hoque, M. S., & Tavassoli, A. (2019). Micro-simulation modelling for traffic safety: A review and potential application to heterogeneous traffic environment. *IATSS Research*, 43(1), 27–36. <https://doi.org/10.1016/j.iatssr.2018.07.002>

- Mallikarjuna, C., & Rao, K. R. (2011). Heterogeneous traffic flow modelling: A complete methodology. *Transportmetrica*, 7(5), 321–345. <https://doi.org/10.1080/18128601003706078>
- Matcha, B. N., Namasivayam, S. N., Hosseini Fouladi, M., Ng, K. C., Sivanesan, S., & Eh Noum, S. Y. (2020). Simulation Strategies for Mixed Traffic Conditions: A Review of Car-Following Models and Simulation Frameworks. *Journal of Engineering (United Kingdom)*, 2020. <https://doi.org/10.1155/2020/8231930>
- Mundy, D., Trompet, M., Cohen, J., & Graham, D. (2017). *The Identification and Management of Bus Priority Schemes; A Study of International Experiences and Best Practice*. Retrieved from https://www.imperial.ac.uk/media/imperial-college/research-centres-and-groups/centre-for-transport-studies/rtsc/The-Identification-and-Management-of-Bus-Priority-Schemes---RTSC-April-2017_ISBN-978-1-5262-0693-0.pdf
- Munigety, C. R., & Mathew, T. V. (2016). Towards Behavioral Modeling of Drivers in Mixed Traffic Conditions. *Transportation in Developing Economies*, 2(1), 1–20. <https://doi.org/10.1007/s40890-016-0012-y>
- Muzyka, A. (1975). Bus Priority Strategies and Traffic Simulation. *Transportation Research Board Special Report*, (153).
- National Academies of Sciences Engineering and Medicine. (2000). *Highway Capacity Manual 2000*. Washington D.C.
- Papageorgiou, G., Ioannou, P., Pitsillides, A., Ahamis, T., & Maimaris, A. (2009). Development and Evaluation of Bus Priority Scenarios via Microscopic Simulation Models. In *Proceedings of the 12th IFAC Symposium on Transportation Systems* (Vol. 42). <https://doi.org/10.3182/20090902-3-US-2007.0098>
- Road Development Authority. (1998). *Geometric Design Standards.pdf*. Colombo, Sri Lanka: Road Development Authority.
- Safran, J. S., Beaton, E. B., & Thompson, R. (2014). Factors contributing to bus lane obstruction and usage in New York City: Does design matter? *Transportation Research Record*, 2418(2418), 58–65. <https://doi.org/10.3141/2418-07>

- Samarakoon, G. S., & Sivakumar, T. (2022). Microscopic Simulation of Parking Violations in Curbside With-Flow Bus Priority Lanes using SUMO Traffic Control Interface (TraCI). *R4TLI Conference Proceedings 2022*. Colombo Sri Lanka: Sri Lanka Society of Transport and Logistics.
- Seraj, M., Bie, Y., & Qiu, T. Z. (2017). A Macroscopic Lane-changing Model for Freeway Considering Different Incentives and Traffic States. *Transportation Research Board 96th Annual Meeting*, 6(October). Retrieved from <https://trid.trb.org/view/1437936>
- Shalaby, A. S. (1999). SIMULATING PERFORMANCE IMPACTS OF BUS LANES AND SUPPORTING MEASURES. *Journal of Transportation Engineering*, 125(October), 390–397. [https://doi.org/10.1061/\(ASCE\)0733-947X\(1999\)125:5\(390\)](https://doi.org/10.1061/(ASCE)0733-947X(1999)125:5(390))
- Shalaby, A. S., & Soberman, R. M. (1994). Effect of with-flow bus lanes on bus travel times. *Transportation Research Record*, (1433), 24–30.
- Smith, D., Djahel, S., & Murphy, J. (2014). A SUMO based evaluation of road incidents' impact on traffic congestion level in smart cities. *9th Annual IEEE Conference on Local Computer Networks Workshops*, (November), 702–710. <https://doi.org/10.1109/LCNW.2014.6927724>
- Srikanth, S., Mehar, A., & Praveen, K. G. N. V. (2020). Simulation of traffic flow to analyze lane changes on multi-lane highways under non-lane discipline. *Periodica Polytechnica Transportation Engineering*, 48(2), 109–116. <https://doi.org/10.3311/PPtr.10150>
- Trivedi, M. M., & Gor, V. R. (2017). Study of Lane Discipline and Its Effects : A Review. *International Journal of Engineering Development and Research*, (2), 448–450.
- Vu, T., Sano, K., Y, N. C., & Thanh, D. (2013). Comparative Analysis of Bus Lane Operations in Urban Roads Using Microscopic Traffic Simulation. *Asia Transport Studies*, 2(3), 269–283.
- Wang, C., & Coifman, B. (2008). The effect of lane-change maneuvers on a simplified car-following theory. *IEEE Transactions on Intelligent Transportation Systems*, 9(3), 523–535. <https://doi.org/10.1109/TITS.2008.928265>
- Weerasekera, K. S. (2010). Trial Introduction of a Bus Lane on A02: A Post-Mortem. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 43(3), 53. <https://doi.org/10.4038/engineer.v43i3.6974>

Yin, D., & Qiu, T. Z. (2012). Traffic jam modeling and simulation. *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC*, 1423–1428.
<https://doi.org/10.1109/ITSC.2012.6338916>

Yue, B., Shi, S., Wang, S., & Lin, N. (2020). Low-Cost Urban Test Scenario Generation Using Microscopic Traffic Simulation. *IEEE Access*, 8, 123398–123407.
<https://doi.org/10.1109/ACCESS.2020.3006073>