

REFERENCES

- [1] C. Zhang, H. Ding, Y. Shang, Z. Shao, and X. Fu, “Gender Classification Based on Multiscale Facial Fusion Feature,” vol. 2018, 2018.
- [2] X. Liu, J. Zhou, T. Kong, X. Lin, and R. Ji, “Exploring Target Representations for Masked Autoencoders,” Sep. 2022, [Online]. Available: <http://arxiv.org/abs/2209.03917>
- [3] J. J. Bannister *et al.*, “Sex Differences in Adult Facial Three-Dimensional Morphology: Application to Gender-Affirming Facial Surgery,” *Facial Plast Surg Aesthet Med*, vol. 24, pp. S24–S30, Nov. 2022, doi: 10.1089/FPSAM.2021.0301/ASSET/IMAGES/LARGE/FPSAM.2021.0301_FIGURE3.JPEG.
- [4] “(1) New Messages!” <https://www.pluralsight.com/courses/sculpting-male-female-faces-zbrush-1477> (accessed Apr. 19, 2023).
- [5] “Men vs. Women: Our Key Physical Differences Explained | Live Science.” <https://www.livescience.com/33513-men-vs-women-our-physical-differences-explained.html> (accessed Apr. 20, 2023).
- [6] “SHAPY.” <https://shapy.is.tue.mpg.de/datasets.html> (accessed Apr. 27, 2023).
- [7] “Self-supervised learning: The dark matter of intelligence.” <https://ai.facebook.com/blog/self-supervised-learning-the-dark-matter-of-intelligence/> (accessed Mar. 06, 2023).

- [8] A. Chowdhury, J. Rosenthal, J. Waring, and R. Umeton, “Applying Self-Supervised Learning to Medicine : Review of the State of the Art and Medical Implementations,” pp. 1–29, 2021.
- [9] C. Tao, J. Qi, H. Wang, and H. Li, “Remote Sensing Image Scene Classification With Self-Supervised Paradigm Under Limited Labeled Samples,” no. April 2021, 2020, doi: 10.1109/LGRS.2020.3038420.
- [10] G. Larsson, M. Maire, and G. Shakhnarovich, “Learning representations for automatic colorization,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9908 LNCS, pp. 577–593, 2016, doi: 10.1007/978-3-319-46493-0_35.
- [11] R. Zhang, P. Isola, and A. A. Efros, “Colorful image colorization,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9907 LNCS, pp. 649–666, 2016, doi: 10.1007/978-3-319-46487-9_40.
- [12] I. J. Goodfellow, J. Pouget-abadie, M. Mirza, B. Xu, and D. Warde-farley, “Generative Adversarial Nets,” pp. 1–9.
- [13] T. Karras and T. Aila, “A Style-Based Generator Architecture for Generative Adversarial Networks”.
- [14] “Intro to Adversarial Machine Learning and Generative Adversarial Networks - KDnuggets.” <https://www.kdnuggets.com/2019/10/adversarial-machine-learning-generative-adversarial-networks.html> (accessed Nov. 18, 2021).

- [15] A. Jaiswal, A. R. Babu, M. Z. Zadeh, D. Banerjee, and F. Makedon, “A Survey on Contrastive Self-Supervised Learning,” *Technologies*, vol. 9, no. 1, pp. 1–21, 2021. doi: 10.3390/technologies9010002.
- [16] “IMDB-WIKI - 500k+ face images with age and gender labels.” <https://data.vision.ee.ethz.ch/cvl/rrothe/imdb-wiki/> (accessed Mar. 07, 2023).
- [17] E. Eiding, R. Enbar, and T. Hassner, “Age and gender estimation of unfiltered faces,” *IEEE Transactions on Information Forensics and Security*, vol. 9, no. 12, pp. 2170–2179, 2014, doi: 10.1109/TIFS.2014.2359646.
- [18] A. Lanitis, C. J. Taylor, and T. F. Cootes, “Toward automatic simulation of aging effects on face images,” *IEEE Trans Pattern Anal Mach Intell*, vol. 24, no. 4, pp. 442–455, 2002, doi: 10.1109/34.993553.
- [19] Z. Zhang, Y. Song, and H. Qi, “Age progression/regression by conditional adversarial autoencoder,” *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017*, vol. 2017-Janua, pp. 4352–4360, 2017, doi: 10.1109/CVPR.2017.463.
- [20] K. Ricanek Jr. and T. Tesafaye, “MORPH: A longitudinal image Age-progression, of normal adult,” *Proc. 7th Int. Conf. Autom. Face Gesture Recognit*, pp. 0–4, 2006.
- [21] O. Agbo-Ajala and S. Viriri, “Deeply Learned Classifiers for Age and Gender Predictions of Unfiltered Faces,” *Scientific World Journal*, vol. 2020, 2020, doi: 10.1155/2020/1289408.

- [22] Z. Yu, C. Shen, and L. Chen, "Gender Classification of Full Body Images Based on the Convolutional Neural Network," pp. 707–711, 2017.
- [23] D. T. Nguyen, K. W. Kim, H. G. Hong, J. H. Koo, M. C. Kim, and K. R. Park, "Gender recognition from human-body images using visible-light and thermal camera videos based on a convolutional neural network for image feature extraction," *Sensors (Switzerland)*, vol. 17, no. 3, 2017, doi: 10.3390/s17030637.
- [24] M. Collins, J. Zhang, P. Miller, and H. Wang, "Full body image feature representations for gender profiling".
- [25] E. Gonzalez-sosa, A. Dantcheva, and R. Vera-rodriguez, "Image-based Gender Estimation from Body and Face across Distances".
- [26] M. Raza, M. Sharif, M. Yasmin, M. A. Khan, T. Saba, and S. L. Fernandes, "Appearance based pedestrians' gender recognition by employing stacked auto encoders in deep learning," *Future Generation Computer Systems*, vol. 88, pp. 28–39, 2018, doi: 10.1016/j.future.2018.05.002.
- [27] L. Zheng, L. Shen, L. Tian, S. Wang, J. Wang, and Q. Tian, "Scalable person re-identification: A benchmark," *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2015 Inter, pp. 1116–1124, 2015, doi: 10.1109/ICCV.2015.133.
- [28] Y. Deng, P. Luo, C. C. Loy, and X. Tang, "Pedestrian attribute recognition at far distance," *MM 2014 - Proceedings of the 2014 ACM Conference on Multimedia*, pp. 789–792, 2014, doi: 10.1145/2647868.2654966.

- [29] L. Zheng, H. Zhang, S. Sun, M. Chandraker, Y. Yang, and Q. Tian, “Person re-identification in the Wild,” *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017*, vol. 2017-Janua, pp. 3346–3355, 2017, doi: 10.1109/CVPR.2017.357.
- [30] B. Leibe, J. Matas, N. Sebe, and M. Welling, “Preface,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9906 LNCS, pp. VII–IX, 2016, doi: 10.1007/978-3-319-46466-4.
- [31] L. Fei-Fei, J. Deng, and K. Li, “ImageNet: Constructing a large-scale image database,” *J Vis*, vol. 9, no. 8, pp. 1037–1037, 2010, doi: 10.1167/9.8.1037.
- [32] R. Collobert and J. Weston, “A unified architecture for natural language processing,” pp. 160–167, 2008, doi: 10.1145/1390156.1390177.
- [33] T. Mikolov, K. Chen, G. Corrado, and J. Dean, “Efficient estimation of word representations in vector space,” *1st International Conference on Learning Representations, ICLR 2013 - Workshop Track Proceedings*, pp. 1–12, 2013.
- [34] P. M. Brennan, J. J. M. Loan, N. Watson, P. M. Bhatt, and P. A. Bodkin, “Pre-operative obesity does not predict poorer symptom control and quality of life after lumbar disc surgery,” *Br J Neurosurg*, vol. 31, no. 6, pp. 682–687, 2017, doi: 10.1080/02688697.2017.1354122.
- [35] A. Joulin, E. Grave, P. Bojanowski, and T. Mikolov, “Bag of tricks for efficient text classification,” *15th Conference of the European Chapter of the*

Association for Computational Linguistics, EACL 2017 - Proceedings of Conference, vol. 2, pp. 427–431, 2017, doi: 10.18653/v1/e17-2068.

- [36] J. Devlin, M. W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of deep bidirectional transformers for language understanding,” *NAACL HLT 2019 - 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies - Proceedings of the Conference*, vol. 1, no. M1m, pp. 4171–4186, 2019.
- [37] Y. Liu *et al.*, “RoBERTa: A Robustly Optimized BERT Pretraining Approach,” no. 1, 2019, [Online]. Available: <http://arxiv.org/abs/1907.11692>
- [38] “fast.ai - Self-supervised learning and computer vision.” https://www.fast.ai/posts/2020-01-13-self_supervised.html (accessed Mar. 06, 2023).
- [39] K. He, H. Fan, Y. Wu, S. Xie, and R. Girshick, “Momentum Contrast for Unsupervised Visual Representation Learning,” *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pp. 9726–9735, Nov. 2019, doi: 10.1109/CVPR42600.2020.00975.
- [40] T. Chen, S. Kornblith, M. Norouzi, and G. Hinton, “A simple framework for contrastive learning of visual representations,” *37th International Conference on Machine Learning, ICML 2020*, vol. PartF16814, no. Figure 1, pp. 1575–1585, 2020.

- [41] O. J. Henaff *et al.*, “Data-Efficient image recognition with contrastive predictive coding,” *37th International Conference on Machine Learning, ICML 2020*, vol. PartF16814, no. 2018, pp. 4130–4140, 2020.
- [42] C. Doersch, A. Gupta, and A. A. Efros, “Unsupervised visual representation learning by context prediction,” *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2015 Inter, pp. 1422–1430, 2015, doi: 10.1109/ICCV.2015.167.
- [43] D. Pathak, P. Krahenbuhl, J. Donahue, T. Darrell, and A. A. Efros, “Context Encoders: Feature Learning by Inpainting,” *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2016-Decem, pp. 2536–2544, 2016, doi: 10.1109/CVPR.2016.278.
- [44] J. B. Grill *et al.*, “Bootstrap your own latent a new approach to self-supervised learning,” *Adv Neural Inf Process Syst*, vol. 2020-Decem, 2020.
- [45] M. Caron, I. Misra, J. Mairal, P. Goyal, P. Bojanowski, and A. Joulin, “Unsupervised learning of visual features by contrasting cluster assignments,” *Adv Neural Inf Process Syst*, vol. 2020-Decem, no. NeurIPS, pp. 1–23, 2020.
- [46] P. Goyal *et al.*, “Self-supervised Pretraining of Visual Features in the Wild,” 2021, [Online]. Available: <http://arxiv.org/abs/2103.01988>
- [47] Z. Ren and Y. J. Lee, “Cross-Domain Self-Supervised Multi-task Feature Learning Using Synthetic Imagery,” *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pp. 762–771, 2018, doi: 10.1109/CVPR.2018.00086.

- [48] Y. Cao and J. Wu, “Rethinking Self-Supervised Learning: Small is Beautiful,” 2012.
- [49] J. Park, I. Y. Kwak, and C. Lim, “A deep learning model with self-supervised learning and attention mechanism for covid-19 diagnosis using chest x-ray images,” *Electronics (Switzerland)*, vol. 10, no. 16, 2021, doi: 10.3390/electronics10161996.
- [50] J. Zhou *et al.*, “iBOT: Image BERT Pre-Training with Online Tokenizer,” Nov. 2021, [Online]. Available: <http://arxiv.org/abs/2111.07832>
- [51] K. He, X. Chen, S. Xie, Y. Li, P. Doll, and R. Girshick, “Masked Autoencoders Are Scalable Vision Learners”.
- [52] S. Mozaffari and H. Behravan, “Gender Classification Using Single Frontal Image Per Person : Combination of Appearance and Geometric Based Features Gender Classification using Single Frontal Image per Person : Combination of Appearance and Geometric based Features,” no. August, 2010, doi: 10.1109/ICPR.2010.297.
- [53] S. Kumar, S. Singh, and J. Kumar, “Gender Classification Using Machine Learning with Multi-Feature Method,” no. 1, pp. 1–6.
- [54] D. Yudin, “Age and Gender Recognition on Imbalanced Dataset of Face Images with Deep Learning Age and Gender Recognition on Imbalanced Dataset of Face Images with Deep Learning,” no. June, 2020, doi: 10.1007/978-3-030-50097-9.