


SEASONAL CLIMATE FORECASTS FOR WATER AND ENVIRONMENTAL MANAGEMENT

This thesis was submitted to the Department of Civil Engineering of the University of Moratuwa in partial fulfillment of the requirements for the degree of Masters of Engineering in Water Resources Engineering and Management



By

University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
D. H. Bulathsinhala
B.Sc. Eng., AMIE (Sri Lanka)

624 "03"

627 (043)

Supervised by

Dr. Saman Samarawickrama
Dr. Lareef Zubair

UM Thesis coll.

Department of Civil Engineering
University of Moratuwa
Sri Lanka

82463

University of Moratuwa

December 2003



82463

82463



Declaration

The work included in the thesis in part or whole has not been submitted for any other academic qualification at any institution

Handwritten signature
.....
D. H. Bulathsinhala

UOM Verified Signature



University of Moratuwa,
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

Dr. Saman Samarawickrama
Supervisor

ABSTRACT

The network of about 15 meteorological stations in Sri Lanka provides the baseline temperature data upon which most climatological studies are based. Since the data serve many primary users both local and foreign each year, and untold secondary users, quality control is an important consideration.

The quality of the monthly temperature data at the main stations of the Sri Lanka Department of Meteorology and Agriculture were evaluated based on station histories, comparison with other stations and internal consistency of the data. The Global Historical Climatology Network (GHCN) has previously carried out such quality control for 11 Sri Lankan stations. 15 stations, each of which were of a longer duration than used in the GHCN analysis. The data that failed to pass the quality control based on multiple checks and consistency of statistical relationships of mean temperature among the different stations were discarded. An estimate has been constructed for the temperature record for each station based on its best-correlated stations alone. The comparison of the actual and constructed data brings out shifts in mean and variance and a technique to adjust the data has been formatted. There have been several relocations of stations and changes of instrumentation that caused these shifts. Overall, the dataset resulting from this work is more comprehensive while meeting all the standards used in the GHCN work

The present quality control leads to a much smaller set of data being discarded. It is found that major inconsistencies are present in the nineteenth century records of several stations.

Effective use of available water resources is a serious problem facing the world as it enters the 21st century. An important source of concern in water resources management is the occurrence of severe and sustained droughts that deplete reservoir storage to dangerous levels. Such droughts are often associated with low frequency climatic fluctuations, such as the El Nino Southern Oscillation (ENSO).

Forecasting future reservoir inflows or rainfall requires an understanding of the nature and causes of climatic variability. There have been significant advances in physically based models of the climatic and hydrologic systems in recent decades. However their operational utility beyond a few days or weeks, and accuracy of their forecasts remain rather limited. Consequently, where long historical records of the variables of interest are available, statistical approaches could provide a basis for useful seasonal to inter annual flow forecasts.

Identification of the oceanic or atmospheric variables that form useful predictors of rainfall is an important step in developing a long-term forecasting model. Third chapter is of a study to develop a framework for rainfall probabilistic forecasting using available climatic information.

ACKNOWLEDGEMENT

First of all I would like to thank Dr. Saman Samarawickrama and Dr Lareef Zubair for accepting to act as supervisors for my MSc. Also I appreciate the guidance given by Dr. Sunil Wickramasooriya and Dr. Athula Kulathilake.

Natural Resources Management Services (NRMS), was not only my working place but it was the centre for my studies. I started a library at NRMS and all staff members supported it. In all my activities they gave a very good support and I will never forget it because it was my first job and NRMS is far away from my home. From director level to the peon level everybody helped me to make my research a success.

I take this opportunity to thank the staff members of Meteorology Department, Irrigation Department, National Archives, Museum Library and University of Peradeniya main Library for the help given by them.



University of Moratuwa, Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

LIST OF FIGURES

Number	Title	Page
1	Locations of Temperature Stations	7
2a	Annual Time series of individual stations	11
2b	Annual Time series of individual stations	12
3	Annual Observed and Reconstructed time series for Anuradhapura	21
4	Annual Observed and Reconstructed time series for Badulla	22
5	Annual Observed and Reconstructed time series for Batticaloa	22
6	Annual Observed and Reconstructed time series for Colombo	23
7	Annual Observed and Reconstructed time series for Diyatalawa	23
8	Annual Observed and Reconstructed time series for Galle	23
9	Annual Observed and Reconstructed time series for Hambantota	24
10	Annual Observed and Reconstructed time series for Jaffna	25
11	Annual Observed and Reconstructed time series for Kandy	25
12	Annual Observed and Reconstructed time series for Kurunegala	26
13	Annual Observed and Reconstructed time series for Mannar	26
14	Annual Observed and Reconstructed time series for Nuwara Eliya	27
15	Annual Observed and Reconstructed time series for Puttalam	27
16	Annual Observed and Reconstructed time series for Rathnapura	28
17	Annual Observed and Reconstructed time series for Trincomalee	28
18	Cumulative Sum of all Stations	30
19	Observed and Adjusted time series for Kandy	33
20	Annual time series with error estimate	34
21	Monthly Correlation between Madras & ASLT(1943-1993)	37
22	Madras Monthly mean envelope (1796-1950)	37
23	ASLT Monthly mean envelope (1869-2000)	37
24	Annual ASLT using Madras and Actual ASLT	38
25	ASLT construction using Madras and Actual values for January	38

Number	Title	Page
26	ASLT construction using Madras and Actual values for February	39
27	ASLT construction using Madras and Actual values for March	39
28	ASLT construction using Madras and Actual values for April	39
29	ASLT construction using Madras and Actual values for May	40
30	ASLT construction using Madras and Actual values for June	40
31	ASLT construction using Madras and Actual values for July	40
32	ASLT construction using Madras and Actual values for August	41
33	ASLT construction using Madras and Actual values for September	41
34	ASLT construction using Madras and Actual values for October	41
35	ASLT construction using Madras and Actual values for November	42
36	ASLT construction using Madras and Actual values for December	42
37	Frequency Distribution of Constructed and Actual ASLT from 1900 to 1993	45
38	Temperature envelope for ASLT	46
39	Locations of stations and different rainfall regions of Sri Lanka	50
40	Relationship between monthly SOI & Oct-Nov Rainfall	56
41	(May-July) SOI vs. (Oct-Nov) Rainfall Normalised Values	57
42	All Sri Lankan Rainfall Departures in the SIMS	58

LIST OF TABLES

Number	Title	Page
Table 1	Details of Meteorological Stations	6
Table 2	Statistics of individual stations	10
Table 3	Correlation of Annual Data for the entire record	14
Table 4	Correlation of Annual Data for mean temperature data from 1869 to 1894	15
Table 5	Correlation of Annual Data for mean temperature data from 1895 to 1919	16
Table 6	Correlation of Annual Data for mean temperature data from 1920 to 1949	17
Table 7	Correlation of Annual Data for mean temperature data from 1950 to 2000	18
Table 8	Tables of neighbouring stations that were used in the reconstructions and their correlation coefficients	19
Table 9	Table of Correlations between Observed data and Reference time series	29
Table 10	Years in which stations in Sri Lanka were moved or instruments were replaced	31
Table 11	Raw data that was used for the GHCN analysis Version 2 and the data that was retained after QC	35
Table 13	Data available prior to 1869	36
Table 14	Annual correlations between ASLT construction Using Madras, Colombo, Jaffna and actual ASLT Annual values for the period of 1869-1950	42
Table 15	Monthly Correlation between ASLT using Madras and actual ASLT for the period of 1869-1950	43
Table 16	Stations that were used in the analysis	48
Table 17	Rainfall Regions used for the analysis and their Longterm average rainfall	49
Table 18	El Nino and La Nina Years	51
Table 19	Correlation between the rainfall and the SOI for FIS	52
Table 20	Correlation between the rainfall and the SOI for SWMS	53
Table 21	Correlation between the rainfall and the SOI for SIMS	54
Table 22	Correlation between the rainfall and the SOI for NEMS	59

LIST OF ABBREVIATIONS USED

SST	-	Sea Surface Temperature
GHCN	-	Global Historical Climate Network
ASLT	-	All Sri Lankan Temperature
CUSUM	-	Cumulative Sum
GA	-	Government Agent
SD	-	Standard Deviation
UB	-	Upper Boundary
LB	-	Lower Boundary
ASLT(com)	-	All Sri Lankan Temperature Computed
ENSO	-	El Nino Southern Oscillation
SO	-	Southern Oscillation
CCS	-	Correlation Coefficients
FIS	-	First Inter monsoon Seasons
SWMS	-	South West Monsoon Season
SIMS	-	Second Inter monsoon Season
NEMS	-	North East Monsoon Season
FMA	-	February, March, April
MJJ	-	May, June, July
ASO	-	August, September, October
NDJ	-	November, December, January
SOI	-	Southern Oscillation Index
SST	-	Sea Surface Temperature

CONTENTS

CHAPTER	TITLE	PAGE
1	Introduction	1-2
2	Literature Review	3-5
3	Quality Evaluation of Historical Mean Temperature Data in Sri Lanka	
	3.1 Introduction	6
	3.2 Methodology	8-10
	3.3 Results	10-33
	3.4 Conclusions and Discussions	34-35
4	Best Estimates for All Sri Lanka Temperature in the 19th Century	
	4.1 Introduction	36
	4.2 Methodology	36
	4.3 Results	37-43
	4.4 Test of Hypothesis	43-44
	4.5 Discussion	44-45
	4.6 Conclusions	45
5	El Nino Southern Oscillation and the Rainfall of Sri Lanka	
	5.1 Introduction	47
	5.2 Data	48
	5.3 Methodology	49-51
	5.4 Results	52-59
	5.5 Conclusions	60
6	Final Conclusions	61-62
	References	63-66