

## BIBLIOGRAPHY

- [1] A. Caduff, F. Dewarra, M. Talary, G. Staldera, L. Heinemannb, and Y. Feldman, “Non-invasive glucose monitoring in patients with diabetes: A novel system based on impedance spectroscopy,” *Biosensors and Bioelectronics*, 2006.
- [2] [http://jerryssurgicalnj.com/wound\\_care.htm](http://jerryssurgicalnj.com/wound_care.htm), Accessed 30 June 2011.
- [3] E. B. Inc., <http://www.britannica.com/EBchecked/media/113906/Blood-is-made-up-of-multiple-components-including-red-blood>, Accessed 30 June 2011.
- [4] I. V. Meglinski and S. J. Matcher, “Quantitative assessment of skin layers absorption and skin reflectance spectra simulation in the visible and near-infrared spectral regions,” *Physiological Measurement*, vol. 23, no. 4, pp. 741–753, 2002.
- [5] E. C. Green, “Design of a microwave sensor for non-invasive determination of blood glucose concentration,” Master Thesis, Department of Electrical and Computer Engineering, College of Engineering and Computer Science, Baylor University, November 2005.
- [6] S. H. P., “Electrical properties of tissues and cell suspensions,” *Advances in Biological and Medical Physics*, vol. 5, pp. 147–209, 1957.
- [7] D. T. Lykken, “Square-wave analysis of skin impedance,” *Psychophysiology*, vol. 7, no. 2, pp. 262–275, September 1970.
- [8] R. T. Tregear, *Physical functions of skin*. London: Academic Press, 1966.

- [9] S. J. Dorgan and R. B. Reilly, "A model for human skin impedance during surface functional neuromuscular stimulation," *IEEE Transactions on Rehabilitation Engineering*, vol. 7, no. 3, pp. 341–348, September 1999.
- [10] S. Grimnes and F. G. Martinsen, "Cole electrical impedance model—a critique and an alternative," *IEEE Transaction on Biomedical Engineering*, vol. 52, no. 1, pp. 132–135, January 2005.
- [11] A. R. A. Rahman, C.-M. Lo, and S. Bhansali, "A micro-electrode array biosensor for impedance spectroscopy of human umbilical vein endothelial cells," *Sensors and Actuators B: Chemical*, vol. 118, no. 1–2, pp. 115–120, October 2006.
- [12] W. A. T. Ruwansiri, E. C. Kulasekere, D. M. M. J. Senarathna, and I. J. Dayawansa, "Evaluation of compact carsa sensor and penetration depth of em signal for non-invasive blood glucose measurement," *Industrial and Information Systems (ICIS)*, 2011. *IEEE International Conference on, pp. 228–233, Aug 2011.*
- [13] S. Gabriely, R. W. Lau, and C. Gabriel, "The dielectric properties of biological tissues iii.parametric models for the dielectric spectrum of tissues," *Physics in Medicine and Biology*, vol. 41, pp. 2271–2293, November 1996.
- [14] T. Yamamoto and Y. Yamamoto, "Non-linear electrical properties of skin in the low frequency range," *Medical and Biological Engineering and Computing*, vol. 19, no. 3, pp. 302–310, 1981.
- [15] E. T. Tutku Karacolak, Elaine C. Moreland, "Cole-cole model for glucose-dependent dielectric properties of blood plasma for continuous glucose monitoring."
- [16] N. D. I. C. (NDIC)., <http://diabetes.niddk.nih.gov/DM/PUBS/statistics/>, Accessed 26 August 2009.
- [17] H. Brannon, "Skin anatomy," <http://dermatology.about.com/cs/skinanatomy/a/anatomy.htm>, Accessed on, 06 May 2011.

- [18] A. D. A. (1994), “Self-monitoring of blood glucose,” *Diabetes Care*, vol. 17, pp. 81–86, 1994.
- [19] *Accu – Check*<sup>®</sup>, <https://www.accu-check.com/us/>, Accessed June 06, 2011.
- [20] K. U. Jagemann, C. Fischbacher, K. Danzer, U. A. Muller, and B. Mertes, “Application of near-infrared spectroscopy for non-invasive determination of bloodtissue glucose using neural networks,” *Zeitschrift fr Physikalische Chemie*, vol. 191, no. Part.2, pp. 179–190, 1995.
- [21] J. N. Roe and B. R. Smoller, “Bloodless glucose measurements,” *Critical review in theraoeutic drug carrier system*, vol. 15, no. 3, pp. 199–241, 1998.
- [22] G. B. Christison and H. A. MacKenzie, “Laser photoacoustic determination of physiological glucose concentrations in human whole blood.” *Medical and biological engineering and computing*, vol. 31, pp. 284–290, 1993.
- [23] J. T. Bräulsema, M. Essenpreis, L. Heinemann, J. E. Hayward, M. Berger, F. A. Greis, T. Koschinsky, J. S. Christiansen, H. Orskov, T. J. Farrell, M. Patterson, and D. Bocker, “Detection of changes in blood glucose concentration in-vivo with spatially resolved diffuse reflectance,” *On Biomedical Optical Spectroscopy and Diagnostics*, March 1996.
- [24] S. Y. Wang, C. E. Hasty, P. A. Watson, J. P. Wickstead, R. D. Stith, and W. F. March, “Analysis of metabolites in aqueous solutions by using laser raman spectroscopy,” *Applied optics*, vol. 32, no. 6, pp. 925–929, February 1993.
- [25] A. Caduff, E. Hirt, Y. Feldman, Z. Ali, and L. Heinemann, “First human experiments with a novel non-invasive, non-optical continuous glucose monitoring system,” *Biosensors and Bioelectronics*, vol. 19, no. 3, pp. 209–217, November 2003.
- [26] A. Caduffe, M. Donath, M. Talary, S. Haug, D. Huber, W. A. Stahel, F. Dewarrat, L. Jonasson, H.-J. Krebs, and J. Klisic, “Multisensor concept for

- non-invasive physiological monitoring,” in *Instrumentation and Measurement Technology Conference*. IEEE, May 2007.
- [27] Jean, B. Green, E. McClung, and M. Baylor, “A microwave frequency sensor for non-invasive blood-glucose measurement,” in *Sensors Applications Symposium, IEEE*, ser. Acian Pacific Microwave Conference. Atlanta, GA,: IEEE, February 2008, pp. 4–7.
- [28] K. D., “Noninvasive blood glucose monitoring,” *Diabetes Care*, vol. 20, pp. 433–443, 1997.
- [29] K. T. and H. L., “Sensor for glucose monitoring: Technical and clinical aspects,” *Diabets Metab*, vol. 17, pp. 113–123, 2001.
- [30] J. J. Burmeister and M. A. Arnold, “Evaluation of measurement sites for non-invasive blood glucose sensing with near-infrared transmission spectroscopy,” *Clinical Chemistry*, vol. 45, no. 9, pp. 1621–1627, 1999.
- [31] D. A. Deana, T. Ramanathanb, D. Machadoa, and R. Sundararajana, “Electrical impedance spectroscopy study of biological tissues,” *Journal of Electrostatics*, vol. 66, no. 3–4, pp. 165–177, March 2008.
- [32] C. Gabriel, S. Gabriely, and E. Corthout, “The dielectric properties of biological tissues: I. literature survey,” *Physics in Medicine and Biology*, vol. 41, pp. 2231–2249, November 1996.
- [33] R. W. L. S Gabriely and C. Gabriel, “The dielectric properties of biological tissues: Ii. measurements in the frequency range 10 hz to 20 ghz,” *Physics in Medicine and Biology*, vol. 41, pp. 2251–2269, November 1996.
- [34] C. Gabriel, T. Y. A. Chan, and E. H. Grant, “Admittance models for open ended coaxial probes and their place in dielectric spectroscopy,” *Physics in Medicine and Biology*, vol. 39, no. 12, pp. 2183–2199, 1994.

- [35] W. D. Hurt, "Multiterm debye dispersion relations for permittivity of muscle," *IEEE Transactions on Biomedical Engineering*, vol. 32, no. 1, pp. 60–64, Jan 1985.
- [36] A. Barnet, "The phase angle of normal human skin," *Physiology*, vol. 93, no. 4, pp. 349–366, September 1938.
- [37] L. J. C., D. M. J., and G. E. C., "Electrical characteristics of the skin. the impedance of the surface sheath and deep tissues." *Journal of Investigative Dermatology*, vol. 34, pp. 301–308, May 1960.
- [38] T. Yamamoto and Y. Yamamoto, "Electrical properties of the epidermal stratum corneum," *Medical and Biological Engineering and Computing*, vol. 14, no. 2, pp. 151–158, March 1976.
- [39] M.-R. N. A., I. A. O., and R. J. E.
- [40] P. R. G., G. R. H., and F. M. L., "Routes of ionic permeability through mammalian skin," *Solid State Ionics*, vol. 53–56, no. 1, pp. 165–169, July–August 1992.
- [41] S. Oh, L. Leung, D. Bommaman, R. H. Guy, and R. Potts, "Effect of current, ionic strength and temperature on the electrical properties of skin," *Journal of Controlled Release*, vol. 27, no. 2, pp. 115–125, November 1993.
- [42] Y. A. Chizmadzhev, A. V. Indenbom, P. I. Kuzmin, S. V. Galichenko, J. C. Weaver, and R. O. Potts, "Electrical properties of skin at moderate voltages: contribution of appendageal macropores," *Biophysical*, vol. 74, no. 2, pp. 843–856, February 1998.
- [43] R. Edelberge, "Biopotentials from the skin surface: the hydration effect," *Annals of the New York Academy of Sciences*, vol. 148, no. 1, pp. 252–262, 1968.

- [44] A. van Boxtel, "Skin resistance during square-wave electrical pulses of 1 to 10 ma," *Medical and Biological Engineering and Computing*, vol. 15, no. 6, pp. 679–687, 1977.
- [45] C. E. Burton, R. M. David, W. M. Portnoy, and L. A. Akers, "The application of bode analysis to skin impedance," *Psychophysiology*, vol. 11, no. 4, pp. 517–525, July 1974.
- [46] E. J. Clar, C. P. Her, and C. G. Sturelle, "Skin impedance and moisturization," *Journal of the Society of Cosmetic Chemists*, vol. 26, no. 7, pp. 337–353, 1975.
- [47] M. B. Nordin, "Design of non-invasive blood glucose microwave sensor," B.Sc in Electrical Medical Electronic, Faculty of Electrical Engineering, Universiti Teknologi Malaysia, April 2010.
- [48] A. Tura, S. Sbrignadello, S. Barison, S. Conti, and G. Pacini, "Dielectric properties of water and blood samples with different concentrations," in *IFMBE Proceedings*, ser. 11th Mediterranean Conference on Medical and Biomedical Engineering and Computing 2007, vol. 16, no. 6, 2007, pp. Andrea Tura, S. Sbrignadello, S. Barison, S. Conti and G. Pacini.
- [49] S. Curto, P. McEvoy, X. Bao, and M. J. Ammann, "Compact patch antenna for electromagnetic interaction with human tissue at 434 mhz," *IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION*, vol. 57, no. 9, pp. 2564–2571, September 2009.
- [50] B. K. Kanaujia and B. R. Vishvakarma, "Analysis of two-concentric annular ring microstrip antenna," *Microwave and optical technology letters*, vol. 36, no. 2, pp. 104–108, Dec 2002.
- [51] B. K. Kanaujia and A. K. Singh, "Analysis and design of gap-coupled annular ring microstrip antenna," *International Journal of Antennas and Propagation*, vol. 2008, 2008.

- [52] J. A. Ansari, R. B. Ram, and P. Singh, “Analysis of a gap-coupled stacked annular ring microstrip antenna,” *Progress In Electromagnetics Research B*, Department of Electronics and Communication, University of Allahabad, vol. 4, pp. 147–158, 2008.
- [53] D. M. Pozar, *Microwave Engineering*. New York: John Wiley & Sons, Inc., 2004, vol. 3.
- [54] “About air ions,” <http://www.trifield.com/air-ions.htm>, Accessed 11 May 2011.
- [55] t. f. e. Wikipedia, <http://en.wikipedia.org/wiki/Coaxial-cable>, Accessed 30 June 2011.
- [56] DuPont, “Fluoropolymer comparison - typical properties,” [http://www2.dupont.com/Teflon\\_Industrial/en\\_US/tech\\_info/techinfo\\_compare.html](http://www2.dupont.com/Teflon_Industrial/en_US/tech_info/techinfo_compare.html), Accessed 10 August 2011.
- [57] R. Garg, P. Bhartia, I. Bahl, and A. Ittipiboon, *Microstrip Antenna Design Handbook*. Boston, MA: Artech House, 2002.
- [58] R. N. Simons, *Coplanar waveguide circuits, components, and systems*. John Wiley & Sons, Inc., 2001.
- [59] A. L. Hodgkin, A. F. Huxley, and B. Katz, “Measurement of current-voltage relations in the membrane of the giant axon of loligo,” *The journal of physiology*, vol. 116, no. 4, pp. 424–448, April 1952.
- [60] A. L. Hodgkin and A. F. Huxley, “Currents carried by sodium and potassium ions through the membrane of the giant axon of loligo,” *The journal of physiology*, vol. 116, no. 4, pp. 449–472, April 1952.
- [61] ———, “The components of membrane conductance in the giant axon of loligo,” *The journal of physiology*, vol. 116, no. 4, pp. 473–496, April 1952.

- [62] —, “The dual effect of membrane potential on sodium conductance in the giant axon of loligo,” *The journal of physiology*, vol. 116, no. 4, pp. 497–506, April 1952.
- [63] —, “A quantitative description of membrane current and its application to conduction and excitation in nerve,” *The journal of physiology*, vol. 117, no. 4, pp. 500–544, August 1952.
- [64] M. O. Grimnes S., “Bioimpedance and bioelectricity basic,” Academic Press, New York, 2000.
- [65] A. R. A. Rahman, “Cellmap: An automated multielectrode array cell culture analysis system based on electrochemical impedance spectroscopy,” PhD, University of South Florida, January 2007.



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)